

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Apples	Bixafen (RD)	162	162	0	0				0.01	0
Apples	Buprofezin	162	162	0	0				3	0
Apples	Carbofuran (RD)	162	114	0	0				0.02	0
Apples	Desmedipham	162	38	0	0				0.05	0
Apples	Dichlorprop (RD)	162	122	0	0				0.05	0
Apples	Dithiocarbamates (RD)	162	19	1	5.26	0.032	0.032	0.032	5	0
Apples	Dodine	162	162	7	4.32	0.012	0.11	0.0406	5	0
Apples	Fenamidone	162	162	0	0				0.02	0
Apples	Fenbuconazole	162	162	0	0				0.5	0
Apples	Folpet (RD)	162	62	0	0				3	0
Apples	Hexythiazox	162	162	0	0				1	0
Apples	Imidacloprid	162	162	0	0				0.5	0
Apples	Ioxynil (RD)	162	122	0	0				0.05	0
Apples	Ipconazole	162	40	0	0					0
Apples	Profenofos	162	162	0	0				0.05	0
Aubergines (egg plants)	Bixafen (RD)	111	111	0	0				0.01	0
Aubergines (egg plants)	Buprofezin	111	111	0	0				1	0
Aubergines (egg plants)	Carbofuran (RD)	111	79	1	1.27	0.011	0.011	0.011	0.02	0
Aubergines (egg plants)	Desmedipham	111	17	0	0				0.05	0
Aubergines (egg plants)	Dichlorprop (RD)	111	84	0	0				0.05	0
Aubergines (egg plants)	Dodine	111	111	0	0				0.2	0
Aubergines (egg plants)	Fenamidone	111	111	0	0				1	0
Aubergines (egg plants)	Fenbuconazole	111	111	0	0				0.05	0
Aubergines (egg plants)	Folpet (RD)	111	13	0	0				0.02	0
Aubergines (egg plants)	Hexythiazox	111	111	0	0				0.5	0
Aubergines (egg plants)	Imidacloprid	111	111	22	19.8	0.007	0.2	0.0595	0.5	0
Aubergines (egg plants)	Ioxynil (RD)	111	84	0	0				0.05	0
Aubergines (egg plants)	Ipconazole	111	19	0	0					0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Aubergines (egg plants)	Profenofos	111	111	2	1.8	0.011	0.16	0.0855	0.05	1
Baby food for infants and young children	Bixafen (RD)	74	74	0	0					0
Baby food for infants and young children	Buprofezin	74	74	0	0					0
Baby food for infants and young children	Carbofuran (RD)	74	58	0	0					0
Baby food for infants and young children	Desmedipham	74	37	0	0					0
Baby food for infants and young children	Dichlorprop (RD)	74	44	0	0					0
Baby food for infants and young children	Dodine	74	65	0	0					0
Baby food for infants and young children	Fenamidone	74	74	0	0					0
Baby food for infants and young children	Fenbuconazole	74	74	0	0					0
Baby food for infants and young children	Folpet (RD)	74	28	0	0					0
Baby food for infants and young children	Hexythiazox	74	65	0	0					0
Baby food for infants and young children	Imidacloprid	74	65	0	0					0
Baby food for infants and young children	Ioxynil (RD)	74	44	0	0					0
Baby food for infants and young children	Ipconazole	74	37	0	0					0
Baby food for infants and young children	Profenofos	74	74	0	0					0
Bananas	Bixafen (RD)	89	87	0	0				0.01	0
Bananas	Buprofezin	89	87	11	12.6	0.005	0.12	0.0632	0.5	0
Bananas	Carbofuran (RD)	89	62	0	0				0.02	0
Bananas	Desmedipham	89	15	0	0				0.05	0
Bananas	Dichlorprop (RD)	89	66	0	0				0.05	0
Bananas	Dodine	89	87	0	0				0.5	0
Bananas	Fenamidone	89	87	0	0				0.02	0
Bananas	Fenbuconazole	89	87	0	0				0.05	0
Bananas	Folpet (RD)	89	14	0	0				0.02	0
Bananas	Hexythiazox	89	87	0	0				0.5	0
Bananas	Imidacloprid	89	87	3	3.45	0.007	0.026	0.0141	0.05	0
Bananas	Ioxynil (RD)	89	66	0	0				0.05	0
Bananas	Ipconazole	89	17	0	0					0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Bananas	Profenofos	89	87	0	0				0.05	0
Beans (with pods)	Bixafen (RD)	201	199	0	0				0.01	0
Beans (with pods)	Buprofezin	201	199	1	0.5	0.049	0.049	0.049	1	0
Beans (with pods)	Carbofuran (RD)	201	132	0	0				0.02	0
Beans (with pods)	Desmedipham	201	39	0	0				0.05	0
Beans (with pods)	Dichlorprop (RD)	201	126	0	0				0.05	0
Beans (with pods)	Dithiocarbamates (RD)	201	9	0	0				1	0
Beans (with pods)	Dodine	201	199	0	0				0.2	0
Beans (with pods)	Fenamidone	201	199	0	0				0.02	0
Beans (with pods)	Fenbuconazole	201	199	0	0				0.05	0
Beans (with pods)	Folpet (RD)	201	24	0	0				2	0
Beans (with pods)	Hexythiazox	201	199	1	0.5	0.018	0.018	0.018	0.5	0
Beans (with pods)	Imidacloprid	201	199	4	2.01	0.005	0.16	0.0627	2	0
Beans (with pods)	Ioxynil (RD)	201	126	0	0				0.05	0
Beans (with pods)	Ipconazole	201	41	0	0					0
Beans (with pods)	Profenofos	201	199	0	0				0.05	0
Broccoli	Bixafen (RD)	133	133	0	0				0.01	0
Broccoli	Buprofezin	133	133	0	0				0.05	0
Broccoli	Carbofuran (RD)	133	84	0	0				0.02	0
Broccoli	Desmedipham	133	27	0	0				0.05	0
Broccoli	Dichlorprop (RD)	133	77	0	0				0.05	0
Broccoli	Dithiocarbamates (RD)	133	3	3	100	0.14	0.68	0.3433	1	0
Broccoli	Dodine	133	133	0	0				0.2	0
Broccoli	Fenamidone	133	133	0	0				5	0
Broccoli	Fenbuconazole	133	133	0	0				0.05	0
Broccoli	Folpet (RD)	133	20	0	0				0.02	0
Broccoli	Hexythiazox	133	133	0	0				0.5	0
Broccoli	Imidacloprid	133	133	15	11.3	0.006	0.068	0.018	0.5	0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Broccoli	Ioxynil (RD)	133	77	0	0				0.05	0
Broccoli	Ipconazole	133	27	0	0					0
Broccoli	Profenofos	133	133	0	0				0.05	0
Carrots	Bixafen (RD)	128	128	0	0				0.01	0
Carrots	Buprofezin	128	128	0	0				0.05	0
Carrots	Carbofuran (RD)	128	93	0	0				0.02	0
Carrots	Desmedipham	128	19	0	0				0.05	0
Carrots	Dichlorprop (RD)	128	93	0	0				0.05	0
Carrots	Dithiocarbamates (RD)	128	19	0	0				0.2	0
Carrots	Dodine	128	128	0	0				0.2	0
Carrots	Fenamidone	128	128	0	0				0.15	0
Carrots	Fenbuconazole	128	128	0	0				0.05	0
Carrots	Folpet (RD)	128	24	0	0				0.02	0
Carrots	Hexythiazox	128	128	0	0				0.5	0
Carrots	Imidacloprid	128	128	0	0				0.5	0
Carrots	Ioxynil (RD)	128	93	0	0				0.2	0
Carrots	Ipconazole	128	19	0	0					0
Carrots	Profenofos	128	128	0	0				0.05	0
Cauliflower	Bixafen (RD)	88	88	0	0				0.01	0
Cauliflower	Buprofezin	88	88	0	0				0.05	0
Cauliflower	Carbofuran (RD)	88	62	0	0				0.02	0
Cauliflower	Desmedipham	88	22	0	0				0.05	0
Cauliflower	Dichlorprop (RD)	88	58	0	0				0.05	0
Cauliflower	Dithiocarbamates (RD)	88	4	4	100	0.071	0.14	0.1078	1	0
Cauliflower	Dodine	88	88	0	0				0.2	0
Cauliflower	Fenamidone	88	88	0	0				0.02	0
Cauliflower	Fenbuconazole	88	88	0	0				0.05	0
Cauliflower	Folpet (RD)	88	16	0	0				0.02	0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Cauliflower	Hexythiazox	88	88	0	0				2	0
Cauliflower	Imidacloprid	88	88	0	0				0.5	0
Cauliflower	Ioxynil (RD)	88	57	0	0				0.05	0
Cauliflower	Ipconazole	88	23	0	0					0
Cauliflower	Profenofos	88	88	0	0				0.05	0
Courgettes	Bixafen (RD)	149	149	0	0				0.01	0
Courgettes	Buprofezin	149	149	0	0				0.7	0
Courgettes	Carbofuran (RD)	149	93	0	0				0.02	0
Courgettes	Desmedipham	149	32	0	0				0.05	0
Courgettes	Dichlorprop (RD)	149	98	0	0				0.05	0
Courgettes	Dithiocarbamates (RD)	149	1	1	100	0.1	0.1	0.1	2	0
Courgettes	Dodine	149	149	0	0				0.2	0
Courgettes	Fenamidone	149	149	0	0				0.2	0
Courgettes	Fenbuconazole	149	149	0	0				0.2	0
Courgettes	Folpet (RD)	149	12	0	0				0.02	0
Courgettes	Hexythiazox	149	149	0	0				0.5	0
Courgettes	Imidacloprid	149	149	40	26.9	0.007	0.49	0.0416	1	0
Courgettes	Ioxynil (RD)	149	98	0	0				0.05	0
Courgettes	Ipconazole	149	32	0	0					0
Courgettes	Profenofos	149	149	0	0				0.05	0
Cucumbers	Bixafen (RD)	144	143	0	0				0.01	0
Cucumbers	Buprofezin	144	143	0	0				1	0
Cucumbers	Carbofuran (RD)	144	108	0	0				0.02	0
Cucumbers	Desmedipham	144	26	0	0				0.05	0
Cucumbers	Dichlorprop (RD)	144	110	0	0				0.05	0
Cucumbers	Dithiocarbamates (RD)	144	14	1	7.14	0.12	0.12	0.12	2	0
Cucumbers	Dodine	144	143	0	0				0.2	0
Cucumbers	Fenamidone	144	143	0	0				0.2	0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Cucumbers	Fenbuconazole	144	143	0	0				0.2	0
Cucumbers	Folpet (RD)	144	24	0	0				0.02	0
Cucumbers	Hexythiazox	144	143	1	0.7	0.024	0.024	0.024	0.5	0
Cucumbers	Imidacloprid	144	144	5	3.47	0.011	0.035	0.019	1	0
Cucumbers	Ioxynil (RD)	144	110	0	0				0.05	0
Cucumbers	Ipconazole	144	28	0	0					0
Cucumbers	Profenofos	144	143	0	0				0.05	0
Follow-on formulae	Bixafen (RD)	11	11	0	0					0
Follow-on formulae	Buprofezin	11	11	0	0					0
Follow-on formulae	Carbofuran (RD)	11	5	0	0					0
Follow-on formulae	Dichlorprop (RD)	11	11	0	0					0
Follow-on formulae	Dodine	11	5	0	0					0
Follow-on formulae	Fenamidone	11	11	0	0					0
Follow-on formulae	Fenbuconazole	11	11	0	0					0
Follow-on formulae	Folpet (RD)	11	5	0	0					0
Follow-on formulae	Hexythiazox	11	5	0	0					0
Follow-on formulae	Imidacloprid	11	5	0	0					0
Follow-on formulae	Ioxynil (RD)	11	11	0	0					0
Follow-on formulae	Profenofos	11	11	0	0					0
Head cabbage	Bixafen (RD)	114	111	0	0				0.01	0
Head cabbage	Buprofezin	114	111	0	0				0.05	0
Head cabbage	Carbofuran (RD)	114	84	0	0				0.02	0
Head cabbage	Desmedipham	114	18	0	0				0.05	0
Head cabbage	Dichlorprop (RD)	114	99	0	0				0.05	0
Head cabbage	Dithiocarbamates (RD)	114	9	8	88.9	0.024	0.21	0.1201	3	0
Head cabbage	Dodine	114	111	0	0				0.2	0
Head cabbage	Fenamidone	114	111	0	0				0.02	0
Head cabbage	Fenbuconazole	114	111	0	0				0.05	0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Head cabbage	Folpet (RD)	114	29	0	0				0.02	0
Head cabbage	Hexythiazox	114	111	0	0				2	0
Head cabbage	Imidacloprid	114	111	1	0.9	0.005	0.0052	0.0052	0.5	0
Head cabbage	Ioxynil (RD)	114	99	0	0				0.05	0
Head cabbage	Ipconazole	114	19	0	0					0
Head cabbage	Profenofos	114	111	0	0				0.05	0
Infant formulae	Bixafen (RD)	18	18	0	0					0
Infant formulae	Buprofezin	18	18	0	0					0
Infant formulae	Carbofuran (RD)	18	8	0	0					0
Infant formulae	Dichlorprop (RD)	18	18	0	0					0
Infant formulae	Dodine	18	8	0	0					0
Infant formulae	Fenamidone	18	18	0	0					0
Infant formulae	Fenbuconazole	18	18	0	0					0
Infant formulae	Folpet (RD)	18	8	0	0					0
Infant formulae	Hexythiazox	18	8	0	0					0
Infant formulae	Imidacloprid	18	8	0	0					0
Infant formulae	Ioxynil (RD)	18	18	0	0					0
Infant formulae	Profenofos	18	18	0	0					0
Leek	Bixafen (RD)	82	82	0	0				0.01	0
Leek	Buprofezin	82	82	0	0				0.05	0
Leek	Carbofuran (RD)	82	58	0	0				0.02	0
Leek	Desmedipham	82	32	0	0				0.05	0
Leek	Dichlorprop (RD)	82	60	0	0				0.05	0
Leek	Dithiocarbamates (RD)	82	8	4	50	0.031	0.08	0.0583	3	0
Leek	Dodine	82	82	0	0				0.2	0
Leek	Fenamidone	82	82	0	0				0.02	0
Leek	Fenbuconazole	82	82	0	0				0.05	0
Leek	Folpet (RD)	82	14	0	0				0.02	0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Leek	Hexythiazox	82	82	0	0				0.5	0
Leek	Imidacloprid	82	82	0	0				0.05	0
Leek	Ioxynil (RD)	82	60	0	0				3	0
Leek	Ipconazole	82	32	0	0					0
Leek	Profenofos	82	82	0	0				0.05	0
Lettuce	Bixafen (RD)	181	180	0	0				0.01	0
Lettuce	Buprofezin	181	180	0	0				0.5	0
Lettuce	Carbofuran (RD)	181	134	0	0				0.02	0
Lettuce	Desmedipham	181	49	0	0				0.05	0
Lettuce	Dichlorprop (RD)	181	134	0	0				0.05	0
Lettuce	Dithiocarbamates (RD)	181	14	3	21.4	0.038	0.69	0.271	5	0
Lettuce	Dodine	181	180	0	0				0.2	0
Lettuce	Fenamidone	181	180	6	3.33	0.006	0.19	0.0573	30	0
Lettuce	Fenbuconazole	181	180	0	0				0.05	0
Lettuce	Folpet (RD)	181	36	0	0				2	0
Lettuce	Hexythiazox	181	180	0	0				0.5	0
Lettuce	Imidacloprid	181	180	50	27.8	0.005	0.34	0.0393	2	0
Lettuce	Ioxynil (RD)	181	134	0	0				0.05	0
Lettuce	Ipconazole	181	55	0	0					0
Lettuce	Profenofos	181	180	0	0				0.05	0
Mandarins	Bixafen (RD)	190	190	0	0				0.01	0
Mandarins	Buprofezin	190	190	6	3.16	0.007	0.048	0.016	1	0
Mandarins	Carbofuran (RD)	190	136	0	0				0.5	0
Mandarins	Desmedipham	190	37	0	0				0.05	0
Mandarins	Dichlorprop (RD)	190	133	2	1.5	0.01	0.017	0.0135	0.05	0
Mandarins	Dithiocarbamates (RD)	190	20	2	10	0.038	0.075	0.0565	5	0
Mandarins	Dodine	190	190	0	0				0.2	0
Mandarins	Fenamidone	190	190	0	0				0.02	0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Mandarins	Fenbuconazole	190	190	0	0				0.05	0
Mandarins	Folpet (RD)	190	38	0	0				0.02	0
Mandarins	Hexythiazox	190	190	8	4.21	0.005	0.026	0.0132	1	0
Mandarins	Imidacloprid	190	190	18	9.47	0.006	0.098	0.0295	1	0
Mandarins	Ioxynil (RD)	190	133	0	0				0.05	0
Mandarins	Ipconazole	190	47	0	0					0
Mandarins	Profenofos	190	190	1	0.53	0.027	0.027	0.027	0.05	0
Melons	Bixafen (RD)	195	195	0	0				0.01	0
Melons	Buprofezin	195	195	2	1.03	0.006	0.018	0.012	1	0
Melons	Carbofuran (RD)	195	118	0	0				0.02	0
Melons	Desmedipham	195	32	0	0				0.05	0
Melons	Dichlorprop (RD)	195	121	0	0				0.05	0
Melons	Dithiocarbamates (RD)	195	2	0	0				1	0
Melons	Dodine	195	195	0	0				0.2	0
Melons	Fenamidone	195	195	0	0				0.2	0
Melons	Fenbuconazole	195	195	0	0				0.2	0
Melons	Folpet (RD)	195	16	0	0				1	0
Melons	Hexythiazox	195	195	4	2.05	0.006	0.015	0.0092	0.5	0
Melons	Imidacloprid	195	195	64	32.8	0.005	0.11	0.0216	0.5	0
Melons	Ioxynil (RD)	195	121	0	0				0.05	0
Melons	Ipconazole	195	32	0	0					0
Melons	Profenofos	195	195	0	0				0.05	0
Oats	Bixafen (RD)	2	2	0	0					0
Oats	Buprofezin	2	2	0	0				0.05	0
Oats	Carbofuran (RD)	2	2	0	0				0.02	0
Oats	Dichlorprop (RD)	2	2	0	0				0.2	0
Oats	Dodine	2	2	0	0				0.2	0
Oats	Fenamidone	2	2	0	0				0.02	0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Oats	Fenbuconazole	2	2	0	0				0.05	0
Oats	Folpet (RD)	2	2	0	0				0.02	0
Oats	Hexythiazox	2	2	0	0				0.5	0
Oats	Imidacloprid	2	2	0	0				0.1	0
Oats	Ioxynil (RD)	2	2	0	0				0.05	0
Oats	Profenofos	2	2	0	0				0.05	0
Olives for oil production	Bixafen (RD)	20	20	0	0				0.01	0
Olives for oil production	Buprofezin	20	20	0	0				5	0
Olives for oil production	Carbofuran (RD)	20	20	0	0				0.02	0
Olives for oil production	Fenamidone	20	20	0	0				0.02	0
Olives for oil production	Fenbuconazole	20	20	0	0				0.05	0
Olives for oil production	Profenofos	20	20	0	0				0.02	0
Oranges	Bixafen (RD)	315	315	0	0				0.01	0
Oranges	Buprofezin	315	315	8	2.54	0.005	0.025	0.0139	1	0
Oranges	Carbofuran (RD)	315	207	0	0				0.5	0
Oranges	Desmedipham	315	71	0	0				0.05	0
Oranges	Dichlorprop (RD)	315	207	1	0.48	0.016	0.016	0.016	0.2	0
Oranges	Dithiocarbamates (RD)	315	34	13	38.2	0.02	0.39	0.0866	5	0
Oranges	Dodine	315	315	0	0				0.2	0
Oranges	Fenamidone	315	315	0	0				0.02	0
Oranges	Fenbuconazole	315	315	0	0				1	0
Oranges	Folpet (RD)	315	39	0	0				0.02	0
Oranges	Hexythiazox	315	315	6	1.9	0.007	0.012	0.0095	1	0
Oranges	Imidacloprid	315	315	44	14	0.005	0.28	0.0323	1	0
Oranges	Ioxynil (RD)	315	207	0	0				0.05	0
Oranges	Ipconazole	315	79	0	0					0
Oranges	Profenofos	315	315	2	0.63	0.012	0.12	0.066	0.05	1
Peaches	Bixafen (RD)	143	143	0	0				0.01	0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Peaches	Buprofezin	143	143	0	0				0.7	0
Peaches	Carbofuran (RD)	143	106	0	0				0.02	0
Peaches	Desmedipham	143	32	0	0				0.05	0
Peaches	Dichlorprop (RD)	143	116	0	0				0.05	0
Peaches	Dithiocarbamates (RD)	143	2	0	0				2	0
Peaches	Dodine	143	143	1	0.7	0.009	0.009	0.009	5	0
Peaches	Fenamidone	143	143	0	0				0.02	0
Peaches	Fenbuconazole	143	143	29	20.3	0.006	0.078	0.0283	0.5	0
Peaches	Folpet (RD)	143	7	0	0				0.02	0
Peaches	Hexythiazox	143	143	1	0.7	0.006	0.006	0.006	1	0
Peaches	Imidacloprid	143	143	13	9.09	0.006	0.063	0.0222	0.5	0
Peaches	Ioxynil (RD)	143	116	0	0				0.05	0
Peaches	Ipconazole	143	34	0	0					0
Peaches	Profenofos	143	143	0	0				0.05	0
Pears	Bixafen (RD)	160	160	0	0				0.01	0
Pears	Buprofezin	160	160	0	0				0.5	0
Pears	Carbofuran (RD)	160	117	0	0				0.02	0
Pears	Desmedipham	160	48	0	0				0.05	0
Pears	Dichlorprop (RD)	160	110	0	0				0.05	0
Pears	Dithiocarbamates (RD)	160	26	6	23.1	0.021	0.16	0.0567	5	0
Pears	Dodine	160	160	4	2.5	0.006	0.037	0.0212	5	0
Pears	Fenamidone	160	160	0	0				0.02	0
Pears	Fenbuconazole	160	160	0	0				0.5	0
Pears	Folpet (RD)	160	51	1	1.96	0.018	0.018	0.018	3	0
Pears	Hexythiazox	160	160	0	0				1	0
Pears	Imidacloprid	160	160	4	2.5	0.008	0.035	0.0152	0.5	0
Pears	Ioxynil (RD)	160	110	0	0				0.05	0
Pears	Ipconazole	160	48	0	0					0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Pears	Profenofos	160	160	0	0				0.05	0
Peas (without pods)	Bixafen (RD)	33	33	0	0				0.01	0
Peas (without pods)	Buprofezin	33	33	0	0				0.5	0
Peas (without pods)	Carbofuran (RD)	33	30	0	0				0.02	0
Peas (without pods)	Desmedipham	33	10	0	0				0.05	0
Peas (without pods)	Dichlorprop (RD)	33	22	0	0				0.05	0
Peas (without pods)	Dodine	33	33	0	0				0.2	0
Peas (without pods)	Fenamidone	33	33	0	0				0.02	0
Peas (without pods)	Fenbuconazole	33	33	0	0				0.05	0
Peas (without pods)	Hexythiazox	33	33	0	0				0.5	0
Peas (without pods)	Imidacloprid	33	33	0	0				2	0
Peas (without pods)	Ioxynil (RD)	33	22	0	0				0.05	0
Peas (without pods)	Ipconazole	33	10	0	0					0
Peas (without pods)	Profenofos	33	33	0	0				0.05	0
Peppers	Bixafen (RD)	218	214	0	0				0.01	0
Peppers	Buprofezin	218	214	1	0.47	0.044	0.044	0.044	2	0
Peppers	Carbofuran (RD)	218	163	0	0				0.02	0
Peppers	Desmedipham	218	28	0	0				0.05	0
Peppers	Dichlorprop (RD)	218	172	0	0				0.05	0
Peppers	Dithiocarbamates (RD)	218	2	0	0				5	0
Peppers	Dodine	218	214	0	0				0.2	0
Peppers	Fenamidone	218	214	0	0				1	0
Peppers	Fenbuconazole	218	214	0	0				0.6	0
Peppers	Folpet (RD)	218	40	0	0				0.02	0
Peppers	Hexythiazox	218	214	3	1.4	0.007	0.009	0.008	0.5	0
Peppers	Imidacloprid	218	214	16	7.48	0.01	0.41	0.0567	1	0
Peppers	Ioxynil (RD)	218	172	0	0				0.05	0
Peppers	Ipconazole	218	32	0	0					0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Peppers	Profenofos	218	214	0	0				0.05	0
Potatoes	Bixafen (RD)	136	136	0	0				0.01	0
Potatoes	Buprofezin	136	136	0	0				0.05	0
Potatoes	Carbofuran (RD)	136	96	0	0				0.02	0
Potatoes	Desmedipham	136	16	0	0				0.05	0
Potatoes	Dichlorprop (RD)	136	86	0	0				0.05	0
Potatoes	Dithiocarbamates (RD)	136	18	0	0				0.3	0
Potatoes	Dodine	136	136	0	0				0.2	0
Potatoes	Fenamidone	136	136	0	0				0.02	0
Potatoes	Fenbuconazole	136	136	0	0				0.05	0
Potatoes	Folpet (RD)	136	20	0	0				0.1	0
Potatoes	Hexythiazox	136	136	0	0				0.05	0
Potatoes	Imidacloprid	136	136	2	1.47	0.017	0.019	0.018	0.5	0
Potatoes	Ioxynil (RD)	136	86	0	0				0.05	0
Potatoes	Ipconazole	136	19	0	0					0
Potatoes	Profenofos	136	136	0	0				0.05	0
Processed cereal-based baby fd	Bixafen (RD)	90	90	0	0					0
Processed cereal-based baby fd	Buprofezin	90	90	0	0					0
Processed cereal-based baby fd	Carbofuran (RD)	90	74	0	0					0
Processed cereal-based baby fd	Dichlorprop (RD)	90	60	0	0					0
Processed cereal-based baby fd	Dodine	90	44	0	0					0
Processed cereal-based baby fd	Fenamidone	90	90	0	0					0
Processed cereal-based baby fd	Fenbuconazole	90	90	0	0					0
Processed cereal-based baby fd	Folpet (RD)	90	44	0	0					0
Processed cereal-based baby fd	Hexythiazox	90	44	0	0					0
Processed cereal-based baby fd	Imidacloprid	90	44	0	0					0
Processed cereal-based baby fd	Ioxynil (RD)	90	60	0	0					0
Processed cereal-based baby fd	Profenofos	90	90	0	0					0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Rice	Bixafen (RD)	56	36	0	0				0.01	0
Rice	Buprofezin	56	36	5	13.9	0.006	0.034	0.022	0.5	0
Rice	Carbofuran (RD)	56	36	0	0				0.02	0
Rice	Dichlorprop (RD)	56	16	0	0				0.2	0
Rice	Dodine	56	16	0	0				0.2	0
Rice	Fenamidone	56	36	0	0				0.02	0
Rice	Fenbuconazole	56	36	0	0				0.05	0
Rice	Folpet (RD)	56	16	0	0				0.02	0
Rice	Hexythiazox	56	16	0	0				0.5	0
Rice	Imidacloprid	56	18	6	33.3	0.004	0.012	0.008	1.5	0
Rice	Ioxynil (RD)	56	16	0	0				0.05	0
Rice	Profenofos	56	36	0	0				0.05	0
Rye	Bixafen (RD)	14	14	1	7.14	0.016	0.016	0.016	0.05	0
Rye	Buprofezin	14	14	0	0				0.05	0
Rye	Carbofuran (RD)	14	5	0	0				0.02	0
Rye	Dichlorprop (RD)	14	2	0	0				0.2	0
Rye	Dithiocarbamates (RD)	14	9	0	0				1	0
Rye	Dodine	14	2	0	0				0.2	0
Rye	Fenamidone	14	14	0	0				0.02	0
Rye	Fenbuconazole	14	14	0	0				0.1	0
Rye	Folpet (RD)	14	2	0	0				0.02	0
Rye	Hexythiazox	14	2	0	0				0.5	0
Rye	Imidacloprid	14	2	0	0				0.1	0
Rye	Ioxynil (RD)	14	2	0	0				0.05	0
Rye	Profenofos	14	14	0	0				0.05	0
Spinach	Bixafen (RD)	95	95	0	0				0.01	0
Spinach	Buprofezin	95	95	0	0				0.05	0
Spinach	Carbofuran (RD)	95	66	0	0				0.02	0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Spinach	Desmedipham	95	14	0	0				0.05	0
Spinach	Dichlorprop (RD)	95	66	0	0				0.05	0
Spinach	Dithiocarbamates (RD)	95	10	1	10	0.19	0.19	0.19	0.05	1
Spinach	Dodine	95	95	0	0				10	0
Spinach	Fenamidone	95	95	0	0				60	0
Spinach	Fenbuconazole	95	95	0	0				0.05	0
Spinach	Folpet (RD)	95	13	0	0				10	0
Spinach	Hexythiazox	95	95	0	0				0.5	0
Spinach	Imidacloprid	95	95	6	6.32	0.006	0.021	0.0116	0.05	0
Spinach	Ioxynil (RD)	95	66	0	0				0.05	0
Spinach	Ipconazole	95	14	0	0					0
Spinach	Profenofos	95	95	0	0				0.05	0
Strawberries	Bixafen (RD)	163	163	0	0				0.01	0
Strawberries	Buprofezin	163	163	0	0				3	0
Strawberries	Carbofuran (RD)	163	102	0	0				0.02	0
Strawberries	Desmedipham	163	41	0	0				0.05	0
Strawberries	Dichlorprop (RD)	163	109	0	0				0.05	0
Strawberries	Dithiocarbamates (RD)	163	18	1	5.56	0.077	0.077	0.077	10	0
Strawberries	Dodine	163	163	0	0				5	0
Strawberries	Fenamidone	163	163	2	1.23	0.007	0.036	0.0213	0.04	0
Strawberries	Fenbuconazole	163	163	0	0				0.05	0
Strawberries	Folpet (RD)	163	19	0	0				3	0
Strawberries	Hexythiazox	163	163	15	9.2	0.01	0.082	0.0281	0.5	0
Strawberries	Imidacloprid	163	163	0	0				0.5	0
Strawberries	Ioxynil (RD)	163	109	0	0				0.05	0
Strawberries	Ipconazole	163	44	0	0					0
Strawberries	Profenofos	163	163	0	0				0.05	0
Table grapes	Bixafen (RD)	696	638	0	0				0.01	0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Table grapes	Buprofezin	696	638	75	11.8	0.005	0.54	0.0602	1	0
Table grapes	Carbofuran (RD)	696	439	0	0				0.02	0
Table grapes	Desmedipham	696	105	0	0				0.05	0
Table grapes	Dichlorprop (RD)	696	501	0	0				0.05	0
Table grapes	Dithiocarbamates (RD)	696	39	8	20.5	0.023	0.082	0.0428	5	0
Table grapes	Dodine	696	638	1	0.16	0.033	0.033	0.033	0.2	0
Table grapes	Fenamidone	696	638	6	0.94	0.006	0.09	0.0313	0.6	0
Table grapes	Fenbuconazole	696	638	0	0				1	0
Table grapes	Folpet (RD)	696	88	0	0				0.02	0
Table grapes	Hexythiazox	696	638	3	0.47	0.008	0.017	0.0129	1	0
Table grapes	Imidacloprid	696	638	##	18	0.005	0.41	0.0436	1	0
Table grapes	Ioxynil (RD)	696	501	0	0				0.05	0
Table grapes	Ipconazole	696	144	0	0					0
Table grapes	Profenofos	696	638	0	0				0.05	0
Tomatoes	Bixafen (RD)	224	223	0	0				0.01	0
Tomatoes	Buprofezin	224	223	8	3.59	0.007	0.04	0.0189	1	0
Tomatoes	Carbofuran (RD)	224	170	0	0				0.02	0
Tomatoes	Desmedipham	224	47	0	0				0.05	0
Tomatoes	Dichlorprop (RD)	224	176	0	0				0.05	0
Tomatoes	Dithiocarbamates (RD)	224	28	7	25	0.03	0.21	0.0869	3	0
Tomatoes	Dodine	224	223	0	0				0.2	0
Tomatoes	Fenamidone	224	223	2	0.9	0.01	0.022	0.016	1	0
Tomatoes	Fenbuconazole	224	223	0	0				0.5	0
Tomatoes	Folpet (RD)	224	32	0	0				2	0
Tomatoes	Hexythiazox	224	223	5	2.24	0.006	0.044	0.0184	0.5	0
Tomatoes	Imidacloprid	224	223	8	3.59	0.006	0.063	0.0311	0.5	0
Tomatoes	Ioxynil (RD)	224	176	0	0				0.05	0
Tomatoes	Ipconazole	224	53	0	0					0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Tomatoes	Profenofos	224	223	0	0				10	0
Wheat	Bixafen (RD)	42	42	1	2.38	0.005	0.005	0.005	0.05	0
Wheat	Buprofezin	42	42	0	0				0.05	0
Wheat	Carbofuran (RD)	42	41	0	0				0.02	0
Wheat	Dichlorprop (RD)	42	26	0	0				0.2	0
Wheat	Dithiocarbamates (RD)	42	1	0	0				1	0
Wheat	Dodine	42	26	0	0				0.2	0
Wheat	Fenamidone	42	42	0	0				0.02	0
Wheat	Fenbuconazole	42	42	0	0				0.1	0
Wheat	Folpet (RD)	42	27	0	0				2	0
Wheat	Hexythiazox	42	26	0	0				0.5	0
Wheat	Imidacloprid	42	26	0	0				0.1	0
Wheat	Ioxynil (RD)	42	26	0	0				0.05	0
Wheat	Profenofos	42	42	0	0				0.05	0
Wine grapes	Bixafen (RD)	112	112	0	0				0.01	0
Wine grapes	Buprofezin	112	112	0	0				1	0
Wine grapes	Carbofuran (RD)	112	67	0	0				0.01	0
Wine grapes	Desmedipham	112	56	0	0				0.05	0
Wine grapes	Dichlorprop (RD)	112	51	0	0					0
Wine grapes	Dithiocarbamates (RD)	112	18	0	0				5	0
Wine grapes	Dodine	112	112	0	0				0.05	0
Wine grapes	Fenamidone	112	112	0	0				0.5	0
Wine grapes	Fenbuconazole	112	112	0	0				1	0
Wine grapes	Folpet (RD)	112	57	0	0				10	0
Wine grapes	Hexythiazox	112	112	0	0				1	0
Wine grapes	Imidacloprid	112	112	1	0.89	0.011	0.011	0.011	1	0
Wine grapes	Ioxynil (RD)	112	51	0	0					0
Wine grapes	Ipconazole	112	56	0	0					0

Appendix I. Overview residue data for the substances of CAG-calcitonin

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Wine grapes	Profenofos	112	112	0	0				0.01	0