

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Apples	2,4-D (RD)	162	122	0	0				0.05	0
Apples	Aclonifen	162	89	0	0				0.05	0
Apples	Ametoctradin (RD)	162	162	0	0				0.01	0
Apples	Amisulbrom	162	155	0	0					0
Apples	Anthraquinone	162	89	0	0				0.01	0
Apples	Beflubutamid	162	9	0	0				0.05	0
Apples	Benalaxyl (RD)	162	65	0	0				0.05	0
Apples	Benfluralin	162	119	0	0				0.05	0
Apples	Benfuracarb	162	9	0	0				0.05	0
Apples	Benthiavalicarb (RD)	162	114	0	0				0.01	0
Apples	Bitertanol	162	162	0	0				2	0
Apples	Bixafen (RD)	162	162	0	0				0.01	0
Apples	Boscalid (RD)	162	162	59	36.4	0.007	0.3	0.0919	2	0
Apples	Bromopropylate	162	162	0	0				2	0
Apples	Bromoxynil (RD)	162	107	0	0				0.05	0
Apples	Bromuconazole	162	89	0	0				0.05	0
Apples	Bupirimate	162	162	3	1.85	0.006	0.0092	0.0075	0.2	0
Apples	Buprofezin	162	162	0	0				3	0
Apples	Carbaryl	162	162	0	0				0.05	0
Apples	Carbetamide	162	31	0	0				0.05	0
Apples	Carbosulfan	162	41	0	0				0.05	0
Apples	Carboxin	162	119	0	0				0.05	0
Apples	Chlordane (RD)	162	64	0	0				0.01	0
Apples	Chlorpropham (RD)	162	80	0	0				0.05	0
Apples	Clethodim (RD)	162	9	0	0					0
Apples	Clodinafop (RD)	162	122	0	0				0.02	0
Apples	Clofentezine (RD)	162	162	0	0				0.5	0
Apples	Cycloxydim (RD)	162	9	0	0				0.1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Apples	Cyflufenamid	162	155	0	0				0.05	0
Apples	Cyflumetofen	162	161	0	0					0
Apples	Cyproconazole	162	162	0	0				0.1	0
Apples	Cyprodinil (RD)	162	162	25	15.4	0.008	0.39	0.1087	2	0
Apples	Dazomet (RD)	162	9	0	0				0.02	0
Apples	Desmedipham	162	38	0	0				0.05	0
Apples	Dicloran	162	162	0	0				0.1	0
Apples	Dicofol (RD)	162	55	0	0				0.02	0
Apples	Diethofencarb	162	162	0	0				0.5	0
Apples	Dinocap (RD)	162	9	0	0				0.05	0
Apples	Dithiocarbamates (RD)	162	19	1	5.26	0.032	0.032	0.032	5	0
Apples	Etofenprox	162	162	1	0.62	0.008	0.008	0.008	1	0
Apples	Etridiazole	162	89	0	0				0.05	0
Apples	Fenamidone	162	162	0	0				0.02	0
Apples	Fenarimol	162	162	0	0				0.3	0
Apples	Fenbuconazole	162	162	0	0				0.5	0
Apples	Fenoxycarb	162	162	1	0.62	0.014	0.014	0.014	1	0
Apples	Fipronil (RD)	162	162	0	0				0.005	0
Apples	Flubendiamide	162	122	0	0				0.8	0
Apples	Flufenacet (RD)	162	41	0	0				0.05	0
Apples	Flumioxazine	162	9	0	0					0
Apples	Fluopicolide	162	162	0	0				0.01	0
Apples	Fluopyram (RD)	162	162	4	2.47	0.005	0.034	0.0134	0.6	0
Apples	Fluoxastrobin	162	40	0	0					0
Apples	Fluquinconazole	162	89	0	0				0.1	0
Apples	Flutolanil	162	162	0	0				0.05	0
Apples	Fluxapyroxad	162	155	0	0				0.9	0
Apples	Folpet (RD)	162	62	0	0				3	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Apples	Fuberidazole	162	89	0	0				0.05	0
Apples	Haloxypop-R (RD)	162	111	0	0				0.05	0
Apples	Hymexazol	162	155	0	0				0.05	0
Apples	Imidacloprid	162	162	0	0				0.5	0
Apples	Ioxynil (RD)	162	122	0	0				0.05	0
Apples	Isoxaflutole (RD)	162	41	0	0				0.05	0
Apples	Lenacil	162	89	0	0				0.1	0
Apples	Lufenuron	162	162	0	0				0.5	0
Apples	Mandipropamid	162	31	0	0				0.01	0
Apples	MCPA (RD)	162	80	0	0				0.05	0
Apples	Mepanipyrim (RD)	162	80	0	0				0.01	0
Apples	Meptyldinocap (RD)	162	9	0	0					0
Apples	Metribuzin	162	89	0	0				0.1	0
Apples	Myclobutanil (RD)	162	162	0	0				0.5	0
Apples	Oxadiargyl	162	9	0	0				0.01	0
Apples	Oxadiazon	162	80	0	0				0.05	0
Apples	Oxyfluorfen	162	89	0	0				0.1	0
Apples	Pendimethalin	162	162	0	0				0.05	0
Apples	Pethoxamid	162	9	0	0				0.01	0
Apples	Phoxim	162	41	0	0				0.01	0
Apples	Picolinafen	162	161	0	0					0
Apples	Prochloraz (RD)	162	162	0	0				0.05	0
Apples	Propaquizafop	162	31	0	0				0.05	0
Apples	Propyzamide (RD)	162	162	0	0				0.02	0
Apples	Proquinazid	162	161	0	0				0.02	0
Apples	Pymetrozine	162	162	0	0				0.02	0
Apples	Pyrethrins	162	40	0	0				1	0
Apples	Pyridalyl	162	9	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Apples	Pyrimethanil	162	162	10	6.17	0.007	2.3	0.7025	15	0
Apples	Quintozene (RD)	162	37	0	0				0.02	0
Apples	Resmethrin (RD)	162	64	0	0				0.1	0
Apples	Silthiofam	162	162	0	0				0.05	0
Apples	Spinetoram	162	162	0	0				0.2	0
Apples	Spinosad (RD)	162	155	0	0				1	0
Apples	Spirodiclofen	162	162	9	5.56	0.008	0.092	0.0273	0.8	0
Apples	Spiromesifen	162	162	0	0				0.02	0
Apples	Tembotrione (RD)	162	155	0	0					0
Apples	Tepraloxydim	162	9	0	0					0
Apples	Terbutylazine	162	162	0	0				0.1	0
Apples	Tetraconazole	162	162	0	0				0.3	0
Apples	Thiabendazole (RD)	162	162	4	2.47	0.011	0.064	0.0285	5	0
Apples	Thiacloprid	162	162	7	4.32	0.01	0.041	0.0211	0.3	0
Apples	Thiametoxam (RD)	162	158	0	0				0.5	0
Apples	Thiophanate-methyl	162	111	0	0				0.5	0
Apples	Tolyfluanid (RD)	162	80	0	0				3	0
Apples	Triadimefon (RD)	162	162	0	0				0.2	0
Apples	Trifluralin	162	119	0	0				0.1	0
Apples	Valifenalate	162	31	0	0				0.01	0
Apples	Vinclozolin (RD)	162	71	0	0				0.05	0
Apples	Zoxamide	162	162	0	0				0.02	0
Aubergines (egg plants)	2,4-D (RD)	111	84	0	0				0.05	0
Aubergines (egg plants)	Aclonifen	111	55	0	0				0.05	0
Aubergines (egg plants)	Ametoctradin (RD)	111	111	0	0				1.5	0
Aubergines (egg plants)	Amisulbrom	111	109	0	0					0
Aubergines (egg plants)	Anthraquinone	111	55	0	0				0.01	0
Aubergines (egg plants)	Beflubutamid	111	4	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Aubergines (egg plants)	Benalaxyl (RD)	111	27	0	0				0.5	0
Aubergines (egg plants)	Benfluralin	111	83	0	0				0.05	0
Aubergines (egg plants)	Benfuracarb	111	4	0	0				0.05	0
Aubergines (egg plants)	Benthiavalicarb (RD)	111	79	0	0				0.01	0
Aubergines (egg plants)	Bitertanol	111	111	0	0				0.05	0
Aubergines (egg plants)	Bixafen (RD)	111	111	0	0				0.01	0
Aubergines (egg plants)	Boscalid (RD)	111	111	3	2.7	0.01	0.019	0.0133	3	0
Aubergines (egg plants)	Bromopropylate	111	111	0	0				0.05	0
Aubergines (egg plants)	Bromoxynil (RD)	111	73	0	0				0.05	0
Aubergines (egg plants)	Bromuconazole	111	55	0	0				0.05	0
Aubergines (egg plants)	Bupirimate	111	111	1	0.9	0.32	0.32	0.32	2	0
Aubergines (egg plants)	Buprofezin	111	111	0	0				1	0
Aubergines (egg plants)	Carbaryl	111	111	0	0				0.05	0
Aubergines (egg plants)	Carbetamide	111	15	0	0				0.1	0
Aubergines (egg plants)	Carbosulfan	111	20	0	0				0.05	0
Aubergines (egg plants)	Carboxin	111	83	0	0				0.1	0
Aubergines (egg plants)	Chlordane (RD)	111	47	0	0				0.01	0
Aubergines (egg plants)	Chlorpropham (RD)	111	46	0	0				0.05	0
Aubergines (egg plants)	Clethodim (RD)	111	4	0	0					0
Aubergines (egg plants)	Clodinafop (RD)	111	84	0	0				0.02	0
Aubergines (egg plants)	Clofentezine (RD)	111	111	0	0				0.02	0
Aubergines (egg plants)	Cycloxydim (RD)	111	4	0	0				1	0
Aubergines (egg plants)	Cyflufenamid	111	109	0	0				0.02	0
Aubergines (egg plants)	Cyflumetofen	111	110	0	0					0
Aubergines (egg plants)	Cyproconazole	111	111	0	0				0.05	0
Aubergines (egg plants)	Cyprodinil (RD)	111	111	9	8.11	0.005	0.23	0.048	1.5	0
Aubergines (egg plants)	Dazomet (RD)	111	4	0	0				0.02	0
Aubergines (egg plants)	Desmedipham	111	17	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Aubergines (egg plants)	Dicloran	111	111	0	0				0.3	0
Aubergines (egg plants)	Dicofol (RD)	111	9	0	0				0.02	0
Aubergines (egg plants)	Diethofencarb	111	111	1	0.9	0.014	0.014	0.014	1	0
Aubergines (egg plants)	Dinocap (RD)	111	4	0	0				0.05	0
Aubergines (egg plants)	Etofenprox	111	111	0	0				0.5	0
Aubergines (egg plants)	Etridiazole	111	55	0	0				0.05	0
Aubergines (egg plants)	Fenamidone	111	111	0	0				1	0
Aubergines (egg plants)	Fenarimol	111	111	0	0				0.02	0
Aubergines (egg plants)	Fenbuconazole	111	111	0	0				0.05	0
Aubergines (egg plants)	Fenoxycarb	111	111	0	0				0.05	0
Aubergines (egg plants)	Fipronil (RD)	111	111	0	0				0.005	0
Aubergines (egg plants)	Flubendiamide	111	84	0	0				0.2	0
Aubergines (egg plants)	Flufenacet (RD)	111	20	0	0				0.05	0
Aubergines (egg plants)	Flumioxazine	111	4	0	0					0
Aubergines (egg plants)	Fluopicolide	111	111	0	0				1	0
Aubergines (egg plants)	Fluopyram (RD)	111	111	4	3.6	0.007	0.026	0.013	0.9	0
Aubergines (egg plants)	Fluoxastrobin	111	19	0	0					0
Aubergines (egg plants)	Fluquinconazole	111	55	0	0				0.05	0
Aubergines (egg plants)	Flutolanil	111	111	0	0				0.05	0
Aubergines (egg plants)	Fluxapyroxad	111	109	0	0				0.6	0
Aubergines (egg plants)	Folpet (RD)	111	13	0	0				0.02	0
Aubergines (egg plants)	Fuberidazole	111	55	0	0				0.05	0
Aubergines (egg plants)	Haloxypop-R (RD)	111	61	0	0				0.05	0
Aubergines (egg plants)	Hymexazol	111	109	0	0				0.05	0
Aubergines (egg plants)	Imidacloprid	111	111	22	19.8	0.007	0.2	0.0595	0.5	0
Aubergines (egg plants)	Ioxynil (RD)	111	84	0	0				0.05	0
Aubergines (egg plants)	Isoxaflutole (RD)	111	20	0	0				0.05	0
Aubergines (egg plants)	Lenacil	111	55	0	0				0.1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Aubergines (egg plants)	Lufenuron	111	111	1	0.9	0.013	0.013	0.013	0.2	0
Aubergines (egg plants)	Mandipropamid	111	15	0	0				1	0
Aubergines (egg plants)	MCPA (RD)	111	44	0	0				0.05	0
Aubergines (egg plants)	Mepanipyrim (RD)	111	46	2	4.35	0.018	0.036	0.027	1	0
Aubergines (egg plants)	Meptyldinocap (RD)	111	4	0	0					0
Aubergines (egg plants)	Metribuzin	111	55	0	0				0.1	0
Aubergines (egg plants)	Myclobutanil (RD)	111	111	0	0				0.3	0
Aubergines (egg plants)	Oxadiazyl	111	4	0	0				0.01	0
Aubergines (egg plants)	Oxadiazon	111	51	0	0				0.05	0
Aubergines (egg plants)	Oxyfluorfen	111	55	0	0				0.05	0
Aubergines (egg plants)	Pendimethalin	111	111	0	0				0.05	0
Aubergines (egg plants)	Pethoxamid	111	4	0	0				0.01	0
Aubergines (egg plants)	Phoxim	111	20	0	0				0.01	0
Aubergines (egg plants)	Picolinafen	111	110	0	0					0
Aubergines (egg plants)	Prochloraz (RD)	111	111	0	0				0.05	0
Aubergines (egg plants)	Propaquizafop	111	15	0	0				0.05	0
Aubergines (egg plants)	Propyzamide (RD)	111	111	0	0				0.02	0
Aubergines (egg plants)	Proquinazid	111	110	0	0				0.15	0
Aubergines (egg plants)	Pymetrozine	111	111	1	0.9	0.006	0.0056	0.0056	0.5	0
Aubergines (egg plants)	Pyrethrins	111	19	0	0				1	0
Aubergines (egg plants)	Pyridalyl	111	4	0	0					0
Aubergines (egg plants)	Pyrimethanil	111	111	1	0.9	0.018	0.018	0.018	1	0
Aubergines (egg plants)	Quintozene (RD)	111	18	0	0				0.02	0
Aubergines (egg plants)	Resmethrin (RD)	111	40	0	0				0.1	0
Aubergines (egg plants)	Silthiofam	111	111	0	0				0.05	0
Aubergines (egg plants)	Spinetoram	111	111	0	0				0.5	0
Aubergines (egg plants)	Spinosad (RD)	111	104	0	0				1	0
Aubergines (egg plants)	Spirodiclofen	111	111	0	0				0.02	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Aubergines (egg plants)	Spiromesifen	111	111	5	4.5	0.006	0.02	0.0126	0.5	0
Aubergines (egg plants)	Tembotrione (RD)	111	109	0	0					0
Aubergines (egg plants)	Tepraloxymid	111	4	0	0					0
Aubergines (egg plants)	Terbuthylazine	111	111	0	0				0.05	0
Aubergines (egg plants)	Tetraconazole	111	111	0	0				0.02	0
Aubergines (egg plants)	Thiabendazole (RD)	111	111	0	0				0.05	0
Aubergines (egg plants)	Thiacloprid	111	111	1	0.9	0.029	0.029	0.029	0.5	0
Aubergines (egg plants)	Thiametoxam (RD)	111	109	0	0				0.2	0
Aubergines (egg plants)	Thiophanate-methyl	111	61	0	0				2	0
Aubergines (egg plants)	Tolyfluanid (RD)	111	46	0	0				3	0
Aubergines (egg plants)	Triadimefon (RD)	111	111	0	0				1	0
Aubergines (egg plants)	Trifluralin	111	83	0	0				0.5	0
Aubergines (egg plants)	Valifenalate	111	15	0	0				0.1	0
Aubergines (egg plants)	Vinclozolin (RD)	111	51	0	0				0.05	0
Aubergines (egg plants)	Zoxamide	111	111	0	0				0.02	0
Baby food for infants and young children	2,4-D (RD)	74	44	0	0					0
Baby food for infants and young children	Aclonifen	74	74	0	0					0
Baby food for infants and young children	Ametoctradin (RD)	74	65	0	0					0
Baby food for infants and young children	Amisulbrom	74	65	0	0					0
Baby food for infants and young children	Anthraquinone	74	74	0	0					0
Baby food for infants and young children	Benalaxyl (RD)	74	65	0	0					0
Baby food for infants and young children	Benfluralin	74	74	0	0					0
Baby food for infants and young children	Benthiavalicarb (RD)	74	58	0	0					0
Baby food for infants and young children	Bitertanol	74	74	0	0					0
Baby food for infants and young children	Bixafen (RD)	74	74	0	0					0
Baby food for infants and young children	Boscalid (RD)	74	74	0	0					0
Baby food for infants and young children	Bromopropylate	74	74	0	0					0
Baby food for infants and young children	Bromoxynil (RD)	74	28	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Baby food for infants and young	Bromuconazole	74	74	0	0					0
Baby food for infants and young	Bupirimate	74	74	0	0					0
Baby food for infants and young	Buprofezin	74	74	0	0					0
Baby food for infants and young	Carbaryl	74	74	0	0					0
Baby food for infants and young	Carbetamide	74	37	0	0					0
Baby food for infants and young	Carbosulfan	74	37	0	0					0
Baby food for infants and young	Carboxin	74	74	0	0					0
Baby food for infants and young	Chlordane (RD)	74	16	0	0					0
Baby food for infants and young	Chlorpropham (RD)	74	28	0	0					0
Baby food for infants and young	Clodinafop (RD)	74	44	0	0					0
Baby food for infants and young	Clofentezine (RD)	74	74	0	0					0
Baby food for infants and young	Cyflufenamid	74	65	0	0					0
Baby food for infants and young	Cyflumetofen	74	65	0	0					0
Baby food for infants and young	Cyproconazole	74	74	0	0					0
Baby food for infants and young	Cyprodinil (RD)	74	74	0	0					0
Baby food for infants and young	Desmedipham	74	37	0	0					0
Baby food for infants and young	Dicloran	74	74	0	0					0
Baby food for infants and young	Dicofol (RD)	74	28	0	0					0
Baby food for infants and young	Diethofencarb	74	74	0	0					0
Baby food for infants and young	Etofenprox	74	74	0	0					0
Baby food for infants and young	Etridiazole	74	74	0	0					0
Baby food for infants and young	Fenamidone	74	74	0	0					0
Baby food for infants and young	Fenarimol	74	74	0	0					0
Baby food for infants and young	Fenbuconazole	74	74	0	0					0
Baby food for infants and young	Fenoxycarb	74	74	0	0					0
Baby food for infants and young	Fipronil (RD)	74	74	0	0					0
Baby food for infants and young	Flubendiamide	74	44	0	0					0
Baby food for infants and young	Flufenacet (RD)	74	37	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Baby food for infants and young	Fluopicolide	74	74	0	0					0
Baby food for infants and young	Fluopyram (RD)	74	74	0	0					0
Baby food for infants and young	Fluoxastrobin	74	37	0	0					0
Baby food for infants and young	Fluquinconazole	74	74	0	0					0
Baby food for infants and young	Flutolanil	74	74	0	0					0
Baby food for infants and young	Fluxapyroxad	74	65	0	0					0
Baby food for infants and young	Folpet (RD)	74	28	0	0					0
Baby food for infants and young	Fuberidazole	74	74	0	0					0
Baby food for infants and young	Haloxyfop-R (RD)	74	65	0	0					0
Baby food for infants and young	Hymexazol	74	65	0	0					0
Baby food for infants and young	Imidacloprid	74	65	0	0					0
Baby food for infants and young	Ioxynil (RD)	74	44	0	0					0
Baby food for infants and young	Isoxaflutole (RD)	74	37	0	0					0
Baby food for infants and young	Lenacil	74	74	0	0					0
Baby food for infants and young	Lufenuron	74	74	0	0					0
Baby food for infants and young	Mandipropamid	74	37	0	0					0
Baby food for infants and young	MCPA (RD)	74	28	0	0					0
Baby food for infants and young	Mepanipyrim (RD)	74	28	0	0					0
Baby food for infants and young	Metribuzin	74	74	0	0					0
Baby food for infants and young	Myclobutanil (RD)	74	74	0	0					0
Baby food for infants and young	Oxadiazon	74	74	0	0					0
Baby food for infants and young	Oxyfluorfen	74	74	0	0					0
Baby food for infants and young	Pendimethalin	74	74	0	0					0
Baby food for infants and young	Phoxim	74	37	0	0					0
Baby food for infants and young	Picolinafen	74	65	0	0					0
Baby food for infants and young	Prochloraz (RD)	74	65	0	0					0
Baby food for infants and young	Propaquizafop	74	37	0	0					0
Baby food for infants and young	Propyzamide (RD)	74	74	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Baby food for infants and young children	Proquinazid	74	65	0	0					0
Baby food for infants and young children	Pymetrozine	74	65	0	0					0
Baby food for infants and young children	Pyrethrins	74	37	0	0					0
Baby food for infants and young children	Pyrimethanil	74	74	0	0					0
Baby food for infants and young children	Quintozene (RD)	74	28	0	0					0
Baby food for infants and young children	Resmethrin (RD)	74	37	0	0					0
Baby food for infants and young children	Silthiofam	74	74	0	0					0
Baby food for infants and young children	Spinetoram	74	65	0	0					0
Baby food for infants and young children	Spinosad (RD)	74	35	0	0					0
Baby food for infants and young children	Spirodiclofen	74	74	0	0					0
Baby food for infants and young children	Spiromesifen	74	74	0	0					0
Baby food for infants and young children	Tembotrione (RD)	74	65	0	0					0
Baby food for infants and young children	Terbuthylazine	74	74	0	0					0
Baby food for infants and young children	Tetraconazole	74	74	0	0					0
Baby food for infants and young children	Thiabendazole (RD)	74	65	0	0					0
Baby food for infants and young children	Thiacloprid	74	65	0	0					0
Baby food for infants and young children	Thiametoxam (RD)	74	65	0	0					0
Baby food for infants and young children	Thiophanate-methyl	74	65	0	0					0
Baby food for infants and young children	Tolyfluanid (RD)	74	28	0	0					0
Baby food for infants and young children	Triadimefon (RD)	74	74	0	0					0
Baby food for infants and young children	Trifluralin	74	74	0	0					0
Baby food for infants and young children	Valifenalate	74	37	0	0					0
Baby food for infants and young children	Vinclozolin (RD)	74	58	0	0					0
Baby food for infants and young children	Zoxamide	74	74	0	0					0
Bananas	2,4-D (RD)	89	66	0	0				0.05	0
Bananas	Acronifen	89	40	0	0				0.05	0
Bananas	Ametoctradin (RD)	89	87	0	0				0.01	0
Bananas	Amisulbrom	89	84	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Bananas	Anthraquinone	89	40	0	0				0.01	0
Bananas	Beflubutamid	89	5	0	0				0.05	0
Bananas	Benalaxyl (RD)	89	26	0	0				0.05	0
Bananas	Benfluralin	89	70	0	0				0.05	0
Bananas	Benfuracarb	89	5	0	0				0.05	0
Bananas	Benthiavalicarb (RD)	89	62	0	0				0.01	0
Bananas	Bitertanol	89	87	0	0				3	0
Bananas	Bixafen (RD)	89	87	0	0				0.01	0
Bananas	Boscalid (RD)	89	87	0	0				0.6	0
Bananas	Bromopropylate	89	87	0	0				0.05	0
Bananas	Bromoxynil (RD)	89	57	0	0				0.05	0
Bananas	Bromuconazole	89	40	0	0				0.1	0
Bananas	Bupirimate	89	87	0	0				0.05	0
Bananas	Buprofezin	89	87	11	12.6	0.005	0.12	0.0632	0.5	0
Bananas	Carbaryl	89	87	0	0				0.05	0
Bananas	Carbetamide	89	12	0	0				0.05	0
Bananas	Carbosulfan	89	17	0	0				0.05	0
Bananas	Carboxin	89	70	0	0				0.05	0
Bananas	Chlordane (RD)	89	31	0	0				0.01	0
Bananas	Chlorpropham (RD)	89	36	0	0				0.05	0
Bananas	Clethodim (RD)	89	5	0	0					0
Bananas	Clodinafop (RD)	89	66	0	0				0.02	0
Bananas	Clofentezine (RD)	89	87	0	0				2	0
Bananas	Cycloxydim (RD)	89	5	0	0				0.05	0
Bananas	Cyflufenamid	89	84	0	0				0.02	0
Bananas	Cyflumetofen	89	87	0	0					0
Bananas	Cyproconazole	89	87	0	0				0.05	0
Bananas	Cyprodinil (RD)	89	87	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Bananas	Dazomet (RD)	89	5	0	0				0.02	0
Bananas	Desmedipham	89	15	0	0				0.05	0
Bananas	Dicloran	89	87	0	0				0.1	0
Bananas	Dicofol (RD)	89	5	0	0				0.02	0
Bananas	Diethofencarb	89	87	0	0				0.05	0
Bananas	Dinocap (RD)	89	5	0	0				0.05	0
Bananas	Etofenprox	89	87	0	0				0.01	0
Bananas	Etridiazole	89	40	0	0				0.05	0
Bananas	Fenamidone	89	87	0	0				0.02	0
Bananas	Fenarimol	89	87	0	0				0.2	0
Bananas	Fenbuconazole	89	87	0	0				0.05	0
Bananas	Fenoxycarb	89	87	0	0				0.05	0
Bananas	Fipronil (RD)	89	89	0	0				0.005	0
Bananas	Flubendiamide	89	66	0	0				0.01	0
Bananas	Flufenacet (RD)	89	17	0	0				0.05	0
Bananas	Flumioxazine	89	5	0	0					0
Bananas	Fluopicolide	89	87	0	0				0.01	0
Bananas	Fluopyram (RD)	89	87	0	0				0.8	0
Bananas	Fluoxastrobin	89	17	0	0					0
Bananas	Fluquinconazole	89	40	0	0				0.05	0
Bananas	Flutolanil	89	87	0	0				0.05	0
Bananas	Fluxapyroxad	89	84	0	0				0.01	0
Bananas	Folpet (RD)	89	14	0	0				0.02	0
Bananas	Fuberidazole	89	40	0	0				0.05	0
Bananas	Haloxypop-R (RD)	89	50	0	0				0.05	0
Bananas	Hymexazol	89	84	0	0				0.05	0
Bananas	Imidacloprid	89	87	3	3.45	0.007	0.026	0.0141	0.05	0
Bananas	Ioxynil (RD)	89	66	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Bananas	Isoxaflutole (RD)	89	17	0	0				0.05	0
Bananas	Lenacil	89	40	0	0				0.1	0
Bananas	Lufenuron	89	89	0	0				0.02	0
Bananas	Mandipropamid	89	12	0	0				0.01	0
Bananas	MCPA (RD)	89	38	0	0				0.05	0
Bananas	Mepanipyrim (RD)	89	36	0	0				0.01	0
Bananas	Meptyldinocap (RD)	89	5	0	0					0
Bananas	Metribuzin	89	40	0	0				0.1	0
Bananas	Myclobutanil (RD)	89	87	11	12.6	0.012	0.24	0.1013	2	0
Bananas	Oxadiargyl	89	5	0	0				0.01	0
Bananas	Oxadiazon	89	35	0	0				0.05	0
Bananas	Oxyfluorfen	89	40	0	0				0.05	0
Bananas	Pendimethalin	89	87	0	0				0.05	0
Bananas	Pethoxamid	89	5	0	0				0.01	0
Bananas	Phoxim	89	17	0	0				0.01	0
Bananas	Picolinafen	89	87	0	0					0
Bananas	Prochloraz (RD)	89	87	1	1.15	0.016	0.016	0.016	0.05	0
Bananas	Propaquizafop	89	12	0	0				0.05	0
Bananas	Propyzamide (RD)	89	87	0	0				0.02	0
Bananas	Proquinazid	89	87	0	0				0.02	0
Bananas	Pymetrozine	89	87	0	0				0.02	0
Bananas	Pyrethrins	89	17	0	0				1	0
Bananas	Pyridalyl	89	5	0	0					0
Bananas	Pyrimethanil	89	87	0	0				0.1	0
Bananas	Quintozene (RD)	89	19	0	0				0.02	0
Bananas	Resmethrin (RD)	89	44	0	0				0.1	0
Bananas	Silthiofam	89	87	0	0				0.05	0
Bananas	Spinetoram	89	87	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Bananas	Spinosad (RD)	89	81	0	0				2	0
Bananas	Spirodiclofen	89	87	0	0				0.3	0
Bananas	Spiromesifen	89	87	0	0				0.02	0
Bananas	Tembotrione (RD)	89	84	0	0					0
Bananas	Tepraloxymid	89	5	0	0					0
Bananas	Terbutylazine	89	87	0	0				0.05	0
Bananas	Tetraconazole	89	87	0	0				0.02	0
Bananas	Thiabendazole (RD)	89	89	31	34.8	0.059	1.1	0.3084	5	0
Bananas	Thiacloprid	89	87	0	0				0.02	0
Bananas	Thiametoxam (RD)	89	86	0	0				0.05	0
Bananas	Thiophanate-methyl	89	48	0	0				0.1	0
Bananas	Tolyfluanid (RD)	89	36	0	0				0.05	0
Bananas	Triadimefon (RD)	89	87	0	0				1	0
Bananas	Trifluralin	89	70	0	0				0.1	0
Bananas	Valifenalate	89	12	0	0				0.01	0
Bananas	Vinclozolin (RD)	89	45	0	0				0.05	0
Bananas	Zoxamide	89	87	0	0				0.02	0
Beans (with pods)	2,4-D (RD)	201	126	0	0				0.05	0
Beans (with pods)	Aclonifen	201	108	0	0				0.05	0
Beans (with pods)	Ametoctradin (RD)	201	199	0	0				0.01	0
Beans (with pods)	Amisulbrom	201	190	0	0					0
Beans (with pods)	Anthraquinone	201	108	0	0				0.01	0
Beans (with pods)	Beflubutamid	201	11	0	0				0.05	0
Beans (with pods)	Benalaxyl (RD)	201	52	0	0				0.05	0
Beans (with pods)	Benfluralin	201	167	0	0				0.05	0
Beans (with pods)	Benfuracarb	201	11	0	0				0.05	0
Beans (with pods)	Benthiavalicarb (RD)	201	132	0	0				0.01	0
Beans (with pods)	Bitertanol	201	199	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Beans (with pods)	Bixafen (RD)	201	199	0	0				0.01	0
Beans (with pods)	Boscalid (RD)	201	199	1	0.5	0.05	0.05	0.05	3	0
Beans (with pods)	Bromopropylate	201	199	0	0				1	0
Beans (with pods)	Bromoxynil (RD)	201	110	0	0				0.05	0
Beans (with pods)	Bromuconazole	201	108	0	0				0.05	0
Beans (with pods)	Bupirimate	201	199	0	0				0.05	0
Beans (with pods)	Buprofezin	201	199	1	0.5	0.049	0.049	0.049	1	0
Beans (with pods)	Carbaryl	201	199	0	0				0.05	0
Beans (with pods)	Carbetamide	201	30	0	0				0.1	0
Beans (with pods)	Carbosulfan	201	41	0	0				0.05	0
Beans (with pods)	Carboxin	201	167	0	0				0.2	0
Beans (with pods)	Chlordane (RD)	201	97	0	0				0.01	0
Beans (with pods)	Chlorpropham (RD)	201	60	0	0				0.05	0
Beans (with pods)	Clethodim (RD)	201	11	0	0					0
Beans (with pods)	Clodinafop (RD)	201	126	0	0				0.02	0
Beans (with pods)	Clofentezine (RD)	201	199	0	0				0.02	0
Beans (with pods)	Cycloxydim (RD)	201	11	0	0				2	0
Beans (with pods)	Cyflufenamid	201	190	0	0				0.02	0
Beans (with pods)	Cyflumetofen	201	199	0	0					0
Beans (with pods)	Cyproconazole	201	199	0	0				0.05	0
Beans (with pods)	Cyprodinil (RD)	201	199	8	4.02	0.006	0.11	0.0489	2	0
Beans (with pods)	Dazomet (RD)	201	11	0	0				0.02	0
Beans (with pods)	Desmedipham	201	39	0	0				0.05	0
Beans (with pods)	Dicloran	201	199	0	0				2	0
Beans (with pods)	Dicofol (RD)	201	14	0	0				0.02	0
Beans (with pods)	Diethofencarb	201	199	0	0				0.1	0
Beans (with pods)	Dinocap (RD)	201	11	0	0				0.05	0
Beans (with pods)	Dithiocarbamates (RD)	201	9	0	0				1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Beans (with pods)	Etofenprox	201	199	0	0				0.5	0
Beans (with pods)	Etridiazole	201	108	0	0				0.05	0
Beans (with pods)	Fenamidone	201	199	0	0				0.02	0
Beans (with pods)	Fenarimol	201	199	0	0				0.02	0
Beans (with pods)	Fenbuconazole	201	199	0	0				0.05	0
Beans (with pods)	Fenoxycarb	201	199	0	0				0.05	0
Beans (with pods)	Fipronil (RD)	201	201	0	0				0.005	0
Beans (with pods)	Flubendiamide	201	126	2	1.59	0.028	0.046	0.037	0.5	0
Beans (with pods)	Flufenacet (RD)	201	41	0	0				0.05	0
Beans (with pods)	Flumioxazine	201	11	0	0					0
Beans (with pods)	Fluopicolide	201	199	0	0				0.01	0
Beans (with pods)	Fluopyram (RD)	201	199	27	13.6	0.005	0.13	0.0405	0.9	0
Beans (with pods)	Fluoxastrobin	201	41	0	0					0
Beans (with pods)	Fluquinconazole	201	108	0	0				0.05	0
Beans (with pods)	Flutolanil	201	199	0	0				0.05	0
Beans (with pods)	Fluxapyroxad	201	190	0	0				2	0
Beans (with pods)	Folpet (RD)	201	24	0	0				2	0
Beans (with pods)	Fuberidazole	201	108	0	0				0.05	0
Beans (with pods)	Haloxyfop-R (RD)	201	92	0	0				0.1	0
Beans (with pods)	Hymexazol	201	190	0	0				0.05	0
Beans (with pods)	Imidacloprid	201	199	4	2.01	0.005	0.16	0.0627	2	0
Beans (with pods)	Ioxynil (RD)	201	126	0	0				0.05	0
Beans (with pods)	Isoxaflutole (RD)	201	41	0	0				0.05	0
Beans (with pods)	Lenacil	201	108	0	0				0.1	0
Beans (with pods)	Lufenuron	201	201	0	0				0.02	0
Beans (with pods)	Mandipropamid	201	30	0	0				0.01	0
Beans (with pods)	MCPA (RD)	201	56	0	0				0.05	0
Beans (with pods)	Mepanipyrim (RD)	201	60	0	0				0.01	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Beans (with pods)	Meptyldinocap (RD)	201	11	0	0					0
Beans (with pods)	Metribuzin	201	108	0	0				0.1	0
Beans (with pods)	Myclobutanil (RD)	201	199	2	1.01	0.02	0.021	0.0205	0.8	0
Beans (with pods)	Oxadiargyl	201	11	0	0				0.01	0
Beans (with pods)	Oxadiazon	201	97	0	0				0.05	0
Beans (with pods)	Oxyfluorfen	201	108	0	0				0.05	0
Beans (with pods)	Pendimethalin	201	199	0	0				0.2	0
Beans (with pods)	Pethoxamid	201	11	0	0				0.01	0
Beans (with pods)	Phoxim	201	41	0	0				0.01	0
Beans (with pods)	Picolinafen	201	199	0	0					0
Beans (with pods)	Prochloraz (RD)	201	199	1	0.5	0.016	0.016	0.016	0.05	0
Beans (with pods)	Propaquizafop	201	30	0	0				0.05	0
Beans (with pods)	Propyzamide (RD)	201	199	0	0				0.02	0
Beans (with pods)	Proquinazid	201	199	0	0				0.02	0
Beans (with pods)	Pymetrozine	201	199	0	0				2	0
Beans (with pods)	Pyrethrins	201	41	0	0				1	0
Beans (with pods)	Pyridalyl	201	11	0	0					0
Beans (with pods)	Pyrimethanil	201	199	2	1.01	0.007	0.0096	0.0083	3	0
Beans (with pods)	Quintozene (RD)	201	28	0	0				0.02	0
Beans (with pods)	Resmethrin (RD)	201	81	0	0				0.1	0
Beans (with pods)	Silthiofam	201	199	0	0				0.05	0
Beans (with pods)	Spinetoram	201	199	0	0				0.1	0
Beans (with pods)	Spinosad (RD)	201	188	8	4.26	0.008	0.067	0.0267	0.5	0
Beans (with pods)	Spirodiclofen	201	199	0	0				0.02	0
Beans (with pods)	Spiromesifen	201	200	3	1.5	0.008	0.14	0.053	1	0
Beans (with pods)	Tembotrione (RD)	201	190	0	0					0
Beans (with pods)	Tepraloxydim	201	11	0	0					0
Beans (with pods)	Terbutylazine	201	199	0	0				0.1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Beans (with pods)	Tetraconazole	201	199	0	0				0.02	0
Beans (with pods)	Thiabendazole (RD)	201	199	1	0.5	0.009	0.009	0.009	0.05	0
Beans (with pods)	Thiacloprid	201	199	3	1.51	0.009	0.16	0.0602	1	0
Beans (with pods)	Thiametoxam (RD)	201	193	1	0.52	0.018	0.018	0.018	0.5	0
Beans (with pods)	Thiophanate-methyl	201	90	0	0				0.1	0
Beans (with pods)	Tolyfluanid (RD)	201	60	0	0				3	0
Beans (with pods)	Triadimefon (RD)	201	199	1	0.5	0.013	0.013	0.013	0.1	0
Beans (with pods)	Trifluralin	201	167	0	0				0.5	0
Beans (with pods)	Valifenalate	201	30	0	0				0.01	0
Beans (with pods)	Vinclozolin (RD)	201	100	0	0				0.05	0
Beans (with pods)	Zoxamide	201	199	0	0				0.02	0
Broccoli	2,4-D (RD)	133	77	0	0				0.05	0
Broccoli	Aclonifen	133	67	0	0				0.05	0
Broccoli	Ametoctradin (RD)	133	133	0	0				6	0
Broccoli	Amisulbrom	133	127	0	0					0
Broccoli	Anthraquinone	133	67	0	0				0.01	0
Broccoli	Beflubutamid	133	6	0	0				0.05	0
Broccoli	Benalaxyl (RD)	133	41	0	0				0.05	0
Broccoli	Benfluralin	133	113	0	0				0.05	0
Broccoli	Benfuracarb	133	6	0	0				0.05	0
Broccoli	Benthiavalicarb (RD)	133	84	0	0				0.01	0
Broccoli	Bitertanol	133	133	0	0				0.05	0
Broccoli	Bixafen (RD)	133	133	0	0				0.01	0
Broccoli	Boscalid (RD)	133	133	5	3.76	0.012	0.4	0.1158	5	0
Broccoli	Bromopropylate	133	133	0	0				0.05	0
Broccoli	Bromoxynil (RD)	133	70	0	0				0.05	0
Broccoli	Bromuconazole	133	67	0	0				0.05	0
Broccoli	Bupirimate	133	133	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Broccoli	Buprofezin	133	133	0	0				0.05	0
Broccoli	Carbaryl	133	133	0	0				0.05	0
Broccoli	Carbetamide	133	21	0	0				0.1	0
Broccoli	Carbosulfan	133	29	0	0				0.05	0
Broccoli	Carboxin	133	113	0	0				0.1	0
Broccoli	Chlordane (RD)	133	53	0	0				0.01	0
Broccoli	Chlorpropham (RD)	133	42	1	2.38	0.01	0.01	0.01	0.05	0
Broccoli	Clethodim (RD)	133	6	0	0					0
Broccoli	Clodinafop (RD)	133	77	0	0				0.02	0
Broccoli	Clofentezine (RD)	133	133	0	0				0.02	0
Broccoli	Cycloxydim (RD)	133	6	0	0				2	0
Broccoli	Cyflufenamid	133	127	0	0				0.02	0
Broccoli	Cyflumetofen	133	131	0	0					0
Broccoli	Cyproconazole	133	133	0	0				0.05	0
Broccoli	Cyprodinil (RD)	133	133	0	0				0.05	0
Broccoli	Dazomet (RD)	133	6	0	0				0.02	0
Broccoli	Desmedipham	133	27	0	0				0.05	0
Broccoli	Dicloran	133	133	0	0				0.1	0
Broccoli	Dicofol (RD)	133	7	0	0				0.02	0
Broccoli	Diethofencarb	133	133	0	0				0.05	0
Broccoli	Dinocap (RD)	133	6	0	0				0.05	0
Broccoli	Dithiocarbamates (RD)	133	3	3	100	0.14	0.68	0.3433	1	0
Broccoli	Etofenprox	133	133	1	0.75	0.007	0.007	0.007	0.2	0
Broccoli	Etridiazole	133	67	0	0				0.05	0
Broccoli	Fenamidone	133	133	0	0				5	0
Broccoli	Fenarimol	133	133	0	0				0.02	0
Broccoli	Fenbuconazole	133	133	0	0				0.05	0
Broccoli	Fenoxycarb	133	133	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Broccoli	Fipronil (RD)	133	133	0	0				0.02	0
Broccoli	Flubendiamide	133	77	0	0				0.01	0
Broccoli	Flufenacet (RD)	133	29	0	0				0.05	0
Broccoli	Flumioxazine	133	6	0	0					0
Broccoli	Fluopicolide	133	133	1	0.75	0.048	0.048	0.048	2	0
Broccoli	Fluopyram (RD)	133	133	0	0				0.2	0
Broccoli	Fluoxastrobin	133	27	0	0					0
Broccoli	Fluquinconazole	133	67	0	0				0.05	0
Broccoli	Flutolanil	133	133	0	0				0.05	0
Broccoli	Fluxapyroxad	133	127	0	0				0.07	0
Broccoli	Folpet (RD)	133	20	0	0				0.02	0
Broccoli	Fuberidazole	133	67	0	0				0.05	0
Broccoli	Haloxypop-R (RD)	133	63	0	0				0.05	0
Broccoli	Hymexazol	133	127	0	0				0.05	0
Broccoli	Imidacloprid	133	133	15	11.3	0.006	0.068	0.018	0.5	0
Broccoli	Ioxynil (RD)	133	77	0	0				0.05	0
Broccoli	Isoxaflutole (RD)	133	29	0	0				0.05	0
Broccoli	Lenacil	133	67	0	0				0.1	0
Broccoli	Lufenuron	133	133	0	0				0.2	0
Broccoli	Mandipropamid	133	21	0	0				2	0
Broccoli	MCPA (RD)	133	42	0	0				0.05	0
Broccoli	Mepanipyrim (RD)	133	42	0	0				0.01	0
Broccoli	Meptyldinocap (RD)	133	6	0	0					0
Broccoli	Metribuzin	133	67	0	0				0.1	0
Broccoli	Myclobutanil (RD)	133	133	0	0				0.02	0
Broccoli	Oxadiazyl	133	6	0	0				0.01	0
Broccoli	Oxadiazon	133	61	0	0				0.05	0
Broccoli	Oxyfluorfen	133	67	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Broccoli	Pendimethalin	133	133	0	0				0.05	0
Broccoli	Pethoxamid	133	6	0	0				0.01	0
Broccoli	Phoxim	133	29	0	0				0.01	0
Broccoli	Picolinafen	133	131	0	0					0
Broccoli	Prochloraz (RD)	133	133	1	0.75	0.059	0.059	0.059	0.05	1
Broccoli	Propaquizafop	133	21	0	0				0.2	0
Broccoli	Propyzamide (RD)	133	133	0	0				0.02	0
Broccoli	Proquinazid	133	131	0	0				0.02	0
Broccoli	Pymetrozine	133	133	0	0				0.03	0
Broccoli	Pyrethrins	133	27	0	0				1	0
Broccoli	Pyridalyl	133	6	0	0					0
Broccoli	Pyrimethanil	133	133	0	0				0.05	0
Broccoli	Quintozene (RD)	133	22	0	0				0.02	0
Broccoli	Resmethrin (RD)	133	66	0	0				0.1	0
Broccoli	Silthiofam	133	133	0	0				0.05	0
Broccoli	Spinetoram	133	133	0	0				0.05	0
Broccoli	Spinosad (RD)	133	120	0	0				2	0
Broccoli	Spirodiclofen	133	133	0	0				0.02	0
Broccoli	Spiromesifen	133	133	0	0				0.02	0
Broccoli	Tembotrione (RD)	133	127	0	0					0
Broccoli	Tepraloxydim	133	6	0	0					0
Broccoli	Terbutylazine	133	133	0	0				0.05	0
Broccoli	Tetraconazole	133	133	0	0				0.02	0
Broccoli	Thiabendazole (RD)	133	133	1	0.75	0.036	0.036	0.036	5	0
Broccoli	Thiacloprid	133	133	0	0				0.1	0
Broccoli	Thiametoxam (RD)	133	126	2	1.59	0.007	0.016	0.0114	0.2	0
Broccoli	Thiophanate-methyl	133	63	0	0				0.1	0
Broccoli	Tolyfluanid (RD)	133	42	0	0				1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Broccoli	Triadimefon (RD)	133	133	0	0				0.1	0
Broccoli	Trifluralin	133	113	0	0				0.5	0
Broccoli	Valifenalate	133	21	0	0				0.01	0
Broccoli	Vinclozolin (RD)	133	64	0	0				0.05	0
Broccoli	Zoxamide	133	133	0	0				0.02	0
Carrots	2,4-D (RD)	128	93	0	0				0.05	0
Carrots	Aclonifen	128	65	0	0				0.1	0
Carrots	Ametoctradin (RD)	128	128	0	0				0.01	0
Carrots	Amisulbrom	128	124	0	0					0
Carrots	Anthraquinone	128	65	0	0				0.01	0
Carrots	Beflubutamid	128	4	0	0				0.05	0
Carrots	Benalaxyl (RD)	128	39	0	0				0.05	0
Carrots	Benfluralin	128	99	0	0				0.05	0
Carrots	Benfuracarb	128	4	0	0				0.05	0
Carrots	Benthiavalicarb (RD)	128	93	0	0				0.01	0
Carrots	Bitertanol	128	128	0	0				0.05	0
Carrots	Bixafen (RD)	128	128	0	0				0.01	0
Carrots	Boscalid (RD)	128	128	44	34.4	0.006	0.1	0.0313	2	0
Carrots	Bromopropylate	128	128	0	0				0.05	0
Carrots	Bromoxynil (RD)	128	87	0	0				0.05	0
Carrots	Bromuconazole	128	65	0	0				0.05	0
Carrots	Bupirimate	128	128	0	0				0.05	0
Carrots	Buprofezin	128	128	0	0				0.05	0
Carrots	Carbaryl	128	128	0	0				0.05	0
Carrots	Carbetamide	128	15	0	0				0.1	0
Carrots	Carbosulfan	128	19	0	0				0.1	0
Carrots	Carboxin	128	99	0	0				0.1	0
Carrots	Chlordane (RD)	128	45	0	0				0.01	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Carrots	Chlorpropham (RD)	128	54	2	3.7	0.043	0.19	0.1165	0.05	1
Carrots	Clethodim (RD)	128	4	0	0					0
Carrots	Clodinafop (RD)	128	93	0	0				0.02	0
Carrots	Clofentezine (RD)	128	128	0	0				0.02	0
Carrots	Cycloxydim (RD)	128	4	0	0				0.5	0
Carrots	Cyflufenamid	128	124	0	0				0.02	0
Carrots	Cyflumetofen	128	128	0	0					0
Carrots	Cyproconazole	128	128	0	0				0.05	0
Carrots	Cyprodinil (RD)	128	128	1	0.78	0.01	0.01	0.01	2	0
Carrots	Dazomet (RD)	128	4	0	0				0.02	0
Carrots	Desmedipham	128	19	0	0				0.05	0
Carrots	Dicloran	128	128	0	0				0.1	0
Carrots	Dicofol (RD)	128	11	0	0				0.02	0
Carrots	Diethofencarb	128	128	0	0				0.05	0
Carrots	Dinocap (RD)	128	4	0	0				0.05	0
Carrots	Dithiocarbamates (RD)	128	19	0	0				0.2	0
Carrots	Etofenprox	128	128	0	0				0.01	0
Carrots	Etridiazole	128	65	0	0				0.05	0
Carrots	Fenamidone	128	128	0	0				0.15	0
Carrots	Fenarimol	128	128	0	0				0.02	0
Carrots	Fenbuconazole	128	128	0	0				0.05	0
Carrots	Fenoxycarb	128	128	0	0				0.05	0
Carrots	Fipronil (RD)	128	128	0	0				0.005	0
Carrots	Flubendiamide	128	93	0	0				0.01	0
Carrots	Flufenacet (RD)	128	19	0	0				0.05	0
Carrots	Flumioxazine	128	4	0	0					0
Carrots	Fluopicolide	128	128	1	0.78	0.021	0.021	0.021	0.15	0
Carrots	Fluopyram (RD)	128	128	6	4.69	0.005	0.045	0.0144	0.4	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Carrots	Fluoxastrobin	128	19	0	0					0
Carrots	Fluquinconazole	128	65	0	0				0.05	0
Carrots	Flutolanil	128	128	1	0.78	0.007	0.0068	0.0068	0.05	0
Carrots	Fluxapyroxad	128	124	0	0				0.1	0
Carrots	Folpet (RD)	128	24	0	0				0.02	0
Carrots	Fuberidazole	128	65	0	0				0.05	0
Carrots	Haloxypop-R (RD)	128	69	0	0				0.1	0
Carrots	Hymexazol	128	124	0	0				0.05	0
Carrots	Imidacloprid	128	128	0	0				0.5	0
Carrots	Ioxynil (RD)	128	93	0	0				0.2	0
Carrots	Isoxaflutole (RD)	128	19	0	0				0.05	0
Carrots	Lenacil	128	65	0	0				0.1	0
Carrots	Lufenuron	128	128	0	0				0.02	0
Carrots	Mandipropamid	128	15	0	0				0.01	0
Carrots	MCPA (RD)	128	54	0	0				0.05	0
Carrots	Mepanipyrim (RD)	128	54	0	0				0.01	0
Carrots	Meptyldinocap (RD)	128	4	0	0					0
Carrots	Metribuzin	128	65	0	0				0.1	0
Carrots	Myclobutanil (RD)	128	128	1	0.78	0.008	0.0077	0.0077	0.2	0
Carrots	Oxadargyl	128	4	0	0				0.01	0
Carrots	Oxadiazon	128	61	0	0				0.05	0
Carrots	Oxyfluorfen	128	65	0	0				0.05	0
Carrots	Pendimethalin	128	128	4	3.13	0.007	0.015	0.0113	0.7	0
Carrots	Pethoxamid	128	4	0	0				0.01	0
Carrots	Phoxim	128	19	0	0				0.01	0
Carrots	Picolinafen	128	128	0	0					0
Carrots	Prochloraz (RD)	128	128	0	0				0.05	0
Carrots	Propaquizafop	128	15	0	0				0.1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Carrots	Propyzamide (RD)	128	128	0	0				0.02	0
Carrots	Proquinazid	128	128	0	0				0.02	0
Carrots	Pymetrozine	128	128	0	0				0.02	0
Carrots	Pyrethrins	128	19	0	0				1	0
Carrots	Pyridalyl	128	4	0	0					0
Carrots	Pyrimethanil	128	128	0	0				1	0
Carrots	Quintozene (RD)	128	25	0	0				0.02	0
Carrots	Resmethrin (RD)	128	58	0	0				0.1	0
Carrots	Silthiofam	128	128	0	0				0.05	0
Carrots	Spinetoram	128	128	0	0				0.05	0
Carrots	Spinosad (RD)	128	117	0	0				0.02	0
Carrots	Spirodiclofen	128	128	0	0				0.02	0
Carrots	Spiromesifen	128	128	0	0				0.02	0
Carrots	Tembotrione (RD)	128	124	0	0					0
Carrots	Tepraloxydim	128	4	0	0					0
Carrots	Terbutylazine	128	128	0	0				0.05	0
Carrots	Tetraconazole	128	128	0	0				0.02	0
Carrots	Thiabendazole (RD)	128	128	0	0				0.05	0
Carrots	Thiacloprid	128	128	0	0				0.05	0
Carrots	Thiametoxam (RD)	128	122	0	0				0.3	0
Carrots	Thiophanate-methyl	128	69	0	0				0.1	0
Carrots	Tolyfluanid (RD)	128	54	0	0				0.05	0
Carrots	Triadimefon (RD)	128	128	0	0				0.1	0
Carrots	Trifluralin	128	99	0	0				1	0
Carrots	Valifenalate	128	15	0	0				0.01	0
Carrots	Vinclozolin (RD)	128	64	0	0				0.05	0
Carrots	Zoxamide	128	128	0	0				0.02	0
Cauliflower	2,4-D (RD)	88	57	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Cauliflower	Aclonifen	88	54	0	0				0.05	0
Cauliflower	Ametoctradin (RD)	88	88	0	0				0.01	0
Cauliflower	Amisulbrom	88	86	0	0					0
Cauliflower	Anthraquinone	88	54	0	0				0.01	0
Cauliflower	Beflubutamid	88	3	0	0				0.05	0
Cauliflower	Benalaxyl (RD)	88	36	0	0				0.05	0
Cauliflower	Benfluralin	88	71	0	0				0.05	0
Cauliflower	Benfuracarb	88	3	0	0				0.05	0
Cauliflower	Benthiavalicarb (RD)	88	62	0	0				0.01	0
Cauliflower	Bitertanol	88	88	0	0				0.05	0
Cauliflower	Bixafen (RD)	88	88	0	0				0.01	0
Cauliflower	Boscalid (RD)	88	88	1	1.14	0.007	0.0066	0.0066	5	0
Cauliflower	Bromopropylate	88	88	0	0				0.05	0
Cauliflower	Bromoxynil (RD)	88	53	0	0				0.05	0
Cauliflower	Bromuconazole	88	54	0	0				0.05	0
Cauliflower	Bupirimate	88	88	0	0				0.05	0
Cauliflower	Buprofezin	88	88	0	0				0.05	0
Cauliflower	Carbaryl	88	88	0	0				0.05	0
Cauliflower	Carbetamide	88	20	0	0				0.1	0
Cauliflower	Carbosulfan	88	23	0	0				0.05	0
Cauliflower	Carboxin	88	71	0	0				0.1	0
Cauliflower	Chlordane (RD)	88	41	0	0				0.01	0
Cauliflower	Chlorpropham (RD)	88	35	0	0				0.05	0
Cauliflower	Clethodim (RD)	88	3	0	0					0
Cauliflower	Clodinafop (RD)	88	58	0	0				0.02	0
Cauliflower	Clofentezine (RD)	88	88	0	0				0.02	0
Cauliflower	Cycloxydim (RD)	88	3	0	0				5	0
Cauliflower	Cyflufenamid	88	86	0	0				0.02	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Cauliflower	Cyflumetofen	88	88	0	0					0
Cauliflower	Cyproconazole	88	88	0	0				0.05	0
Cauliflower	Cyprodinil (RD)	88	88	0	0				0.05	0
Cauliflower	Dazomet (RD)	88	3	0	0				0.02	0
Cauliflower	Desmedipham	88	22	0	0				0.05	0
Cauliflower	Dicloran	88	88	0	0				0.1	0
Cauliflower	Dicofol (RD)	88	6	0	0				0.02	0
Cauliflower	Diethofencarb	88	88	0	0				0.05	0
Cauliflower	Dinocap (RD)	88	3	0	0				0.05	0
Cauliflower	Dithiocarbamates (RD)	88	4	4	100	0.071	0.14	0.1078	1	0
Cauliflower	Etofenprox	88	88	0	0				0.2	0
Cauliflower	Etridiazole	88	54	0	0				0.05	0
Cauliflower	Fenamidone	88	88	0	0				0.02	0
Cauliflower	Fenarimol	88	88	0	0				0.02	0
Cauliflower	Fenbuconazole	88	88	0	0				0.05	0
Cauliflower	Fenoxycarb	88	88	0	0				0.05	0
Cauliflower	Fipronil (RD)	88	88	0	0				0.02	0
Cauliflower	Flubendiamide	88	57	0	0				0.01	0
Cauliflower	Flufenacet (RD)	88	23	0	0				0.05	0
Cauliflower	Flumioxazine	88	3	0	0					0
Cauliflower	Fluopicolide	88	88	0	0				2	0
Cauliflower	Fluopyram (RD)	88	88	0	0				0.2	0
Cauliflower	Fluoxastrobin	88	23	0	0					0
Cauliflower	Fluquinconazole	88	54	0	0				0.05	0
Cauliflower	Flutolanil	88	88	0	0				0.05	0
Cauliflower	Fluxapyroxad	88	86	0	0				0.07	0
Cauliflower	Folpet (RD)	88	16	0	0				0.02	0
Cauliflower	Fuberidazole	88	54	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Cauliflower	Haloxifop-R (RD)	88	55	0	0				0.05	0
Cauliflower	Hymexazol	88	86	0	0				0.05	0
Cauliflower	Imidacloprid	88	88	0	0				0.5	0
Cauliflower	Ioxynil (RD)	88	57	0	0				0.05	0
Cauliflower	Isoxaflutole (RD)	88	23	0	0				0.05	0
Cauliflower	Lenacil	88	54	0	0				0.1	0
Cauliflower	Lufenuron	88	88	0	0				0.2	0
Cauliflower	Mandipropamid	88	20	0	0				0.01	0
Cauliflower	MCPA (RD)	88	34	0	0				0.05	0
Cauliflower	Mepanipyrim (RD)	88	35	0	0				0.01	0
Cauliflower	Meptyldinocap (RD)	88	3	0	0					0
Cauliflower	Metribuzin	88	54	0	0				0.1	0
Cauliflower	Myclobutanil (RD)	88	88	0	0				0.02	0
Cauliflower	Oxadiazon	88	51	0	0				0.05	0
Cauliflower	Oxyfluorfen	88	54	0	0				0.05	0
Cauliflower	Pendimethalin	88	88	0	0				0.05	0
Cauliflower	Pethoxamid	88	3	0	0				0.01	0
Cauliflower	Phoxim	88	23	0	0				0.01	0
Cauliflower	Picolinafen	88	88	0	0					0
Cauliflower	Prochloraz (RD)	88	88	0	0				0.05	0
Cauliflower	Propaquizafop	88	20	0	0				0.05	0
Cauliflower	Propyzamide (RD)	88	88	0	0				0.02	0
Cauliflower	Proquinazid	88	88	0	0				0.02	0
Cauliflower	Pymetrozine	88	88	0	0				0.03	0
Cauliflower	Pyrethrins	88	23	0	0				1	0
Cauliflower	Pyridalyl	88	3	0	0					0
Cauliflower	Pyrimethanil	88	88	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Cauliflower	Quintozene (RD)	88	18	0	0				0.02	0
Cauliflower	Resmethrin (RD)	88	33	0	0				0.1	0
Cauliflower	Silthiofam	88	88	0	0				0.05	0
Cauliflower	Spinetoram	88	88	0	0				0.05	0
Cauliflower	Spinosad (RD)	88	82	1	1.22	0.026	0.026	0.026	2	0
Cauliflower	Spirodiclofen	88	88	0	0				0.02	0
Cauliflower	Spiromesifen	88	88	0	0				0.02	0
Cauliflower	Tembotrione (RD)	88	86	0	0					0
Cauliflower	Tepraloxymid	88	3	0	0					0
Cauliflower	Terbutylazine	88	88	0	0				0.05	0
Cauliflower	Tetraconazole	88	88	0	0				0.02	0
Cauliflower	Thiabendazole (RD)	88	88	0	0				0.05	0
Cauliflower	Thiacloprid	88	88	0	0				0.1	0
Cauliflower	Thiametoxam (RD)	88	85	0	0				0.2	0
Cauliflower	Thiophanate-methyl	88	55	0	0				0.1	0
Cauliflower	Tolyfluanid (RD)	88	35	0	0				0.05	0
Cauliflower	Triadimefon (RD)	88	88	0	0				0.1	0
Cauliflower	Trifluralin	88	71	0	0				3	0
Cauliflower	Valifenalate	88	20	0	0				0.01	0
Cauliflower	Vinclozolin (RD)	88	45	0	0				0.05	0
Cauliflower	Zoxamide	88	88	0	0				0.02	0
Courgettes	2,4-D (RD)	149	98	0	0				0.05	0
Courgettes	Aclonifen	149	85	0	0				0.05	0
Courgettes	Ametoctradin (RD)	149	149	0	0				3	0
Courgettes	Amisulbrom	149	145	0	0					0
Courgettes	Anthraquinone	149	85	0	0				0.01	0
Courgettes	Beflubutamid	149	4	0	0				0.05	0
Courgettes	Benalaxyl (RD)	149	40	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Courgettes	Benfluralin	149	129	0	0				0.05	0
Courgettes	Benfuracarb	149	4	0	0				0.05	0
Courgettes	Benthiavalicarb (RD)	149	93	0	0				0.01	0
Courgettes	Bitertanol	149	149	0	0				0.5	0
Courgettes	Bixafen (RD)	149	149	0	0				0.01	0
Courgettes	Boscalid (RD)	149	149	2	1.34	0.007	0.01	0.0085	3	0
Courgettes	Bromopropylate	149	149	0	0				0.05	0
Courgettes	Bromoxynil (RD)	149	85	0	0				0.05	0
Courgettes	Bromuconazole	149	85	1	1.18	0.01	0.01	0.01	0.05	0
Courgettes	Bupirimate	149	149	1	0.67	0.017	0.017	0.017	3	0
Courgettes	Buprofezin	149	149	0	0				0.7	0
Courgettes	Carbaryl	149	149	0	0				0.05	0
Courgettes	Carbetamide	149	28	0	0				0.1	0
Courgettes	Carbosulfan	149	34	0	0				0.05	0
Courgettes	Carboxin	149	129	0	0				0.1	0
Courgettes	Chlordane (RD)	149	77	0	0				0.01	0
Courgettes	Chlorpropham (RD)	149	35	0	0				0.05	0
Courgettes	Clethodim (RD)	149	4	0	0					0
Courgettes	Clodinafop (RD)	149	98	0	0				0.02	0
Courgettes	Clofentezine (RD)	149	149	0	0				0.02	0
Courgettes	Cycloxydim (RD)	149	4	0	0				0.05	0
Courgettes	Cyflufenamid	149	145	2	1.38	0.007	0.0072	0.0069	0.05	0
Courgettes	Cyflumetofen	149	147	0	0					0
Courgettes	Cyproconazole	149	149	0	0				0.05	0
Courgettes	Cyprodinil (RD)	149	149	0	0				0.5	0
Courgettes	Dazomet (RD)	149	4	0	0				0.02	0
Courgettes	Desmedipham	149	32	0	0				0.05	0
Courgettes	Dicloran	149	149	0	0				0.3	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Courgettes	Dicofol (RD)	149	6	0	0				0.2	0
Courgettes	Diethofencarb	149	149	0	0				0.5	0
Courgettes	Dinocap (RD)	149	4	0	0				0.05	0
Courgettes	Dithiocarbamates (RD)	149	1	1	100	0.1	0.1	0.1	2	0
Courgettes	Etofenprox	149	149	0	0				0.01	0
Courgettes	Etridiazole	149	85	0	0				0.05	0
Courgettes	Fenamidone	149	149	0	0				0.2	0
Courgettes	Fenarimol	149	149	0	0				0.2	0
Courgettes	Fenbuconazole	149	149	0	0				0.2	0
Courgettes	Fenoxycarb	149	149	0	0				0.05	0
Courgettes	Fipronil (RD)	149	149	0	0				0.005	0
Courgettes	Flubendiamide	149	98	0	0				0.15	0
Courgettes	Flufenacet (RD)	149	34	0	0				0.05	0
Courgettes	Flumioxazine	149	4	0	0					0
Courgettes	Fluopicolide	149	149	0	0				0.5	0
Courgettes	Fluopyram (RD)	149	149	3	2.01	0.042	0.048	0.0457	0.5	0
Courgettes	Fluoxastrobin	149	32	0	0					0
Courgettes	Fluquinconazole	149	85	0	0				0.05	0
Courgettes	Flutolanil	149	149	0	0				0.05	0
Courgettes	Fluxapyroxad	149	145	0	0				0.01	0
Courgettes	Folpet (RD)	149	12	0	0				0.02	0
Courgettes	Fuberidazole	149	85	0	0				0.05	0
Courgettes	Haloxypop-R (RD)	149	63	0	0				0.05	0
Courgettes	Hymexazol	149	145	0	0				0.05	0
Courgettes	Imidacloprid	149	149	40	26.9	0.007	0.49	0.0416	1	0
Courgettes	Ioxynil (RD)	149	98	0	0				0.05	0
Courgettes	Isoxaflutole (RD)	149	34	0	0				0.05	0
Courgettes	Lenacil	149	85	0	0				0.1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Courgettes	Lufenuron	149	149	1	0.67	0.016	0.016	0.016	0.2	0
Courgettes	Mandipropamid	149	28	0	0				0.2	0
Courgettes	MCPA (RD)	149	35	0	0				0.05	0
Courgettes	Mepanipyrim (RD)	149	35	0	0				0.5	0
Courgettes	Meptyldinocap (RD)	149	4	0	0					0
Courgettes	Metribuzin	149	85	0	0				0.1	0
Courgettes	Myclobutanil (RD)	149	149	2	1.34	0.018	0.069	0.0435	0.1	0
Courgettes	Oxadiazon	149	4	0	0				0.01	0
Courgettes	Oxadiargyl	149	81	0	0				0.05	0
Courgettes	Oxyfluorfen	149	85	0	0				0.05	0
Courgettes	Pendimethalin	149	149	0	0				0.05	0
Courgettes	Pethoxamid	149	4	0	0				0.01	0
Courgettes	Phoxim	149	34	0	0				0.01	0
Courgettes	Picolinafen	149	147	0	0					0
Courgettes	Prochloraz (RD)	149	149	0	0				0.05	0
Courgettes	Propaquizafop	149	28	0	0				0.05	0
Courgettes	Propyzamide (RD)	149	149	0	0				0.02	0
Courgettes	Proquinazid	149	147	1	0.68	0.006	0.006	0.006	0.05	0
Courgettes	Pymetrozine	149	149	1	0.67	0.007	0.007	0.007	1	0
Courgettes	Pyrethrins	149	32	0	0				1	0
Courgettes	Pyridalyl	149	4	0	0					0
Courgettes	Pyrimethanil	149	149	0	0				1	0
Courgettes	Quintozene (RD)	149	15	0	0				0.02	0
Courgettes	Resmethrin (RD)	149	56	0	0				0.1	0
Courgettes	Silthiofam	149	149	0	0				0.05	0
Courgettes	Spinetoram	149	149	0	0				0.2	0
Courgettes	Spinosad (RD)	149	139	1	0.72	0.021	0.021	0.021	0.2	0
Courgettes	Spirodiclofen	149	149	0	0				0.02	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Courgettes	Spiromesifen	149	149	1	0.67	0.017	0.017	0.017	0.3	0
Courgettes	Tembotrione (RD)	149	145	0	0					0
Courgettes	Tepraloxymid	149	4	0	0					0
Courgettes	Terbuthylazine	149	149	0	0				0.05	0
Courgettes	Tetraconazole	149	149	0	0				0.2	0
Courgettes	Thiabendazole (RD)	149	149	0	0				0.05	0
Courgettes	Thiacloprid	149	149	2	1.34	0.034	0.035	0.0345	0.3	0
Courgettes	Thiametoxam (RD)	149	146	3	2.05	0.017	0.026	0.0213	0.5	0
Courgettes	Thiophanate-methyl	149	63	0	0				0.1	0
Courgettes	Tolyfluanid (RD)	149	35	0	0				2	0
Courgettes	Triadimefon (RD)	149	149	1	0.67	0.01	0.01	0.01	0.2	0
Courgettes	Trifluralin	149	129	0	0				0.5	0
Courgettes	Valifenalate	149	28	0	0				0.01	0
Courgettes	Vinclozolin (RD)	149	73	0	0				0.05	0
Courgettes	Zoxamide	149	149	0	0				2	0
Cucumbers	2,4-D (RD)	144	110	0	0				0.05	0
Cucumbers	Aclonifen	144	81	0	0				0.05	0
Cucumbers	Ametoctradin (RD)	144	143	1	0.7	0.098	0.098	0.098	2	0
Cucumbers	Amisulbrom	144	138	0	0					0
Cucumbers	Anthraquinone	144	81	0	0				0.01	0
Cucumbers	Beflubutamid	144	7	0	0				0.05	0
Cucumbers	Benalaxyl (RD)	144	44	0	0				0.05	0
Cucumbers	Benfluralin	144	116	0	0				0.1	0
Cucumbers	Benfuracarb	144	7	0	0				0.05	0
Cucumbers	Benthiavalicarb (RD)	144	108	0	0				0.01	0
Cucumbers	Bitertanol	144	143	0	0				0.5	0
Cucumbers	Bixafen (RD)	144	143	0	0				0.01	0
Cucumbers	Boscalid (RD)	144	143	4	2.8	0.008	0.017	0.0135	3	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Cucumbers	Bromopropylate	144	143	0	0				0.05	0
Cucumbers	Bromoxynil (RD)	144	98	0	0				0.05	0
Cucumbers	Bromuconazole	144	81	0	0				0.05	0
Cucumbers	Bupirimate	144	143	1	0.7	0.015	0.015	0.015	1	0
Cucumbers	Buprofezin	144	143	0	0				1	0
Cucumbers	Carbaryl	144	143	0	0				0.05	0
Cucumbers	Carbetamide	144	21	0	0				0.1	0
Cucumbers	Carbosulfan	144	28	0	0				0.05	0
Cucumbers	Carboxin	144	116	0	0				0.1	0
Cucumbers	Chlordane (RD)	144	65	0	0				0.01	0
Cucumbers	Chlorpropham (RD)	144	55	1	1.82	0.012	0.012	0.012	0.05	0
Cucumbers	Clethodim (RD)	144	7	0	0					0
Cucumbers	Clodinafop (RD)	144	110	0	0				0.02	0
Cucumbers	Clofentezine (RD)	144	143	0	0				0.2	0
Cucumbers	Cycloxydim (RD)	144	7	0	0				0.05	0
Cucumbers	Cyflufenamid	144	138	0	0				0.04	0
Cucumbers	Cyflumetofen	144	143	0	0					0
Cucumbers	Cyproconazole	144	143	0	0				0.05	0
Cucumbers	Cyprodinil (RD)	144	144	20	13.9	0.007	0.18	0.0378	0.5	0
Cucumbers	Dazomet (RD)	144	7	0	0				0.02	0
Cucumbers	Desmedipham	144	26	0	0				0.05	0
Cucumbers	Dicloran	144	143	0	0				0.3	0
Cucumbers	Dicofol (RD)	144	11	0	0				0.2	0
Cucumbers	Diethofencarb	144	143	0	0				0.5	0
Cucumbers	Dinocap (RD)	144	7	0	0				0.05	0
Cucumbers	Dithiocarbamates (RD)	144	14	1	7.14	0.12	0.12	0.12	2	0
Cucumbers	Etofenprox	144	143	0	0				0.2	0
Cucumbers	Etridiazole	144	81	2	2.47	0.015	0.045	0.03	0.1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Cucumbers	Fenamidone	144	143	0	0				0.2	0
Cucumbers	Fenarimol	144	143	0	0				0.2	0
Cucumbers	Fenbuconazole	144	143	0	0				0.2	0
Cucumbers	Fenoxycarb	144	143	0	0				0.05	0
Cucumbers	Fipronil (RD)	144	144	0	0				0.005	0
Cucumbers	Flubendiamide	144	110	0	0				0.15	0
Cucumbers	Flufenacet (RD)	144	28	0	0				0.05	0
Cucumbers	Flumioxazine	144	7	0	0					0
Cucumbers	Fluopicolide	144	144	8	5.56	0.016	0.093	0.0352	0.5	0
Cucumbers	Fluopyram (RD)	144	143	19	13.3	0.006	0.075	0.0192	0.5	0
Cucumbers	Fluoxastrobin	144	28	0	0					0
Cucumbers	Fluquinconazole	144	81	0	0				0.05	0
Cucumbers	Flutolanil	144	143	0	0				0.05	0
Cucumbers	Fluxapyroxad	144	138	0	0				0.01	0
Cucumbers	Folpet (RD)	144	24	0	0				0.02	0
Cucumbers	Fuberidazole	144	81	0	0				0.05	0
Cucumbers	Haloxypop-R (RD)	144	77	0	0				0.05	0
Cucumbers	Hymexazol	144	138	0	0				0.05	0
Cucumbers	Imidacloprid	144	144	5	3.47	0.011	0.035	0.019	1	0
Cucumbers	Ioxynil (RD)	144	110	0	0				0.05	0
Cucumbers	Isoxaflutole (RD)	144	28	0	0				0.05	0
Cucumbers	Lenacil	144	81	0	0				0.1	0
Cucumbers	Lufenuron	144	144	0	0				0.2	0
Cucumbers	Mandipropamid	144	21	0	0				0.2	0
Cucumbers	MCPA (RD)	144	56	0	0				0.05	0
Cucumbers	Mepanipyrim (RD)	144	55	0	0				0.01	0
Cucumbers	Meptyldinocap (RD)	144	7	0	0					0
Cucumbers	Metribuzin	144	81	0	0				0.1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Cucumbers	Myclobutanil (RD)	144	143	3	2.1	0.011	0.041	0.0253	0.1	0
Cucumbers	Oxadiargyl	144	7	0	0				0.01	0
Cucumbers	Oxadiazon	144	74	0	0				0.05	0
Cucumbers	Oxyfluorfen	144	81	0	0				0.05	0
Cucumbers	Pendimethalin	144	143	0	0				0.05	0
Cucumbers	Pethoxamid	144	7	0	0				0.01	0
Cucumbers	Phoxim	144	28	0	0				0.01	0
Cucumbers	Picolinafen	144	143	0	0					0
Cucumbers	Prochloraz (RD)	144	143	0	0				0.05	0
Cucumbers	Propaquizafop	144	21	0	0				0.05	0
Cucumbers	Propyzamide (RD)	144	143	0	0				0.02	0
Cucumbers	Proquinazid	144	143	0	0				0.05	0
Cucumbers	Pymetrozine	144	143	14	9.79	0.006	0.32	0.0788	1	0
Cucumbers	Pyrethrins	144	28	0	0				1	0
Cucumbers	Pyridalyl	144	7	0	0					0
Cucumbers	Pyrimethanil	144	144	6	4.17	0.007	0.023	0.0125	1	0
Cucumbers	Quintozene (RD)	144	28	0	0				0.02	0
Cucumbers	Resmethrin (RD)	144	58	0	0				0.1	0
Cucumbers	Silthiofam	144	143	0	0				0.05	0
Cucumbers	Spinetoram	144	143	0	0				0.2	0
Cucumbers	Spinosad (RD)	144	128	4	3.13	0.01	0.049	0.0238	1	0
Cucumbers	Spirodiclofen	144	143	0	0				0.1	0
Cucumbers	Spiromesifen	144	143	1	0.7	0.015	0.015	0.015	0.3	0
Cucumbers	Tembotrione (RD)	144	138	0	0					0
Cucumbers	Tepraloxydim	144	7	0	0					0
Cucumbers	Terbutylazine	144	143	0	0				0.05	0
Cucumbers	Tetraconazole	144	143	0	0				0.2	0
Cucumbers	Thiabendazole (RD)	144	143	3	2.1	0.006	0.019	0.0111	0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Cucumbers	Thiacloprid	144	143	4	2.8	0.006	0.24	0.0847	0.3	0
Cucumbers	Thiametoxam (RD)	144	142	3	2.11	0.01	0.015	0.012	0.5	0
Cucumbers	Thiophanate-methyl	144	76	0	0				0.1	0
Cucumbers	Tolyfluanid (RD)	144	55	0	0				2	0
Cucumbers	Triadimefon (RD)	144	143	1	0.7	0.018	0.0179	0.0179	0.2	0
Cucumbers	Trifluralin	144	116	0	0				0.5	0
Cucumbers	Valifenalate	144	21	0	0				0.01	0
Cucumbers	Vinclozolin (RD)	144	81	0	0				0.05	0
Cucumbers	Zoxamide	144	143	0	0				2	0
Follow-on formulae	2,4-D (RD)	11	11	0	0					0
Follow-on formulae	Aclonifen	11	11	0	0					0
Follow-on formulae	Ametoctradin (RD)	11	5	0	0					0
Follow-on formulae	Amisulbrom	11	5	0	0					0
Follow-on formulae	Anthraquinone	11	11	0	0					0
Follow-on formulae	Benalaxyl (RD)	11	5	0	0					0
Follow-on formulae	Benfluralin	11	11	0	0					0
Follow-on formulae	Benthiavalicarb (RD)	11	5	0	0					0
Follow-on formulae	Bitertanol	11	11	0	0					0
Follow-on formulae	Bixafen (RD)	11	11	0	0					0
Follow-on formulae	Boscalid (RD)	11	11	0	0					0
Follow-on formulae	Bromopropylate	11	11	0	0					0
Follow-on formulae	Bromoxynil (RD)	11	5	0	0					0
Follow-on formulae	Bromuconazole	11	11	0	0					0
Follow-on formulae	Bupirimate	11	11	0	0					0
Follow-on formulae	Buprofezin	11	11	0	0					0
Follow-on formulae	Carbaryl	11	11	0	0					0
Follow-on formulae	Carboxin	11	11	0	0					0
Follow-on formulae	Chlordane (RD)	11	6	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Follow-on formulae	Chlorpropham (RD)	11	5	0	0					0
Follow-on formulae	Clodinafop (RD)	11	11	0	0					0
Follow-on formulae	Clofentezine (RD)	11	11	0	0					0
Follow-on formulae	Cyflufenamid	11	5	0	0					0
Follow-on formulae	Cyflumetofen	11	5	0	0					0
Follow-on formulae	Cyproconazole	11	11	0	0					0
Follow-on formulae	Cyprodinil (RD)	11	11	0	0					0
Follow-on formulae	Dicloran	11	11	0	0					0
Follow-on formulae	Dicofol (RD)	11	5	0	0					0
Follow-on formulae	Diethofencarb	11	11	0	0					0
Follow-on formulae	Etofenprox	11	11	0	0					0
Follow-on formulae	Etridiazole	11	11	0	0					0
Follow-on formulae	Fenamidone	11	11	0	0					0
Follow-on formulae	Fenarimol	11	11	0	0					0
Follow-on formulae	Fenbuconazole	11	11	0	0					0
Follow-on formulae	Fenoxycarb	11	11	0	0					0
Follow-on formulae	Fipronil (RD)	11	11	0	0					0
Follow-on formulae	Flubendiamide	11	11	0	0					0
Follow-on formulae	Fluopicolide	11	11	0	0					0
Follow-on formulae	Fluopyram (RD)	11	11	0	0					0
Follow-on formulae	Fluquinconazole	11	11	0	0					0
Follow-on formulae	Flutolanil	11	11	0	0					0
Follow-on formulae	Fluxapyroxad	11	5	0	0					0
Follow-on formulae	Folpet (RD)	11	5	0	0					0
Follow-on formulae	Fuberidazole	11	11	0	0					0
Follow-on formulae	Haloxypop-R (RD)	11	5	0	0					0
Follow-on formulae	Hymexazol	11	5	0	0					0
Follow-on formulae	Imidacloprid	11	5	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Follow-on formulae	Ioxynil (RD)	11	11	0	0					0
Follow-on formulae	Lenacil	11	11	0	0					0
Follow-on formulae	Lufenuron	11	11	0	0					0
Follow-on formulae	MCPA (RD)	11	5	0	0					0
Follow-on formulae	Mepanipyrim (RD)	11	5	0	0					0
Follow-on formulae	Metribuzin	11	11	0	0					0
Follow-on formulae	Myclobutanil (RD)	11	11	0	0					0
Follow-on formulae	Oxadiazon	11	11	0	0					0
Follow-on formulae	Oxyfluorfen	11	11	0	0					0
Follow-on formulae	Pendimethalin	11	11	0	0					0
Follow-on formulae	Picolinafen	11	5	0	0					0
Follow-on formulae	Prochloraz (RD)	11	5	0	0					0
Follow-on formulae	Propyzamide (RD)	11	11	0	0					0
Follow-on formulae	Proquinazid	11	5	0	0					0
Follow-on formulae	Pymetrozine	11	5	0	0					0
Follow-on formulae	Pyrimethanil	11	11	0	0					0
Follow-on formulae	Quintozene (RD)	11	5	0	0					0
Follow-on formulae	Resmethrin (RD)	11	11	0	0					0
Follow-on formulae	Silthiofam	11	11	0	0					0
Follow-on formulae	Spinetoram	11	5	0	0					0
Follow-on formulae	Spinosad (RD)	11	5	0	0					0
Follow-on formulae	Spirodiclofen	11	11	0	0					0
Follow-on formulae	Spiromesifen	11	11	0	0					0
Follow-on formulae	Tembotrione (RD)	11	5	0	0					0
Follow-on formulae	Terbutylazine	11	11	0	0					0
Follow-on formulae	Tetraconazole	11	11	0	0					0
Follow-on formulae	Thiabendazole (RD)	11	5	0	0					0
Follow-on formulae	Thiacloprid	11	5	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Follow-on formulae	Thiametoxam (RD)	11	5	0	0					0
Follow-on formulae	Thiophanate-methyl	11	5	0	0					0
Follow-on formulae	Tolyfluanid (RD)	11	5	0	0					0
Follow-on formulae	Triadimefon (RD)	11	11	0	0					0
Follow-on formulae	Trifluralin	11	11	0	0					0
Follow-on formulae	Vinclozolin (RD)	11	5	0	0					0
Follow-on formulae	Zoxamide	11	11	0	0					0
Head cabbage	2,4-D (RD)	114	99	0	0				0.05	0
Head cabbage	Aclonifen	114	61	0	0				0.05	0
Head cabbage	Ametoctradin (RD)	114	111	0	0				15	0
Head cabbage	Amisulbrom	114	106	0	0					0
Head cabbage	Anthraquinone	114	61	0	0				0.01	0
Head cabbage	Beflubutamid	114	6	0	0				0.05	0
Head cabbage	Benalaxyl (RD)	114	42	0	0				0.05	0
Head cabbage	Benfluralin	114	86	0	0				0.05	0
Head cabbage	Benfuracarb	114	6	0	0				0.05	0
Head cabbage	Benthiavalicarb (RD)	114	84	0	0				0.01	0
Head cabbage	Bitertanol	114	111	0	0				0.05	0
Head cabbage	Bixafen (RD)	114	111	0	0				0.01	0
Head cabbage	Boscalid (RD)	114	111	3	2.7	0.005	0.049	0.0227	5	0
Head cabbage	Bromopropylate	114	111	0	0				0.05	0
Head cabbage	Bromoxynil (RD)	114	85	0	0				0.05	0
Head cabbage	Bromuconazole	114	61	0	0				0.05	0
Head cabbage	Bupirimate	114	111	0	0				0.05	0
Head cabbage	Buprofezin	114	111	0	0				0.05	0
Head cabbage	Carbaryl	114	111	1	0.9	0.017	0.017	0.017	0.05	0
Head cabbage	Carbetamide	114	13	0	0				0.2	0
Head cabbage	Carbosulfan	114	20	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Head cabbage	Carboxin	114	86	0	0				0.1	0
Head cabbage	Chlordane (RD)	114	38	0	0				0.01	0
Head cabbage	Chlorpropham (RD)	114	59	0	0				0.05	0
Head cabbage	Clethodim (RD)	114	6	0	0					0
Head cabbage	Clodinafop (RD)	114	99	0	0				0.02	0
Head cabbage	Clofentezine (RD)	114	111	0	0				0.02	0
Head cabbage	Cycloxydim (RD)	114	6	0	0				3	0
Head cabbage	Cyflufenamid	114	106	0	0				0.02	0
Head cabbage	Cyflumetofen	114	110	0	0					0
Head cabbage	Cyproconazole	114	111	0	0				0.05	0
Head cabbage	Cyprodinil (RD)	114	111	0	0				0.05	0
Head cabbage	Dazomet (RD)	114	6	0	0				0.02	0
Head cabbage	Desmedipham	114	18	0	0				0.05	0
Head cabbage	Dicloran	114	111	0	0				0.1	0
Head cabbage	Dicofol (RD)	114	11	0	0				0.02	0
Head cabbage	Diethofencarb	114	111	0	0				0.05	0
Head cabbage	Dinocap (RD)	114	6	0	0				0.05	0
Head cabbage	Dithiocarbamates (RD)	114	9	8	88.9	0.024	0.21	0.1201	3	0
Head cabbage	Etofenprox	114	111	1	0.9	0.01	0.01	0.01	2	0
Head cabbage	Etridiazole	114	61	0	0				0.05	0
Head cabbage	Fenamidone	114	111	0	0				0.02	0
Head cabbage	Fenarimol	114	111	0	0				0.02	0
Head cabbage	Fenbuconazole	114	111	0	0				0.05	0
Head cabbage	Fenoxycarb	114	111	0	0				0.05	0
Head cabbage	Fipronil (RD)	114	114	0	0				0.02	0
Head cabbage	Flubendiamide	114	99	0	0				4	0
Head cabbage	Flufenacet (RD)	114	20	0	0				0.05	0
Head cabbage	Flumioxazine	114	6	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Head cabbage	Fluopicolide	114	111	1	0.9	0.02	0.02	0.02	0.2	0
Head cabbage	Fluopyram (RD)	114	111	1	0.9	0.008	0.008	0.008	0.3	0
Head cabbage	Fluoxastrobin	114	19	0	0					0
Head cabbage	Fluquinconazole	114	61	0	0				0.05	0
Head cabbage	Flutolanil	114	111	0	0				0.05	0
Head cabbage	Fluxapyroxad	114	106	0	0				0.07	0
Head cabbage	Folpet (RD)	114	29	0	0				0.02	0
Head cabbage	Fuberidazole	114	61	0	0				0.05	0
Head cabbage	Haloxfop-R (RD)	114	75	0	0				0.05	0
Head cabbage	Hymexazol	114	106	0	0				0.05	0
Head cabbage	Imidacloprid	114	111	1	0.9	0.005	0.0052	0.0052	0.5	0
Head cabbage	Ioxynil (RD)	114	99	0	0				0.05	0
Head cabbage	Isoxaflutole (RD)	114	20	0	0				0.05	0
Head cabbage	Lenacil	114	61	0	0				0.1	0
Head cabbage	Lufenuron	114	114	0	0				0.5	0
Head cabbage	Mandipropamid	114	13	0	0				3	0
Head cabbage	MCPA (RD)	114	62	0	0				0.05	0
Head cabbage	Mepanipyrim (RD)	114	59	0	0				0.01	0
Head cabbage	Meptyldinocap (RD)	114	6	0	0					0
Head cabbage	Metribuzin	114	61	0	0				0.1	0
Head cabbage	Myclobutanil (RD)	114	111	0	0				0.02	0
Head cabbage	Oxadargyl	114	6	0	0				0.01	0
Head cabbage	Oxadiazon	114	55	0	0				0.05	0
Head cabbage	Oxyfluorfen	114	61	0	0				0.05	0
Head cabbage	Pendimethalin	114	111	0	0				0.05	0
Head cabbage	Pethoxamid	114	6	0	0				0.01	0
Head cabbage	Phoxim	114	20	0	0				0.01	0
Head cabbage	Picolinafen	114	110	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Head cabbage	Prochloraz (RD)	114	111	0	0				0.05	0
Head cabbage	Propaquizafop	114	13	0	0				0.2	0
Head cabbage	Propyzamide (RD)	114	111	0	0				0.02	0
Head cabbage	Proquinazid	114	110	0	0				0.02	0
Head cabbage	Pymetrozine	114	111	0	0				0.05	0
Head cabbage	Pyrethrins	114	19	0	0				1	0
Head cabbage	Pyridalyl	114	6	0	0					0
Head cabbage	Pyrimethanil	114	111	0	0				0.05	0
Head cabbage	Quintozene (RD)	114	34	0	0				0.02	0
Head cabbage	Resmethrin (RD)	114	54	0	0				0.1	0
Head cabbage	Silthiofam	114	111	0	0				0.05	0
Head cabbage	Spinetoram	114	111	0	0				0.05	0
Head cabbage	Spinosad (RD)	114	109	0	0				2	0
Head cabbage	Spirodiclofen	114	111	0	0				0.02	0
Head cabbage	Spiromesifen	114	111	0	0				0.02	0
Head cabbage	Tembotrione (RD)	114	106	0	0					0
Head cabbage	Tepraloxydim	114	6	0	0					0
Head cabbage	Terbutylazine	114	111	0	0				0.05	0
Head cabbage	Tetraconazole	114	111	0	0				0.02	0
Head cabbage	Thiabendazole (RD)	114	111	3	2.7	0.01	0.014	0.012	0.05	0
Head cabbage	Thiacloprid	114	111	0	0				0.2	0
Head cabbage	Thiametoxam (RD)	114	108	4	3.7	0.005	0.011	0.0086	5	0
Head cabbage	Thiophanate-methyl	114	72	0	0				0.1	0
Head cabbage	Tolyfluanid (RD)	114	59	0	0				0.05	0
Head cabbage	Triadimefon (RD)	114	111	0	0				0.1	0
Head cabbage	Trifluralin	114	86	0	0				0.5	0
Head cabbage	Valifenalate	114	13	0	0				0.01	0
Head cabbage	Vinclozolin (RD)	114	59	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Head cabbage	Zoxamide	114	111	0	0				0.02	0
Infant formulae	2,4-D (RD)	18	18	0	0					0
Infant formulae	Aclonifen	18	18	0	0					0
Infant formulae	Ametoctradin (RD)	18	8	0	0					0
Infant formulae	Amisulbrom	18	8	0	0					0
Infant formulae	Anthraquinone	18	18	0	0					0
Infant formulae	Benalaxyl (RD)	18	8	0	0					0
Infant formulae	Benfluralin	18	18	0	0					0
Infant formulae	Benthiavalicarb (RD)	18	8	0	0					0
Infant formulae	Bitertanol	18	18	0	0					0
Infant formulae	Bixafen (RD)	18	18	0	0					0
Infant formulae	Boscalid (RD)	18	18	0	0					0
Infant formulae	Bromopropylate	18	18	0	0					0
Infant formulae	Bromoxynil (RD)	18	8	0	0					0
Infant formulae	Bromuconazole	18	18	0	0					0
Infant formulae	Bupirimate	18	18	0	0					0
Infant formulae	Buprofezin	18	18	0	0					0
Infant formulae	Carbaryl	18	18	0	0					0
Infant formulae	Carboxin	18	18	0	0					0
Infant formulae	Chlordane (RD)	18	10	0	0					0
Infant formulae	Chlorpropham (RD)	18	8	0	0					0
Infant formulae	Clodinafop (RD)	18	18	0	0					0
Infant formulae	Clofentezine (RD)	18	18	0	0					0
Infant formulae	Cyflufenamid	18	8	0	0					0
Infant formulae	Cyflumetofen	18	8	0	0					0
Infant formulae	Cyproconazole	18	18	0	0					0
Infant formulae	Cyprodinil (RD)	18	18	0	0					0
Infant formulae	Dicloran	18	18	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Infant formulae	Dicofol (RD)	18	8	0	0					0
Infant formulae	Diethofencarb	18	18	0	0					0
Infant formulae	Etofenprox	18	18	0	0					0
Infant formulae	Etridiazole	18	18	0	0					0
Infant formulae	Fenamidone	18	18	0	0					0
Infant formulae	Fenarimol	18	18	0	0					0
Infant formulae	Fenbuconazole	18	18	0	0					0
Infant formulae	Fenoxycarb	18	18	0	0					0
Infant formulae	Fipronil (RD)	18	18	0	0					0
Infant formulae	Flubendiamide	18	18	0	0					0
Infant formulae	Fluopicolide	18	18	0	0					0
Infant formulae	Fluopyram (RD)	18	18	0	0					0
Infant formulae	Fluquinconazole	18	18	0	0					0
Infant formulae	Flutolanil	18	18	0	0					0
Infant formulae	Fluxapyroxad	18	8	0	0					0
Infant formulae	Folpet (RD)	18	8	0	0					0
Infant formulae	Fuberidazole	18	18	0	0					0
Infant formulae	Haloxfop-R (RD)	18	8	0	0					0
Infant formulae	Hymexazol	18	8	0	0					0
Infant formulae	Imidacloprid	18	8	0	0					0
Infant formulae	Ioxynil (RD)	18	18	0	0					0
Infant formulae	Lenacil	18	18	0	0					0
Infant formulae	Lufenuron	18	18	0	0					0
Infant formulae	MCPA (RD)	18	8	0	0					0
Infant formulae	Mepanipyrim (RD)	18	8	0	0					0
Infant formulae	Metribuzin	18	18	0	0					0
Infant formulae	Myclobutanil (RD)	18	18	0	0					0
Infant formulae	Oxadiazon	18	18	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Infant formulae	Oxyfluorfen	18	18	0	0					0
Infant formulae	Pendimethalin	18	18	0	0					0
Infant formulae	Picolinafen	18	8	0	0					0
Infant formulae	Prochloraz (RD)	18	8	0	0					0
Infant formulae	Propyzamide (RD)	18	18	0	0					0
Infant formulae	Proquinazid	18	8	0	0					0
Infant formulae	Pymetrozine	18	8	0	0					0
Infant formulae	Pyrimethanil	18	18	0	0					0
Infant formulae	Quintozene (RD)	18	8	0	0					0
Infant formulae	Resmethrin (RD)	18	18	0	0					0
Infant formulae	Silthiofam	18	18	0	0					0
Infant formulae	Spinetoram	18	8	0	0					0
Infant formulae	Spinosad (RD)	18	8	0	0					0
Infant formulae	Spirodiclofen	18	18	0	0					0
Infant formulae	Spiromesifen	18	18	0	0					0
Infant formulae	Tembotrione (RD)	18	8	0	0					0
Infant formulae	Terbutylazine	18	18	0	0					0
Infant formulae	Tetraconazole	18	18	0	0					0
Infant formulae	Thiabendazole (RD)	18	8	0	0					0
Infant formulae	Thiacloprid	18	8	0	0					0
Infant formulae	Thiametoxam (RD)	18	8	0	0					0
Infant formulae	Thiophanate-methyl	18	8	0	0					0
Infant formulae	Tolyfluanid (RD)	18	8	0	0					0
Infant formulae	Triadimefon (RD)	18	18	0	0					0
Infant formulae	Trifluralin	18	18	0	0					0
Infant formulae	Vinclozolin (RD)	18	8	0	0					0
Infant formulae	Zoxamide	18	18	0	0					0
Leek	2,4-D (RD)	82	60	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Leek	Aclonifen	82	56	0	0				0.05	0
Leek	Ametoctradin (RD)	82	82	15	18.3	0.006	0.19	0.0589	5	0
Leek	Amisulbrom	82	75	0	0					0
Leek	Anthraquinone	82	56	0	0				0.01	0
Leek	Beflubutamid	82	7	0	0				0.05	0
Leek	Benalaxyl (RD)	82	38	0	0				0.05	0
Leek	Benfluralin	82	67	0	0				0.05	0
Leek	Benfuracarb	82	7	0	0				0.05	0
Leek	Benthiavalicarb (RD)	82	58	0	0				0.01	0
Leek	Bitertanol	82	82	0	0				0.05	0
Leek	Bixafen (RD)	82	82	0	0				0.01	0
Leek	Boscalid (RD)	82	82	6	7.32	0.006	0.23	0.0696	9	0
Leek	Bromopropylate	82	82	0	0				0.05	0
Leek	Bromoxynil (RD)	82	52	0	0				0.05	0
Leek	Bromuconazole	82	56	0	0				0.05	0
Leek	Bupirimate	82	82	0	0				0.05	0
Leek	Buprofezin	82	82	0	0				0.05	0
Leek	Carbaryl	82	82	0	0				0.05	0
Leek	Carbetamide	82	25	0	0				0.1	0
Leek	Carbosulfan	82	32	0	0				0.05	0
Leek	Carboxin	82	67	0	0				0.1	0
Leek	Chlordane (RD)	82	50	0	0				0.01	0
Leek	Chlorpropham (RD)	82	29	0	0				0.05	0
Leek	Clethodim (RD)	82	7	0	0					0
Leek	Clodinafop (RD)	82	60	0	0				0.02	0
Leek	Clofentezine (RD)	82	82	0	0				0.02	0
Leek	Cycloxydim (RD)	82	7	0	0				0.5	0
Leek	Cyflufenamid	82	75	0	0				0.02	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Leek	Cyflumetofen	82	82	0	0					0
Leek	Cyproconazole	82	82	0	0				0.05	0
Leek	Cyprodinil (RD)	82	82	0	0				0.05	0
Leek	Dazomet (RD)	82	7	0	0				0.02	0
Leek	Desmedipham	82	32	0	0				0.05	0
Leek	Dicloran	82	82	0	0				0.1	0
Leek	Dicofol (RD)	82	9	0	0				0.02	0
Leek	Diethofencarb	82	82	0	0				0.05	0
Leek	Dinocap (RD)	82	7	0	0				0.05	0
Leek	Dithiocarbamates (RD)	82	8	4	50	0.031	0.08	0.0583	3	0
Leek	Etofenprox	82	82	0	0				0.01	0
Leek	Etridiazole	82	56	0	0				0.05	0
Leek	Fenamidone	82	82	0	0				0.02	0
Leek	Fenarimol	82	82	0	0				0.02	0
Leek	Fenbuconazole	82	82	0	0				0.05	0
Leek	Fenoxycarb	82	82	0	0				0.05	0
Leek	Fipronil (RD)	82	82	0	0				0.01	0
Leek	Flubendiamide	82	60	0	0				0.01	0
Leek	Flufenacet (RD)	82	32	0	0				0.05	0
Leek	Flumioxazine	82	7	0	0					0
Leek	Fluopicolide	82	82	0	0				1.5	0
Leek	Fluopyram (RD)	82	82	3	3.66	0.005	0.0064	0.0057	0.7	0
Leek	Fluoxastrobin	82	32	0	0					0
Leek	Fluquinconazole	82	56	0	0				0.05	0
Leek	Flutolanil	82	82	0	0				0.05	0
Leek	Fluxapyroxad	82	75	0	0				0.01	0
Leek	Folpet (RD)	82	14	0	0				0.02	0
Leek	Fuberidazole	82	56	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Leek	Haloxifop-R (RD)	82	54	0	0				0.1	0
Leek	Hymexazol	82	75	0	0				0.05	0
Leek	Imidacloprid	82	82	0	0				0.05	0
Leek	Ioxynil (RD)	82	60	0	0				3	0
Leek	Isoxaflutole (RD)	82	32	0	0				0.05	0
Leek	Lenacil	82	56	0	0				0.1	0
Leek	Lufenuron	82	82	0	0				0.05	0
Leek	Mandipropamid	82	25	0	0				0.01	0
Leek	MCPA (RD)	82	29	0	0				0.05	0
Leek	Mepanipyrim (RD)	82	29	0	0				0.01	0
Leek	Meptyldinocap (RD)	82	7	0	0					0
Leek	Metribuzin	82	56	0	0				0.1	0
Leek	Myclobutanil (RD)	82	82	0	0				0.02	0
Leek	Oxadiazon	82	49	0	0				0.05	0
Leek	Oxyfluorfen	82	56	0	0				0.05	0
Leek	Pendimethalin	82	82	0	0				0.05	0
Leek	Pethoxamid	82	7	0	0				0.01	0
Leek	Phoxim	82	32	0	0				0.01	0
Leek	Picolinafen	82	82	0	0					0
Leek	Prochloraz (RD)	82	82	0	0				0.05	0
Leek	Propaquizafop	82	25	0	0				0.05	0
Leek	Propyzamide (RD)	82	82	0	0				0.02	0
Leek	Proquinazid	82	82	0	0				0.02	0
Leek	Pymetrozine	82	82	0	0				0.02	0
Leek	Pyrethrins	82	32	0	0				1	0
Leek	Pyridalyl	82	7	0	0					0
Leek	Pyrimethanil	82	82	0	0				1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Leek	Quintozene (RD)	82	14	0	0				0.02	0
Leek	Resmethrin (RD)	82	24	0	0				0.1	0
Leek	Silthiofam	82	82	0	0				0.05	0
Leek	Spinetoram	82	82	0	0				0.05	0
Leek	Spinosad (RD)	82	73	1	1.37	0.026	0.026	0.026	0.5	0
Leek	Spirodiclofen	82	82	0	0				0.02	0
Leek	Spiromesifen	82	82	0	0				0.02	0
Leek	Tembotrione (RD)	82	75	0	0					0
Leek	Tepraloxydim	82	7	0	0					0
Leek	Terbutylazine	82	82	0	0				0.05	0
Leek	Tetraconazole	82	82	0	0				0.02	0
Leek	Thiabendazole (RD)	82	82	2	2.44	0.005	0.011	0.008	0.05	0
Leek	Thiacloprid	82	82	0	0				0.1	0
Leek	Thiametoxam (RD)	82	79	0	0				0.05	0
Leek	Thiophanate-methyl	82	54	0	0				0.1	0
Leek	Tolyfluanid (RD)	82	29	0	0				3	0
Leek	Triadimefon (RD)	82	82	1	1.22	0.016	0.0159	0.0159	0.1	0
Leek	Trifluralin	82	67	0	0				0.5	0
Leek	Valifenalate	82	25	0	0				0.01	0
Leek	Vinclozolin (RD)	82	43	0	0				0.05	0
Leek	Zoxamide	82	82	0	0				0.02	0
Lettuce	2,4-D (RD)	181	134	0	0				0.05	0
Lettuce	Aclonifen	181	117	1	0.85	0.007	0.0067	0.0067	0.05	0
Lettuce	Ametoctradin (RD)	181	180	1	0.56	0.82	0.82	0.82	40	0
Lettuce	Amisulbrom	181	167	0	0					0
Lettuce	Anthraquinone	181	117	0	0				0.01	0
Lettuce	Beflubutamid	181	19	0	0				0.05	0
Lettuce	Benalaxyl (RD)	181	70	0	0				1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Lettuce	Benfluralin	181	144	0	0				0.1	0
Lettuce	Benfuracarb	181	19	0	0				0.05	0
Lettuce	Benthiavalicarb (RD)	181	134	0	0				0.01	0
Lettuce	Bitertanol	181	180	0	0				0.05	0
Lettuce	Bixafen (RD)	181	180	0	0				0.01	0
Lettuce	Boscalid (RD)	181	181	45	24.9	0.006	4	0.4662	50	0
Lettuce	Bromide ion	181	15	12	80	0.335	2.59	1.0197	50	0
Lettuce	Bromopropylate	181	180	0	0				0.05	0
Lettuce	Bromoxynil (RD)	181	124	0	0				0.05	0
Lettuce	Bromuconazole	181	117	0	0				0.05	0
Lettuce	Bupirimate	181	180	0	0				0.05	0
Lettuce	Buprofezin	181	180	0	0				0.5	0
Lettuce	Carbaryl	181	180	0	0				0.05	0
Lettuce	Carbetamide	181	36	0	0				0.5	0
Lettuce	Carbosulfan	181	56	0	0				0.05	0
Lettuce	Carboxin	181	144	0	0				0.05	0
Lettuce	Chlordane (RD)	181	102	0	0				0.01	0
Lettuce	Chlorpropham (RD)	181	71	0	0				0.05	0
Lettuce	Clethodim (RD)	181	19	0	0					0
Lettuce	Clodinafop (RD)	181	134	0	0				0.02	0
Lettuce	Clofentezine (RD)	181	180	0	0				0.02	0
Lettuce	Cycloxydim (RD)	181	19	0	0				1	0
Lettuce	Cyflufenamid	181	167	0	0				0.02	0
Lettuce	Cyflumetofen	181	179	0	0					0
Lettuce	Cyproconazole	181	180	0	0				0.05	0
Lettuce	Cyprodinil (RD)	181	180	12	6.67	0.01	0.14	0.0445	15	0
Lettuce	Dazomet (RD)	181	19	0	0				0.02	0
Lettuce	Desmedipham	181	49	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Lettuce	Dicloran	181	180	0	0				0.1	0
Lettuce	Dicofol (RD)	181	24	0	0				0.02	0
Lettuce	Diethofencarb	181	180	0	0				0.5	0
Lettuce	Dinocap (RD)	181	19	0	0				0.05	0
Lettuce	Dithiocarbamates (RD)	181	14	3	21.4	0.038	0.69	0.271	5	0
Lettuce	Etofenprox	181	180	0	0				3	0
Lettuce	Etridiazole	181	117	0	0				0.05	0
Lettuce	Fenamidone	181	180	6	3.33	0.006	0.19	0.0573	30	0
Lettuce	Fenarimol	181	180	0	0				0.02	0
Lettuce	Fenbuconazole	181	180	0	0				0.05	0
Lettuce	Fenoxycarb	181	180	0	0				0.05	0
Lettuce	Fipronil (RD)	181	181	0	0				0.005	0
Lettuce	Flubendiamide	181	134	0	0				7	0
Lettuce	Flufenacet (RD)	181	56	0	0				0.05	0
Lettuce	Flumioxazine	181	19	0	0					0
Lettuce	Fluopicolide	181	180	5	2.78	0.011	0.25	0.0816	9	0
Lettuce	Fluopyram (RD)	181	180	26	14.4	0.006	0.66	0.0722	15	0
Lettuce	Fluoxastrobin	181	55	0	0					0
Lettuce	Fluquinconazole	181	117	0	0				0.05	0
Lettuce	Flutolanil	181	180	0	0				0.05	0
Lettuce	Fluxapyroxad	181	167	0	0				0.03	0
Lettuce	Folpet (RD)	181	36	0	0				2	0
Lettuce	Fuberidazole	181	117	0	0				0.05	0
Lettuce	Haloxyfop-R (RD)	181	108	0	0				0.1	0
Lettuce	Hymexazol	181	167	0	0				0.05	0
Lettuce	Imidacloprid	181	180	50	27.8	0.005	0.34	0.0393	2	0
Lettuce	Ioxynil (RD)	181	134	0	0				0.05	0
Lettuce	Isoxaflutole (RD)	181	56	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Lettuce	Lenacil	181	117	0	0				0.1	0
Lettuce	Lufenuron	181	181	0	0				0.5	0
Lettuce	Mandipropamid	181	36	3	8.33	0.012	0.029	0.0217	25	0
Lettuce	MCPA (RD)	181	72	0	0				0.05	0
Lettuce	Mepanipyrim (RD)	181	71	0	0				0.01	0
Lettuce	Meptyldinocap (RD)	181	19	0	0					0
Lettuce	Metribuzin	181	117	0	0				0.1	0
Lettuce	Myclobutanil (RD)	181	180	0	0				0.02	0
Lettuce	Oxadiazyl	181	19	0	0				0.01	0
Lettuce	Oxadiazon	181	98	0	0				0.05	0
Lettuce	Oxyfluorfen	181	117	0	0				0.05	0
Lettuce	Pendimethalin	181	180	1	0.56	0.01	0.01	0.01	0.05	0
Lettuce	Pethoxamid	181	19	0	0				0.01	0
Lettuce	Phoxim	181	56	0	0				0.01	0
Lettuce	Picolinafen	181	179	0	0					0
Lettuce	Prochloraz (RD)	181	180	1	0.56	0.01	0.01	0.01	5	0
Lettuce	Propaquizafop	181	36	0	0				0.1	0
Lettuce	Propyzamide (RD)	181	181	9	4.97	0.006	0.11	0.0341	1	0
Lettuce	Proquinazid	181	179	0	0				0.02	0
Lettuce	Pymetrozine	181	180	7	3.89	0.022	0.24	0.1036	3	0
Lettuce	Pyrethrins	181	55	0	0				1	0
Lettuce	Pyridalyl	181	19	0	0					0
Lettuce	Pyrimethanil	181	180	0	0				20	0
Lettuce	Quintozene (RD)	181	35	0	0				0.02	0
Lettuce	Resmethrin (RD)	181	61	0	0				0.1	0
Lettuce	Silthiofam	181	180	0	0				0.05	0
Lettuce	Spinetoram	181	180	0	0				10	0
Lettuce	Spinosad (RD)	181	172	9	5.23	0.01	0.58	0.1766	10	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Lettuce	Spirodiclofen	181	180	0	0				0.02	0
Lettuce	Spiromesifen	181	180	0	0				0.02	0
Lettuce	Tembotrione (RD)	181	167	0	0					0
Lettuce	Tepraloxydim	181	19	0	0					0
Lettuce	Terbutylazine	181	180	0	0				0.05	0
Lettuce	Tetraconazole	181	180	0	0				0.02	0
Lettuce	Thiabendazole (RD)	181	180	0	0				0.05	0
Lettuce	Thiacloprid	181	180	0	0				2	0
Lettuce	Thiametoxam (RD)	181	173	19	11	0.007	0.026	0.016	5	0
Lettuce	Thiophanate-methyl	181	107	0	0				0.1	0
Lettuce	Tolyfluanid (RD)	181	71	0	0				20	0
Lettuce	Triadimefon (RD)	181	180	0	0				0.1	0
Lettuce	Trifluralin	181	144	0	0				0.5	0
Lettuce	Valifenalate	181	36	0	0				0.01	0
Lettuce	Vinclozolin (RD)	181	98	0	0				0.05	0
Lettuce	Zoxamide	181	180	0	0				0.02	0
Mandarins	2,4-D (RD)	190	133	42	31.6	0.01	0.58	0.1418	1	0
Mandarins	Aclonifen	190	111	0	0				0.05	0
Mandarins	Ametoctradin (RD)	190	190	0	0				0.01	0
Mandarins	Amisulbrom	190	181	0	0					0
Mandarins	Anthraquinone	190	111	0	0				0.01	0
Mandarins	Beflubutamid	190	19	0	0				0.05	0
Mandarins	Benalaxyl (RD)	190	65	0	0				0.05	0
Mandarins	Benfluralin	190	160	0	0				0.05	0
Mandarins	Benfuracarb	190	19	0	0				0.05	0
Mandarins	Benthiavalicarb (RD)	190	136	0	0				0.01	0
Mandarins	Bitertanol	190	190	0	0				0.05	0
Mandarins	Bixafen (RD)	190	190	0	0				0.01	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Mandarins	Boscalid (RD)	190	190	1	0.53	0.016	0.016	0.016	2	0
Mandarins	Bromopropylate	190	190	0	0				2	0
Mandarins	Bromoxynil (RD)	190	116	0	0				0.05	0
Mandarins	Bromuconazole	190	111	0	0				0.05	0
Mandarins	Bupirimate	190	190	0	0				0.05	0
Mandarins	Buprofezin	190	190	6	3.16	0.007	0.048	0.016	1	0
Mandarins	Carbaryl	190	190	1	0.53	2.4	2.4	2.4	0.05	1
Mandarins	Carbetamide	190	28	0	0				0.05	0
Mandarins	Carbosulfan	190	47	0	0				0.1	0
Mandarins	Carboxin	190	160	0	0				0.05	0
Mandarins	Chlordane (RD)	190	93	0	0				0.01	0
Mandarins	Chlorpropham (RD)	190	70	0	0				0.05	0
Mandarins	Clethodim (RD)	190	19	0	0					0
Mandarins	Clodinafop (RD)	190	133	0	0				0.02	0
Mandarins	Clofentezine (RD)	190	190	1	0.53	0.008	0.0075	0.0075	0.5	0
Mandarins	Cycloxydim (RD)	190	19	0	0				0.05	0
Mandarins	Cyflufenamid	190	181	0	0				0.02	0
Mandarins	Cyflumetofen	190	190	0	0					0
Mandarins	Cyproconazole	190	190	0	0				0.05	0
Mandarins	Cyprodinil (RD)	190	190	0	0				0.05	0
Mandarins	Dazomet (RD)	190	19	0	0				0.02	0
Mandarins	Desmedipham	190	37	0	0				0.05	0
Mandarins	Dicloran	190	190	0	0				0.1	0
Mandarins	Dicofol (RD)	190	21	0	0				2	0
Mandarins	Diethofencarb	190	190	0	0				0.05	0
Mandarins	Dinocap (RD)	190	19	0	0				0.05	0
Mandarins	Dithiocarbamates (RD)	190	20	2	10	0.038	0.075	0.0565	5	0
Mandarins	Etofenprox	190	190	9	4.74	0.005	0.051	0.0162	1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Mandarins	Etridiazole	190	111	0	0				0.05	0
Mandarins	Fenamidone	190	190	0	0				0.02	0
Mandarins	Fenarimol	190	190	0	0				0.02	0
Mandarins	Fenbuconazole	190	190	0	0				0.05	0
Mandarins	Fenoxycarb	190	190	0	0				2	0
Mandarins	Fipronil (RD)	190	190	0	0				0.005	0
Mandarins	Flubendiamide	190	133	0	0				0.01	0
Mandarins	Flufenacet (RD)	190	47	0	0				0.05	0
Mandarins	Flumioxazine	190	19	0	0					0
Mandarins	Fluopicolide	190	190	0	0				0.01	0
Mandarins	Fluopyram (RD)	190	190	0	0				0.01	0
Mandarins	Fluoxastrobin	190	47	0	0					0
Mandarins	Fluquinconazole	190	111	0	0				0.05	0
Mandarins	Flutolanil	190	190	0	0				0.05	0
Mandarins	Fluxapyroxad	190	181	0	0				0.01	0
Mandarins	Folpet (RD)	190	38	0	0				0.02	0
Mandarins	Fuberidazole	190	111	0	0				0.05	0
Mandarins	Haloxypop-R (RD)	190	98	0	0				0.05	0
Mandarins	Hymexazol	190	181	0	0				0.05	0
Mandarins	Imidacloprid	190	190	18	9.47	0.006	0.098	0.0295	1	0
Mandarins	Ioxynil (RD)	190	133	0	0				0.05	0
Mandarins	Isoxaflutole (RD)	190	47	0	0				0.05	0
Mandarins	Lenacil	190	111	0	0				0.1	0
Mandarins	Lufenuron	190	190	0	0				1	0
Mandarins	Mandipropamid	190	28	0	0				0.01	0
Mandarins	MCPA (RD)	190	70	0	0				0.05	0
Mandarins	Mepanipyrim (RD)	190	70	0	0				0.01	0
Mandarins	Meptyldinocap (RD)	190	19	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Mandarins	Metribuzin	190	111	0	0				0.1	0
Mandarins	Myclobutanil (RD)	190	190	0	0				3	0
Mandarins	Oxadiazyl	190	19	0	0				0.01	0
Mandarins	Oxadiazon	190	92	0	0				0.05	0
Mandarins	Oxyfluorfen	190	111	0	0				0.05	0
Mandarins	Pendimethalin	190	190	0	0				0.05	0
Mandarins	Pethoxamid	190	19	0	0				0.01	0
Mandarins	Phoxim	190	47	0	0				0.01	0
Mandarins	Picolinafen	190	190	0	0					0
Mandarins	Prochloraz (RD)	190	190	12	6.32	0.015	3.4	0.7801	10	0
Mandarins	Propaquizafop	190	28	0	0				0.05	0
Mandarins	Propyzamide (RD)	190	190	0	0				0.02	0
Mandarins	Proquinazid	190	190	0	0				0.02	0
Mandarins	Pymetrozine	190	190	0	0				0.3	0
Mandarins	Pyrethrins	190	47	0	0				1	0
Mandarins	Pyridalyl	190	19	0	0					0
Mandarins	Pyrimethanil	190	190	87	45.8	0.005	6.2	0.9387	10	0
Mandarins	Quintozene (RD)	190	40	0	0				0.02	0
Mandarins	Resmethrin (RD)	190	86	0	0				0.1	0
Mandarins	Silthiofam	190	190	0	0				0.05	0
Mandarins	Spinetoram	190	190	0	0				0.2	0
Mandarins	Spinosad (RD)	190	179	0	0				0.3	0
Mandarins	Spirodiclofen	190	190	2	1.05	0.006	0.007	0.0066	0.4	0
Mandarins	Spiromesifen	190	190	0	0				0.02	0
Mandarins	Tembotrione (RD)	190	181	0	0					0
Mandarins	Tepraloxymid	190	19	0	0					0
Mandarins	Terbuthylazine	190	190	1	0.53	0.015	0.015	0.015	0.1	0
Mandarins	Tetraconazole	190	190	0	0				0.02	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Mandarins	Thiabendazole (RD)	190	190	##	58.4	0.007	4.2	0.9703	5	0
Mandarins	Thiacloprid	190	190	0	0				0.02	0
Mandarins	Thiametoxam (RD)	190	186	0	0				0.2	0
Mandarins	Thiophanate-methyl	190	99	1	1.01	0.007	0.0072	0.0072	6	0
Mandarins	Tolyfluanid (RD)	190	70	0	0				0.05	0
Mandarins	Triadimefon (RD)	190	190	0	0				0.1	0
Mandarins	Trifluralin	190	160	0	0				0.1	0
Mandarins	Valifenalate	190	28	0	0				0.01	0
Mandarins	Vinclozolin (RD)	190	106	0	0				0.05	0
Mandarins	Zoxamide	190	190	0	0				0.02	0
Melons	2,4-D (RD)	195	121	0	0				0.05	0
Melons	Aclonifen	195	98	0	0				0.05	0
Melons	Ametoctradin (RD)	195	195	0	0				3	0
Melons	Amisulbrom	195	192	0	0					0
Melons	Anthraquinone	195	98	0	0				0.01	0
Melons	Beflubutamid	195	3	0	0				0.05	0
Melons	Benalaxyl (RD)	195	44	0	0				0.3	0
Melons	Benfluralin	195	165	0	0				0.1	0
Melons	Benfuracarb	195	3	0	0				0.05	0
Melons	Benthiavalicarb (RD)	195	118	0	0				0.01	0
Melons	Bitertanol	195	195	0	0				0.05	0
Melons	Bixafen (RD)	195	195	0	0				0.01	0
Melons	Boscalid (RD)	195	195	15	7.69	0.006	0.035	0.0128	3	0
Melons	Bromopropylate	195	195	0	0				0.05	0
Melons	Bromoxynil (RD)	195	99	0	0				0.05	0
Melons	Bromuconazole	195	98	0	0				0.05	0
Melons	Bupirimate	195	195	0	0				0.3	0
Melons	Buprofezin	195	195	2	1.03	0.006	0.018	0.012	1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Melons	Carbaryl	195	195	0	0				0.05	0
Melons	Carbetamide	195	29	0	0				0.1	0
Melons	Carbosulfan	195	32	0	0				0.05	0
Melons	Carboxin	195	165	0	0				0.1	0
Melons	Chlordane (RD)	195	86	0	0				0.01	0
Melons	Chlorpropham (RD)	195	49	0	0				0.05	0
Melons	Clethodim (RD)	195	3	0	0					0
Melons	Clodinafop (RD)	195	121	0	0				0.02	0
Melons	Clofentezine (RD)	195	195	0	0				0.1	0
Melons	Cycloxydim (RD)	195	3	0	0				0.05	0
Melons	Cyflufenamid	195	192	1	0.52	0.017	0.017	0.017	0.04	0
Melons	Cyflumetofen	195	195	0	0					0
Melons	Cyproconazole	195	195	0	0				0.05	0
Melons	Cyprodinil (RD)	195	195	1	0.51	0.011	0.011	0.011	0.6	0
Melons	Dazomet (RD)	195	3	0	0				0.02	0
Melons	Desmedipham	195	32	0	0				0.05	0
Melons	Dicloran	195	195	0	0				0.1	0
Melons	Dicofol (RD)	195	4	0	0				0.5	0
Melons	Diethofencarb	195	195	0	0				0.5	0
Melons	Dinocap (RD)	195	3	0	0				0.05	0
Melons	Dithiocarbamates (RD)	195	2	0	0				1	0
Melons	Etofenprox	195	195	15	7.69	0.005	0.048	0.0167	0.5	0
Melons	Etridiazole	195	98	0	0				0.05	0
Melons	Fenamidone	195	195	0	0				0.2	0
Melons	Fenarimol	195	195	0	0				0.2	0
Melons	Fenbuconazole	195	195	0	0				0.2	0
Melons	Fenoxycarb	195	195	0	0				0.05	0
Melons	Fipronil (RD)	195	195	0	0				0.005	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Melons	Flubendiamide	195	121	0	0				0.06	0
Melons	Flufenacet (RD)	195	32	0	0				0.05	0
Melons	Flumioxazine	195	3	0	0					0
Melons	Fluopicolide	195	195	2	1.03	0.012	0.014	0.013	0.5	0
Melons	Fluopyram (RD)	195	195	5	2.56	0.009	0.018	0.0131	0.4	0
Melons	Fluoxastrobin	195	32	0	0					0
Melons	Fluquinconazole	195	98	0	0				0.05	0
Melons	Flutolanil	195	195	0	0				0.05	0
Melons	Fluxapyroxad	195	192	0	0				0.01	0
Melons	Folpet (RD)	195	16	0	0				1	0
Melons	Fuberidazole	195	98	0	0				0.05	0
Melons	Haloxypop-R (RD)	195	78	0	0				0.1	0
Melons	Hymexazol	195	192	0	0				0.05	0
Melons	Imidacloprid	195	195	64	32.8	0.005	0.11	0.0216	0.5	0
Melons	Ioxynil (RD)	195	121	0	0				0.05	0
Melons	Isoxaflutole (RD)	195	32	0	0				0.05	0
Melons	Lenacil	195	98	0	0				0.1	0
Melons	Lufenuron	195	195	0	0				0.3	0
Melons	Mandipropamid	195	29	0	0				0.5	0
Melons	MCPA (RD)	195	49	0	0				0.05	0
Melons	Mepanipyrim (RD)	195	49	0	0				0.01	0
Melons	Meptyldinocap (RD)	195	3	0	0					0
Melons	Metribuzin	195	98	0	0				0.1	0
Melons	Myclobutanil (RD)	195	195	2	1.03	0.005	0.0063	0.0059	0.2	0
Melons	Oxadiazyl	195	3	0	0				0.01	0
Melons	Oxadiazon	195	95	0	0				0.05	0
Melons	Oxyfluorfen	195	98	0	0				0.05	0
Melons	Pendimethalin	195	195	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Melons	Pethoxamid	195	3	0	0				0.01	0
Melons	Phoxim	195	32	0	0				0.01	0
Melons	Picolinafen	195	195	0	0					0
Melons	Prochloraz (RD)	195	195	1	0.51	0.027	0.027	0.027	0.05	0
Melons	Propaquizafop	195	29	0	0				0.05	0
Melons	Propyzamide (RD)	195	195	0	0				0.02	0
Melons	Proquinazid	195	195	0	0				0.02	0
Melons	Pymetrozine	195	195	2	1.03	0.005	0.01	0.0077	0.3	0
Melons	Pyrethrins	195	32	0	0				1	0
Melons	Pyridalyl	195	3	0	0					0
Melons	Pyrimethanil	195	195	1	0.51	0.006	0.0058	0.0058	0.05	0
Melons	Quintozene (RD)	195	19	0	0				0.02	0
Melons	Resmethrin (RD)	195	82	0	0				0.1	0
Melons	Silthiofam	195	195	0	0				0.05	0
Melons	Spinetoram	195	195	0	0				0.05	0
Melons	Spinosad (RD)	195	183	1	0.55	0.005	0.0052	0.0052	1	0
Melons	Spirodiclofen	195	195	0	0				0.02	0
Melons	Spiromesifen	195	195	5	2.56	0.005	0.084	0.0225	0.3	0
Melons	Tembotrione (RD)	195	192	0	0					0
Melons	Tepraloxydim	195	3	0	0					0
Melons	Terbutylazine	195	195	0	0				0.05	0
Melons	Tetraconazole	195	195	3	1.54	0.007	0.013	0.009	0.05	0
Melons	Thiabendazole (RD)	195	195	3	1.54	0.006	0.01	0.0079	0.05	0
Melons	Thiacloprid	195	195	5	2.56	0.008	0.025	0.0152	0.2	0
Melons	Thiametoxam (RD)	195	191	18	9.42	0.006	0.046	0.0138	0.2	0
Melons	Thiophanate-methyl	195	78	0	0				0.3	0
Melons	Tolyfluanid (RD)	195	49	0	0				0.3	0
Melons	Triadimefon (RD)	195	195	7	3.59	0.006	0.035	0.0129	0.2	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Melons	Trifluralin	195	165	0	0				0.5	0
Melons	Valifenalate	195	29	0	0				0.01	0
Melons	Vinclozolin (RD)	195	88	0	0				0.05	0
Melons	Zoxamide	195	195	0	0				2	0
Oats	2,4-D (RD)	2	2	0	0					0
Oats	Aclonifen	2	2	0	0				0.05	0
Oats	Ametoctradin (RD)	2	2	0	0					0
Oats	Amisulbrom	2	2	0	0					0
Oats	Anthraquinone	2	2	0	0					0
Oats	Benalaxyl (RD)	2	2	0	0				0.05	0
Oats	Benfluralin	2	2	0	0				0.05	0
Oats	Benthiavalicarb (RD)	2	2	0	0				0.01	0
Oats	Bitertanol	2	2	0	0				0.05	0
Oats	Bixafen (RD)	2	2	0	0					0
Oats	Boscalid (RD)	2	2	1	50	0.214	0.214	0.214	3	0
Oats	Bromopropylate	2	2	0	0				0.05	0
Oats	Bromoxynil (RD)	2	2	0	0				0.05	0
Oats	Bromuconazole	2	2	0	0				0.2	0
Oats	Bupirimate	2	2	0	0				0.05	0
Oats	Buprofezin	2	2	0	0				0.05	0
Oats	Carbaryl	2	2	0	0				0.5	0
Oats	Carboxin	2	2	0	0				0.01	0
Oats	Chlorpropham (RD)	2	2	0	0				0.02	0
Oats	Clodinafop (RD)	2	2	0	0				0.1	0
Oats	Clofentezine (RD)	2	2	0	0				0.02	0
Oats	Cyflufenamid	2	2	0	0					0
Oats	Cyflumetofen	2	2	0	0					0
Oats	Cyproconazole	2	2	0	0				0.1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Oats	Cyprodinil (RD)	2	2	0	0				2	0
Oats	Dicloran	2	2	0	0				0.01	0
Oats	Dicofol (RD)	2	2	0	0				0.02	0
Oats	Diethofencarb	2	2	0	0				0.05	0
Oats	Etofenprox	2	2	0	0				0.5	0
Oats	Etridiazole	2	2	0	0				0.05	0
Oats	Fenamidone	2	2	0	0				0.02	0
Oats	Fenarimol	2	2	0	0				0.02	0
Oats	Fenbuconazole	2	2	0	0				0.05	0
Oats	Fenoxycarb	2	2	0	0				0.05	0
Oats	Fipronil (RD)	2	2	0	0				0.005	0
Oats	Flubendiamide	2	2	0	0				0.01	0
Oats	Fluopicolide	2	2	0	0				0.01	0
Oats	Fluopyram (RD)	2	2	0	0					0
Oats	Fluquinconazole	2	2	0	0				0.05	0
Oats	Flutolanil	2	2	0	0				0.05	0
Oats	Fluxapyroxad	2	2	0	0					0
Oats	Folpet (RD)	2	2	0	0				0.02	0
Oats	Fuberidazole	2	2	0	0				0.2	0
Oats	Haloxypop-R (RD)	2	2	0	0				0.1	0
Oats	Hymexazol	2	2	0	0				0.05	0
Oats	Imidacloprid	2	2	0	0				0.1	0
Oats	Ioxynil (RD)	2	2	0	0				0.05	0
Oats	Lenacil	2	2	0	0				0.1	0
Oats	Lufenuron	2	2	0	0				0.02	0
Oats	MCPA (RD)	2	2	0	0				0.05	0
Oats	Mepanipyrim (RD)	2	2	0	0				0.01	0
Oats	Metribuzin	2	2	0	0				0.1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Oats	Myclobutanil (RD)	2	2	0	0				0.02	0
Oats	Oxadiazon	2	2	0	0					0
Oats	Oxyfluorfen	2	2	0	0					0
Oats	Pendimethalin	2	2	0	0				0.05	0
Oats	Picolinafen	2	2	0	0					0
Oats	Prochloraz (RD)	2	2	0	0				1	0
Oats	Propyzamide (RD)	2	2	0	0				0.02	0
Oats	Proquinazid	2	2	0	0					0
Oats	Pymetrozine	2	2	0	0				0.02	0
Oats	Pyrimethanil	2	2	0	0				0.05	0
Oats	Quintozene (RD)	2	2	0	0				0.02	0
Oats	Resmethrin (RD)	2	2	0	0				0.05	0
Oats	Silthiofam	2	2	0	0				0.05	0
Oats	Spinetoram	2	2	0	0				0.05	0
Oats	Spinosad (RD)	2	2	0	0				1	0
Oats	Spirodiclofen	2	2	0	0				0.02	0
Oats	Spiromesifen	2	2	0	0				0.02	0
Oats	Tembotrione (RD)	2	2	0	0					0
Oats	Terbuthylazine	2	2	0	0				0.05	0
Oats	Tetraconazole	2	2	0	0				0.1	0
Oats	Thiabendazole (RD)	2	2	0	0				0.05	0
Oats	Thiacloprid	2	2	0	0				1	0
Oats	Thiametoxam (RD)	2	2	0	0				0.05	0
Oats	Thiophanate-methyl	2	2	0	0				0.3	0
Oats	Tolyfluanid (RD)	2	2	0	0				0.05	0
Oats	Triadimefon (RD)	2	2	0	0				0.2	0
Oats	Trifluralin	2	2	0	0				0.1	0
Oats	Vinclozolin (RD)	2	2	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Oats	Zoxamide	2	2	0	0				0.02	0
Olives for oil production	Acclonifen	20	20	0	0				0.05	0
Olives for oil production	Anthraquinone	20	20	0	0				0.02	0
Olives for oil production	Benfluralin	20	20	0	0				0.02	0
Olives for oil production	Bitertanol	20	20	0	0				0.02	0
Olives for oil production	Bixafen (RD)	20	20	0	0				0.01	0
Olives for oil production	Boscalid (RD)	20	20	0	0				0.05	0
Olives for oil production	Bromopropylate	20	20	0	0				0.01	0
Olives for oil production	Bromuconazole	20	20	0	0				0.05	0
Olives for oil production	Bupirimate	20	20	0	0				0.05	0
Olives for oil production	Buprofezin	20	20	0	0				5	0
Olives for oil production	Carbaryl	20	20	0	0				0.02	0
Olives for oil production	Carboxin	20	20	0	0				0.05	0
Olives for oil production	Chlordane (RD)	20	20	0	0				0.02	0
Olives for oil production	Clofentezine (RD)	20	20	0	0				0.02	0
Olives for oil production	Cyproconazole	20	20	0	0				0.05	0
Olives for oil production	Cyprodinil (RD)	20	20	0	0				0.02	0
Olives for oil production	Dicloran	20	20	0	0				0.01	0
Olives for oil production	Diethofencarb	20	20	0	0				0.05	0
Olives for oil production	Etofenprox	20	20	0	0				0.01	0
Olives for oil production	Etridiazole	20	20	0	0				0.05	0
Olives for oil production	Fenamidone	20	20	0	0				0.02	0
Olives for oil production	Fenarimol	20	20	0	0				0.02	0
Olives for oil production	Fenbuconazole	20	20	0	0				0.05	0
Olives for oil production	Fenoxycarb	20	20	0	0				1	0
Olives for oil production	Fipronil (RD)	20	20	0	0				0.005	0
Olives for oil production	Fluopicolide	20	20	0	0				0.01	0
Olives for oil production	Fluopyram (RD)	20	20	0	0				0.01	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Olives for oil production	Fluquinconazole	20	20	0	0				0.05	0
Olives for oil production	Flutolanil	20	20	0	0				0.05	0
Olives for oil production	Fuberidazole	20	20	0	0				0.05	0
Olives for oil production	Lenacil	20	20	0	0				0.1	0
Olives for oil production	Metribuzin	20	20	0	0				0.1	0
Olives for oil production	Myclobutanil (RD)	20	20	0	0				0.02	0
Olives for oil production	Oxadiazon	20	20	0	0				0.05	0
Olives for oil production	Oxyfluorfen	20	20	2	10	0.014	0.018	0.016	1	0
Olives for oil production	Pendimethalin	20	20	0	0				0.05	0
Olives for oil production	Propyzamide (RD)	20	20	0	0				0.01	0
Olives for oil production	Pyrimethanil	20	20	0	0				0.02	0
Olives for oil production	Resmethrin (RD)	20	20	0	0				0.1	0
Olives for oil production	Silthiofam	20	20	0	0					0
Olives for oil production	Spirodiclofen	20	20	0	0				0.02	0
Olives for oil production	Spiromesifen	20	20	0	0				0.02	0
Olives for oil production	Terbuthylazine	20	20	0	0				0.05	0
Olives for oil production	Tetraconazole	20	20	0	0				0.02	0
Olives for oil production	Triadimefon (RD)	20	20	0	0				0.1	0
Olives for oil production	Trifluralin	20	20	0	0				0.01	0
Olives for oil production	Vinclozolin (RD)	20	20	0	0				0.05	0
Olives for oil production	Zoxamide	20	20	0	0				0.02	0
Oranges	2,4-D (RD)	315	207	50	24.2	0.012	0.61	0.1726	1	0
Oranges	Aclonifen	315	164	0	0				0.05	0
Oranges	Ametoctradin (RD)	315	315	0	0				0.01	0
Oranges	Amisulbrom	315	303	0	0					0
Oranges	Anthraquinone	315	164	0	0				0.01	0
Oranges	Beflubutamid	315	20	0	0				0.05	0
Oranges	Benalaxyl (RD)	315	98	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Oranges	Benfluralin	315	242	0	0				0.05	0
Oranges	Benfuracarb	315	20	0	0				0.05	0
Oranges	Benthiavalicarb (RD)	315	207	0	0				0.01	0
Oranges	Bitertanol	315	315	0	0				0.05	0
Oranges	Bixafen (RD)	315	315	0	0				0.01	0
Oranges	Boscalid (RD)	315	315	0	0				2	0
Oranges	Bromopropylate	315	294	0	0				2	0
Oranges	Bromoxynil (RD)	315	165	0	0				0.05	0
Oranges	Bromuconazole	315	164	0	0				0.05	0
Oranges	Bupirimate	315	315	0	0				0.05	0
Oranges	Buprofezin	315	315	8	2.54	0.005	0.025	0.0139	1	0
Oranges	Carbaryl	315	315	0	0				0.05	0
Oranges	Carbetamide	315	59	0	0				0.05	0
Oranges	Carbosulfan	315	79	0	0				0.1	0
Oranges	Carboxin	315	242	0	0				0.05	0
Oranges	Chlordane (RD)	315	145	0	0				0.01	0
Oranges	Chlorpropham (RD)	315	119	0	0				0.05	0
Oranges	Clethodim (RD)	315	20	0	0					0
Oranges	Clodinafop (RD)	315	207	0	0				0.02	0
Oranges	Clofentezine (RD)	315	315	1	0.32	0.006	0.0061	0.0061	0.5	0
Oranges	Cycloxydim (RD)	315	20	0	0				0.05	0
Oranges	Cyflufenamid	315	303	0	0				0.02	0
Oranges	Cyflumetofen	315	315	0	0					0
Oranges	Cyproconazole	315	315	0	0				0.05	0
Oranges	Cyprodinil (RD)	315	315	0	0				0.05	0
Oranges	Dazomet (RD)	315	20	0	0				0.02	0
Oranges	Desmedipham	315	71	0	0				0.05	0
Oranges	Dicloran	315	294	0	0				0.1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Oranges	Dicofol (RD)	315	24	0	0				2	0
Oranges	Diethofencarb	315	315	0	0				0.05	0
Oranges	Dinocap (RD)	315	20	0	0				0.05	0
Oranges	Dithiocarbamates (RD)	315	34	13	38.2	0.02	0.39	0.0866	5	0
Oranges	Etofenprox	315	315	9	2.86	0.009	0.25	0.0864	1	0
Oranges	Etridiazole	315	164	0	0				0.05	0
Oranges	Fenamidone	315	315	0	0				0.02	0
Oranges	Fenarimol	315	315	0	0				0.02	0
Oranges	Fenbuconazole	315	315	0	0				1	0
Oranges	Fenoxycarb	315	315	0	0				2	0
Oranges	Fipronil (RD)	315	294	0	0				0.005	0
Oranges	Flubendiamide	315	207	1	0.48	0.01	0.01	0.01	0.01	0
Oranges	Flufenacet (RD)	315	79	0	0				0.05	0
Oranges	Flumioxazine	315	20	0	0					0
Oranges	Fluopicolide	315	294	0	0				0.01	0
Oranges	Fluopyram (RD)	315	315	0	0				0.01	0
Oranges	Fluoxastrobin	315	79	0	0					0
Oranges	Fluquinconazole	315	164	0	0				0.05	0
Oranges	Flutolanil	315	315	0	0				0.05	0
Oranges	Fluxapyroxad	315	303	0	0				0.01	0
Oranges	Folpet (RD)	315	39	0	0				0.02	0
Oranges	Fuberidazole	315	164	0	0				0.05	0
Oranges	Haloxypop-R (RD)	315	178	0	0				0.05	0
Oranges	Hymexazol	315	303	0	0				0.05	0
Oranges	Imidacloprid	315	315	44	14	0.005	0.28	0.0323	1	0
Oranges	Ioxynil (RD)	315	207	0	0				0.05	0
Oranges	Isoxaflutole (RD)	315	79	0	0				0.05	0
Oranges	Lenacil	315	164	0	0				0.1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Oranges	Lufenuron	315	315	0	0				1	0
Oranges	Mandipropamid	315	59	0	0				0.01	0
Oranges	MCPA (RD)	315	96	0	0				0.05	0
Oranges	Mepanipyrim (RD)	315	119	0	0				0.01	0
Oranges	Meptyldinocap (RD)	315	20	0	0					0
Oranges	Metribuzin	315	164	0	0				0.1	0
Oranges	Myclobutanil (RD)	315	315	1	0.32	0.012	0.012	0.012	3	0
Oranges	Oxadiazon	315	20	0	0				0.01	0
Oranges	Oxadiazon	315	144	0	0				0.05	0
Oranges	Oxyfluorfen	315	164	0	0				0.05	0
Oranges	Pendimethalin	315	294	0	0				0.05	0
Oranges	Pethoxamid	315	20	0	0				0.01	0
Oranges	Phoxim	315	79	0	0				0.01	0
Oranges	Picolinafen	315	315	0	0					0
Oranges	Prochloraz (RD)	315	315	10	3.17	0.01	2.3	0.677	10	0
Oranges	Propaquizafop	315	59	0	0				0.05	0
Oranges	Propyzamide (RD)	315	315	0	0				0.02	0
Oranges	Proquinazid	315	315	0	0				0.02	0
Oranges	Pymetrozine	315	315	0	0				0.3	0
Oranges	Pyrethrins	315	79	0	0				1	0
Oranges	Pyridalyl	315	20	0	0					0
Oranges	Pyrimethanil	315	315	##	35.9	0.005	6.8	1.056	10	0
Oranges	Quintozene (RD)	315	46	0	0				0.02	0
Oranges	Resmethrin (RD)	315	117	0	0				0.1	0
Oranges	Silthiofam	315	315	0	0				0.05	0
Oranges	Spinetoram	315	315	0	0				0.2	0
Oranges	Spinosad (RD)	315	304	0	0				0.3	0
Oranges	Spirodiclofen	315	315	0	0				0.5	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Oranges	Spiromesifen	315	315	0	0				0.02	0
Oranges	Tembotrione (RD)	315	303	0	0					0
Oranges	Tepraloxymid	315	20	0	0					0
Oranges	Terbuthylazine	315	294	0	0				0.1	0
Oranges	Tetraconazole	315	315	0	0				0.02	0
Oranges	Thiabendazole (RD)	315	315	##	56.8	0.006	3.4	0.8526	5	0
Oranges	Thiacloprid	315	315	1	0.32	0.03	0.03	0.03	0.02	1
Oranges	Thiametoxam (RD)	315	308	0	0				0.5	0
Oranges	Thiophanate-methyl	315	178	0	0				6	0
Oranges	Tolyfluanid (RD)	315	119	0	0				0.05	0
Oranges	Triadimefon (RD)	315	315	1	0.32	0.012	0.012	0.012	0.1	0
Oranges	Trifluralin	315	242	0	0				0.1	0
Oranges	Valifenalate	315	59	0	0				0.01	0
Oranges	Vinclozolin (RD)	315	134	0	0				0.05	0
Oranges	Zoxamide	315	315	0	0				0.02	0
Peaches	2,4-D (RD)	143	116	0	0				0.05	0
Peaches	Aclonifen	143	71	0	0				0.05	0
Peaches	Ametoctradin (RD)	143	143	0	0				0.01	0
Peaches	Amisulbrom	143	142	0	0					0
Peaches	Anthraquinone	143	71	0	0				0.01	0
Peaches	Beflubutamid	143	3	0	0				0.05	0
Peaches	Benalaxyl (RD)	143	35	0	0				0.05	0
Peaches	Benfluralin	143	105	0	0				0.05	0
Peaches	Benfuracarb	143	3	0	0				0.05	0
Peaches	Benthiavalicarb (RD)	143	106	0	0				0.01	0
Peaches	Bitertanol	143	143	0	0				1	0
Peaches	Bixafen (RD)	143	143	0	0				0.01	0
Peaches	Boscalid (RD)	143	143	22	15.4	0.007	0.27	0.0698	5	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Peaches	Bromopropylate	143	142	0	0				0.05	0
Peaches	Bromoxynil (RD)	143	104	0	0				0.05	0
Peaches	Bromuconazole	143	71	0	0				0.1	0
Peaches	Bupirimate	143	143	3	2.1	0.008	0.015	0.0113	0.3	0
Peaches	Buprofezin	143	143	0	0				0.7	0
Peaches	Carbaryl	143	143	0	0				0.05	0
Peaches	Carbetamide	143	31	0	0				0.05	0
Peaches	Carbosulfan	143	34	0	0				0.05	0
Peaches	Carboxin	143	105	0	0				0.05	0
Peaches	Chlordane (RD)	143	70	0	0				0.01	0
Peaches	Chlorpropham (RD)	143	45	0	0				0.05	0
Peaches	Clethodim (RD)	143	3	0	0					0
Peaches	Clodinafop (RD)	143	116	0	0				0.02	0
Peaches	Clofentezine (RD)	143	143	0	0				0.02	0
Peaches	Cycloxydim (RD)	143	3	0	0				0.2	0
Peaches	Cyflufenamid	143	142	0	0				0.02	0
Peaches	Cyflumetofen	143	143	0	0					0
Peaches	Cyproconazole	143	143	9	6.29	0.005	0.01	0.0069	0.1	0
Peaches	Cyprodinil (RD)	143	143	22	15.4	0.014	0.71	0.1541	2	0
Peaches	Dazomet (RD)	143	3	0	0				0.02	0
Peaches	Desmedipham	143	32	0	0				0.05	0
Peaches	Dicloran	143	142	0	0				0.1	0
Peaches	Dicofol (RD)	143	6	0	0				0.02	0
Peaches	Diethofencarb	143	143	0	0				0.05	0
Peaches	Dinocap (RD)	143	3	0	0				0.05	0
Peaches	Dithiocarbamates (RD)	143	2	0	0				2	0
Peaches	Etofenprox	143	143	2	1.4	0.037	0.055	0.046	0.6	0
Peaches	Etridiazole	143	71	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Peaches	Fenamidone	143	143	0	0				0.02	0
Peaches	Fenarimol	143	143	0	0				0.5	0
Peaches	Fenbuconazole	143	143	29	20.3	0.006	0.078	0.0283	0.5	0
Peaches	Fenoxycarb	143	143	1	0.7	0.019	0.019	0.019	1.5	0
Peaches	Fipronil (RD)	143	143	0	0				0.005	0
Peaches	Flubendiamide	143	116	0	0				0.8	0
Peaches	Flufenacet (RD)	143	34	0	0				0.05	0
Peaches	Flumioxazine	143	3	0	0					0
Peaches	Fluopicolide	143	142	0	0				0.01	0
Peaches	Fluopyram (RD)	143	143	11	7.69	0.007	0.11	0.0321	1.5	0
Peaches	Fluoxastrobin	143	34	0	0					0
Peaches	Fluquinconazole	143	71	0	0				0.1	0
Peaches	Flutolanil	143	143	0	0				0.05	0
Peaches	Fluxapyroxad	143	142	0	0				1	0
Peaches	Folpet (RD)	143	7	0	0				0.02	0
Peaches	Fuberidazole	143	71	0	0				0.05	0
Peaches	Haloxypop-R (RD)	143	76	0	0				0.05	0
Peaches	Hymexazol	143	142	0	0				0.05	0
Peaches	Imidacloprid	143	143	13	9.09	0.006	0.063	0.0222	0.5	0
Peaches	Ioxynil (RD)	143	116	0	0				0.05	0
Peaches	Isoxaflutole (RD)	143	34	0	0				0.05	0
Peaches	Lenacil	143	71	0	0				0.1	0
Peaches	Lufenuron	143	143	0	0				1	0
Peaches	Mandipropamid	143	31	0	0				0.01	0
Peaches	MCPA (RD)	143	45	0	0				0.05	0
Peaches	Mepanipyrim (RD)	143	45	0	0				0.01	0
Peaches	Meptyldinocap (RD)	143	3	0	0					0
Peaches	Metribuzin	143	71	0	0				0.1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Peaches	Myclobutanil (RD)	143	143	6	4.2	0.007	0.021	0.0127	0.5	0
Peaches	Oxadiargyl	143	3	0	0				0.01	0
Peaches	Oxadiazon	143	68	0	0				0.05	0
Peaches	Oxyfluorfen	143	71	0	0				0.1	0
Peaches	Pendimethalin	143	142	0	0				0.05	0
Peaches	Pethoxamid	143	3	0	0				0.01	0
Peaches	Phoxim	143	34	0	0				0.01	0
Peaches	Picolinafen	143	143	0	0					0
Peaches	Prochloraz (RD)	143	143	0	0				0.05	0
Peaches	Propaquizafop	143	31	0	0				0.05	0
Peaches	Propyzamide (RD)	143	143	0	0				0.02	0
Peaches	Proquinazid	143	143	0	0				0.02	0
Peaches	Pymetrozine	143	143	0	0				0.05	0
Peaches	Pyrethrins	143	34	0	0				1	0
Peaches	Pyridalyl	143	3	0	0					0
Peaches	Pyrimethanil	143	143	14	9.79	0.006	1.7	0.4307	10	0
Peaches	Quintozene (RD)	143	7	0	0				0.02	0
Peaches	Resmethrin (RD)	143	38	0	0				0.1	0
Peaches	Silthiofam	143	143	0	0				0.05	0
Peaches	Spinetoram	143	143	6	4.2	0.007	0.017	0.0106	0.3	0
Peaches	Spinosad (RD)	143	135	47	34.8	0.006	14	0.3176	1	1
Peaches	Spirodiclofen	143	143	7	4.9	0.012	0.057	0.0309	2	0
Peaches	Spiromesifen	143	143	1	0.7	0.024	0.024	0.024	0.02	1
Peaches	Tembotrione (RD)	143	142	0	0					0
Peaches	Tepraloxydim	143	3	0	0					0
Peaches	Terbutylazine	143	142	0	0				0.05	0
Peaches	Tetraconazole	143	143	4	2.8	0.006	0.023	0.0144	0.1	0
Peaches	Thiabendazole (RD)	143	143	3	2.1	0.005	0.0081	0.0069	0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Peaches	Thiacloprid	143	143	7	4.9	0.006	0.049	0.0219	0.5	0
Peaches	Thiametoxam (RD)	143	142	1	0.7	0.012	0.012	0.012	0.3	0
Peaches	Thiophanate-methyl	143	76	0	0				2	0
Peaches	Tolyfluanid (RD)	143	45	0	0				0.05	0
Peaches	Triadimefon (RD)	143	143	0	0				0.1	0
Peaches	Trifluralin	143	105	0	0				0.1	0
Peaches	Valifenalate	143	31	0	0				0.01	0
Peaches	Vinclozolin (RD)	143	68	0	0				0.05	0
Peaches	Zoxamide	143	143	0	0				0.02	0
Pears	2,4-D (RD)	160	110	0	0				0.05	0
Pears	Aclonifen	160	105	0	0				0.05	0
Pears	Ametoctradin (RD)	160	160	0	0				0.01	0
Pears	Amisulbrom	160	150	0	0					0
Pears	Anthraquinone	160	105	0	0				0.01	0
Pears	Beflubutamid	160	10	0	0				0.05	0
Pears	Benalaxyl (RD)	160	70	0	0				0.05	0
Pears	Benfluralin	160	130	0	0				0.05	0
Pears	Benfuracarb	160	10	0	0				0.05	0
Pears	Benthiavalicarb (RD)	160	117	0	0				0.01	0
Pears	Bitertanol	160	160	0	0				2	0
Pears	Bixafen (RD)	160	160	0	0				0.01	0
Pears	Boscalid (RD)	160	160	53	33.1	0.006	0.39	0.077	2	0
Pears	Bromopropylate	160	160	0	0				2	0
Pears	Bromoxynil (RD)	160	100	0	0				0.05	0
Pears	Bromuconazole	160	105	0	0				0.05	0
Pears	Bupirimate	160	160	0	0				0.2	0
Pears	Buprofezin	160	160	0	0				0.5	0
Pears	Carbaryl	160	160	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Pears	Carbetamide	160	38	0	0				0.05	0
Pears	Carbosulfan	160	49	0	0				0.05	0
Pears	Carboxin	160	130	0	0				0.05	0
Pears	Chlordane (RD)	160	83	0	0				0.01	0
Pears	Chlorpropham (RD)	160	69	0	0				0.05	0
Pears	Clethodim (RD)	160	10	0	0					0
Pears	Clodinafop (RD)	160	110	0	0				0.02	0
Pears	Clofentezine (RD)	160	160	0	0				0.5	0
Pears	Cycloxydim (RD)	160	10	0	0				0.1	0
Pears	Cyflufenamid	160	150	0	0				0.05	0
Pears	Cyflumetofen	160	159	0	0					0
Pears	Cyproconazole	160	160	0	0				0.1	0
Pears	Cyprodinil (RD)	160	160	46	28.8	0.006	0.43	0.1008	2	0
Pears	Dazomet (RD)	160	10	0	0				0.02	0
Pears	Desmedipham	160	48	0	0				0.05	0
Pears	Dicloran	160	160	0	0				0.1	0
Pears	Dicofol (RD)	160	39	0	0				0.02	0
Pears	Diethofencarb	160	160	0	0				1	0
Pears	Dinocap (RD)	160	10	0	0				0.05	0
Pears	Dithiocarbamates (RD)	160	26	6	23.1	0.021	0.16	0.0567	5	0
Pears	Etofenprox	160	160	0	0				1	0
Pears	Etridiazole	160	105	0	0				0.05	0
Pears	Fenamidone	160	160	0	0				0.02	0
Pears	Fenarimol	160	160	0	0				0.3	0
Pears	Fenbuconazole	160	160	0	0				0.5	0
Pears	Fenoxycarb	160	160	1	0.63	0.011	0.011	0.011	1	0
Pears	Fipronil (RD)	160	160	0	0				0.005	0
Pears	Flubendiamide	160	110	0	0				0.8	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Pears	Flufenacet (RD)	160	49	0	0				0.05	0
Pears	Flumioxazine	160	10	0	0					0
Pears	Fluopicolide	160	160	0	0				0.01	0
Pears	Fluopyram (RD)	160	160	1	0.63	0.007	0.0073	0.0073	0.5	0
Pears	Fluoxastrobin	160	48	0	0					0
Pears	Fluquinconazole	160	105	0	0				0.2	0
Pears	Flutolanil	160	160	0	0				0.05	0
Pears	Fluxapyroxad	160	150	0	0				0.9	0
Pears	Folpet (RD)	160	51	1	1.96	0.018	0.018	0.018	3	0
Pears	Fuberidazole	160	105	0	0				0.05	0
Pears	Haloxyfop-R (RD)	160	107	0	0				0.05	0
Pears	Hymexazol	160	150	0	0				0.05	0
Pears	Imidacloprid	160	160	4	2.5	0.008	0.035	0.0152	0.5	0
Pears	Ioxynil (RD)	160	110	0	0				0.05	0
Pears	Isoxaflutole (RD)	160	49	0	0				0.05	0
Pears	Lenacil	160	105	0	0				0.1	0
Pears	Lufenuron	160	160	0	0				0.5	0
Pears	Mandipropamid	160	38	0	0				0.01	0
Pears	MCPA (RD)	160	69	0	0				0.05	0
Pears	Mepanipyrim (RD)	160	69	0	0				0.01	0
Pears	Meptyldinocap (RD)	160	10	0	0					0
Pears	Metribuzin	160	105	0	0				0.1	0
Pears	Myclobutanil (RD)	160	160	0	0				0.5	0
Pears	Oxadiargyl	160	10	0	0				0.01	0
Pears	Oxadiazon	160	95	0	0				0.05	0
Pears	Oxyfluorfen	160	105	0	0				0.1	0
Pears	Pendimethalin	160	160	0	0				0.05	0
Pears	Pethoxamid	160	10	0	0				0.01	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Pears	Phoxim	160	49	0	0				0.01	0
Pears	Picolinafen	160	159	0	0					0
Pears	Prochloraz (RD)	160	160	0	0				0.05	0
Pears	Propaquizafop	160	38	0	0				0.05	0
Pears	Propyzamide (RD)	160	160	0	0				0.02	0
Pears	Proquinazid	160	159	0	0				0.02	0
Pears	Pymetrozine	160	160	0	0				0.02	0
Pears	Pyrethrins	160	48	0	0				1	0
Pears	Pyridalyl	160	10	0	0					0
Pears	Pyrimethanil	160	160	9	5.63	0.007	0.8	0.3008	15	0
Pears	Quintozene (RD)	160	39	0	0				0.02	0
Pears	Resmethrin (RD)	160	57	0	0				0.1	0
Pears	Silthiofam	160	160	0	0				0.05	0
Pears	Spinetoram	160	160	2	1.25	0.006	0.01	0.008	0.2	0
Pears	Spinosad (RD)	160	152	0	0				1	0
Pears	Spirodiclofen	160	160	4	2.5	0.006	0.015	0.0122	0.8	0
Pears	Spiromesifen	160	160	0	0				0.02	0
Pears	Tembotrione (RD)	160	150	0	0					0
Pears	Tepraloxydim	160	10	0	0					0
Pears	Terbutylazine	160	160	0	0				0.1	0
Pears	Tetraconazole	160	160	0	0				0.3	0
Pears	Thiabendazole (RD)	160	160	4	2.5	0.024	0.47	0.1783	5	0
Pears	Thiacloprid	160	160	15	9.38	0.006	0.085	0.0241	0.3	0
Pears	Thiametoxam (RD)	160	158	0	0				0.5	0
Pears	Thiophanate-methyl	160	107	0	0				0.5	0
Pears	Tolyfluanid (RD)	160	69	0	0				3	0
Pears	Triadimefon (RD)	160	160	0	0				0.1	0
Pears	Trifluralin	160	130	0	0				0.1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Pears	Valifenalate	160	38	0	0				0.01	0
Pears	Vinclozolin (RD)	160	87	0	0				0.05	0
Pears	Zoxamide	160	160	0	0				0.02	0
Peas (without pods)	2,4-D (RD)	33	22	0	0				0.05	0
Peas (without pods)	Aclonifen	33	28	0	0				0.05	0
Peas (without pods)	Ametoctradin (RD)	33	33	0	0				0.01	0
Peas (without pods)	Amisulbrom	33	33	0	0					0
Peas (without pods)	Anthraquinone	33	28	0	0				0.01	0
Peas (without pods)	Benalaxyl (RD)	33	10	0	0				0.05	0
Peas (without pods)	Benfluralin	33	29	0	0				0.02	0
Peas (without pods)	Benthiavalicarb (RD)	33	30	0	0				0.01	0
Peas (without pods)	Bitertanol	33	33	0	0				0.05	0
Peas (without pods)	Bixafen (RD)	33	33	0	0				0.01	0
Peas (without pods)	Boscalid (RD)	33	33	9	27.3	0.01	0.15	0.0529	3	0
Peas (without pods)	Bromopropylate	33	33	0	0				0.05	0
Peas (without pods)	Bromoxynil (RD)	33	21	0	0				0.05	0
Peas (without pods)	Bromuconazole	33	28	0	0				0.05	0
Peas (without pods)	Bupirimate	33	33	0	0				0.5	0
Peas (without pods)	Buprofezin	33	33	0	0				0.5	0
Peas (without pods)	Carbaryl	33	33	0	0				0.05	0
Peas (without pods)	Carbetamide	33	10	0	0				0.1	0
Peas (without pods)	Carbosulfan	33	10	0	0				0.01	0
Peas (without pods)	Carboxin	33	29	0	0				0.2	0
Peas (without pods)	Chlordane (RD)	33	28	0	0				0.01	0
Peas (without pods)	Chlorpropham (RD)	33	4	0	0				0.05	0
Peas (without pods)	Clodinafop (RD)	33	22	0	0				0.02	0
Peas (without pods)	Clofentezine (RD)	33	33	0	0				0.02	0
Peas (without pods)	Cyflufenamid	33	33	0	0				0.02	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Peas (without pods)	Cyflumetofen	33	33	0	0					0
Peas (without pods)	Cyproconazole	33	33	0	0				0.05	0
Peas (without pods)	Cyprodinil (RD)	33	33	1	3.03	0.016	0.016	0.016	0.1	0
Peas (without pods)	Desmedipham	33	10	0	0				0.05	0
Peas (without pods)	Dicloran	33	33	0	0				2	0
Peas (without pods)	Diethofencarb	33	33	0	0				0.1	0
Peas (without pods)	Etofenprox	33	33	0	0				0.01	0
Peas (without pods)	Etridiazole	33	28	0	0				0.05	0
Peas (without pods)	Fenamidone	33	33	0	0				0.02	0
Peas (without pods)	Fenarimol	33	33	0	0				0.02	0
Peas (without pods)	Fenbuconazole	33	33	0	0				0.05	0
Peas (without pods)	Fenoxycarb	33	33	0	0				0.05	0
Peas (without pods)	Fipronil (RD)	33	33	0	0				0.005	0
Peas (without pods)	Flubendiamide	33	22	0	0				0.01	0
Peas (without pods)	Flufenacet (RD)	33	10	0	0				0.05	0
Peas (without pods)	Fluopicolide	33	33	0	0				0.01	0
Peas (without pods)	Fluopyram (RD)	33	33	0	0				0.15	0
Peas (without pods)	Fluoxastrobin	33	10	0	0					0
Peas (without pods)	Fluquinconazole	33	28	0	0				0.05	0
Peas (without pods)	Flutolanil	33	33	0	0				0.05	0
Peas (without pods)	Fluxapyroxad	33	33	0	0				0.09	0
Peas (without pods)	Fuberidazole	33	28	0	0				0.05	0
Peas (without pods)	Haloxypop-R (RD)	33	14	0	0				0.1	0
Peas (without pods)	Hymexazol	33	33	0	0				0.05	0
Peas (without pods)	Imidacloprid	33	33	0	0				2	0
Peas (without pods)	Ioxynil (RD)	33	22	0	0				0.05	0
Peas (without pods)	Isoxaflutole (RD)	33	10	0	0				0.02	0
Peas (without pods)	Lenacil	33	28	0	0				0.1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Peas (without pods)	Lufenuron	33	33	0	0				0.02	0
Peas (without pods)	Mandipropamid	33	10	0	0				0.01	0
Peas (without pods)	MCPA (RD)	33	4	0	0				0.1	0
Peas (without pods)	Mepanipyrim (RD)	33	4	0	0				0.01	0
Peas (without pods)	Metribuzin	33	28	0	0				0.1	0
Peas (without pods)	Myclobutanil (RD)	33	33	0	0				0.02	0
Peas (without pods)	Oxadiazon	33	28	0	0				0.05	0
Peas (without pods)	Oxyfluorfen	33	28	0	0				0.05	0
Peas (without pods)	Pendimethalin	33	33	0	0				0.2	0
Peas (without pods)	Phoxim	33	10	0	0				0.01	0
Peas (without pods)	Picolinafen	33	33	0	0					0
Peas (without pods)	Prochloraz (RD)	33	33	0	0				0.05	0
Peas (without pods)	Propaquizafop	33	10	0	0				0.05	0
Peas (without pods)	Propyzamide (RD)	33	33	0	0				0.02	0
Peas (without pods)	Proquinazid	33	33	0	0				0.02	0
Peas (without pods)	Pymetrozine	33	33	0	0				1	0
Peas (without pods)	Pyrethrins	33	10	0	0				1	0
Peas (without pods)	Pyrimethanil	33	33	8	24.2	0.006	0.2	0.0528	0.2	0
Peas (without pods)	Resmethrin (RD)	33	1	0	0					0
Peas (without pods)	Silthiofam	33	33	0	0				0.05	0
Peas (without pods)	Spinetoram	33	33	0	0				0.05	0
Peas (without pods)	Spinosad (RD)	33	25	0	0				0.3	0
Peas (without pods)	Spirodiclofen	33	33	0	0				0.02	0
Peas (without pods)	Spiromesifen	33	33	0	0				0.02	0
Peas (without pods)	Tembotrione (RD)	33	33	0	0					0
Peas (without pods)	Terbutylazine	33	33	0	0				0.1	0
Peas (without pods)	Tetraconazole	33	33	0	0				0.02	0
Peas (without pods)	Thiabendazole (RD)	33	33	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Peas (without pods)	Thiacloprid	33	33	0	0				0.2	0
Peas (without pods)	Thiametoxam (RD)	33	32	0	0				0.2	0
Peas (without pods)	Thiophanate-methyl	33	15	1	6.67	0.015	0.015	0.015	0.1	0
Peas (without pods)	Tolyfluanid (RD)	33	4	0	0				0.05	0
Peas (without pods)	Triadimefon (RD)	33	33	0	0				0.1	0
Peas (without pods)	Trifluralin	33	29	0	0				0.01	0
Peas (without pods)	Valifenalate	33	10	0	0				0.01	0
Peas (without pods)	Vinclozolin (RD)	33	26	0	0				0.05	0
Peas (without pods)	Zoxamide	33	33	0	0				0.02	0
Peppers	2,4-D (RD)	218	172	0	0				0.05	0
Peppers	Aclonifen	218	127	0	0				0.05	0
Peppers	Ametoctradin (RD)	218	214	0	0				2	0
Peppers	Amisulbrom	218	207	0	0					0
Peppers	Anthraquinone	218	127	0	0				0.01	0
Peppers	Beflubutamid	218	11	0	0				0.05	0
Peppers	Benalaxyl (RD)	218	58	0	0				0.2	0
Peppers	Benfluralin	218	175	0	0				0.05	0
Peppers	Benfuracarb	218	11	0	0				0.05	0
Peppers	Benthiavalicarb (RD)	218	163	0	0				0.01	0
Peppers	Bitertanol	218	214	0	0				0.05	0
Peppers	Bixafen (RD)	218	214	0	0				0.01	0
Peppers	Boscalid (RD)	218	214	17	7.94	0.006	0.89	0.1215	3	0
Peppers	Bromopropylate	218	214	0	0				0.05	0
Peppers	Bromoxynil (RD)	218	153	0	0				0.05	0
Peppers	Bromuconazole	218	127	0	0				0.05	0
Peppers	Bupirimate	218	216	3	1.39	0.063	0.27	0.1777	2	0
Peppers	Buprofezin	218	214	1	0.47	0.044	0.044	0.044	2	0
Peppers	Carbaryl	218	214	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Peppers	Carbetamide	218	21	0	0				0.1	0
Peppers	Carbosulfan	218	33	0	0				0.05	0
Peppers	Carboxin	218	175	0	0				0.1	0
Peppers	Chlordane (RD)	218	101	0	0				0.01	0
Peppers	Chlorpropham (RD)	218	82	0	0				0.05	0
Peppers	Clethodim (RD)	218	11	0	0					0
Peppers	Clodinafop (RD)	218	172	0	0				0.02	0
Peppers	Clofentezine (RD)	218	214	0	0				0.02	0
Peppers	Cycloxydim (RD)	218	11	0	0				1	0
Peppers	Cyflufenamid	218	207	0	0				0.04	0
Peppers	Cyflumetofen	218	213	0	0					0
Peppers	Cyproconazole	218	214	2	0.93	0.01	0.013	0.0113	0.05	0
Peppers	Cyprodinil (RD)	218	215	10	4.65	0.013	0.059	0.0277	1.5	0
Peppers	Dazomet (RD)	218	11	0	0				0.02	0
Peppers	Desmedipham	218	28	0	0				0.05	0
Peppers	Dicloran	218	214	0	0				0.3	0
Peppers	Dicofol (RD)	218	15	0	0				0.02	0
Peppers	Diethofencarb	218	214	0	0				1	0
Peppers	Dinocap (RD)	218	11	0	0				0.05	0
Peppers	Dithiocarbamates (RD)	218	2	0	0				5	0
Peppers	Etofenprox	218	214	0	0				2	0
Peppers	Etridiazole	218	127	0	0				0.1	0
Peppers	Fenamidone	218	214	0	0				1	0
Peppers	Fenarimol	218	214	0	0				0.02	0
Peppers	Fenbuconazole	218	214	0	0				0.6	0
Peppers	Fenoxycarb	218	214	0	0				0.05	0
Peppers	Fipronil (RD)	218	218	0	0				0.005	0
Peppers	Flubendiamide	218	172	5	2.91	0.018	0.03	0.0232	0.2	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Peppers	Flufenacet (RD)	218	33	0	0				0.05	0
Peppers	Flumioxazine	218	11	0	0					0
Peppers	Fluopicolide	218	214	0	0				1	0
Peppers	Fluopyram (RD)	218	214	9	4.21	0.005	0.4	0.0838	0.8	0
Peppers	Fluoxastrobin	218	32	0	0					0
Peppers	Fluquinconazole	218	127	0	0				0.05	0
Peppers	Flutolanil	218	214	0	0				0.05	0
Peppers	Fluxapyroxad	218	207	0	0				0.6	0
Peppers	Folpet (RD)	218	40	0	0				0.02	0
Peppers	Fuberidazole	218	127	0	0				0.05	0
Peppers	Haloxyfop-R (RD)	218	107	0	0				0.05	0
Peppers	Hymexazol	218	207	0	0				0.05	0
Peppers	Imidacloprid	218	214	16	7.48	0.01	0.41	0.0567	1	0
Peppers	Ioxynil (RD)	218	172	0	0				0.05	0
Peppers	Isoxaflutole (RD)	218	33	0	0				0.05	0
Peppers	Lenacil	218	127	0	0				0.1	0
Peppers	Lufenuron	218	218	0	0				1	0
Peppers	Mandipropamid	218	21	0	0				1	0
Peppers	MCPA (RD)	218	85	0	0				0.05	0
Peppers	Mepanipyrim (RD)	218	82	0	0				0.01	0
Peppers	Meptyldinocap (RD)	218	11	0	0					0
Peppers	Metribuzin	218	127	0	0				0.1	0
Peppers	Myclobutanil (RD)	218	216	9	4.17	0.005	0.093	0.0287	0.5	0
Peppers	Oxadiargyl	218	11	0	0				0.01	0
Peppers	Oxadiazon	218	116	0	0				0.05	0
Peppers	Oxyfluorfen	218	127	0	0				0.05	0
Peppers	Pendimethalin	218	214	0	0				0.05	0
Peppers	Pethoxamid	218	11	0	0				0.01	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Peppers	Phoxim	218	33	0	0				0.01	0
Peppers	Picolinafen	218	213	0	0					0
Peppers	Prochloraz (RD)	218	214	0	0				0.05	0
Peppers	Propaquizafop	218	21	0	0				0.05	0
Peppers	Propyzamide (RD)	218	214	0	0				0.02	0
Peppers	Proquinazid	218	213	0	0				0.02	0
Peppers	Pymetrozine	218	214	8	3.74	0.008	0.079	0.025	3	0
Peppers	Pyrethrins	218	32	0	0				1	0
Peppers	Pyridalyl	218	11	0	0					0
Peppers	Pyrimethanil	218	215	16	7.44	0.009	0.35	0.0934	2	0
Peppers	Quintozene (RD)	218	43	0	0				0.02	0
Peppers	Resmethrin (RD)	218	85	0	0				0.1	0
Peppers	Silthiofam	218	214	0	0				0.05	0
Peppers	Spinetoram	218	214	1	0.47	0.024	0.024	0.024	0.5	0
Peppers	Spinosad (RD)	218	210	3	1.43	0.012	0.024	0.0177	2	0
Peppers	Spirodiclofen	218	214	0	0				0.2	0
Peppers	Spiromesifen	218	214	16	7.48	0.005	0.07	0.0238	0.5	0
Peppers	Tembotrione (RD)	218	207	0	0					0
Peppers	Tepraloxydim	218	11	0	0					0
Peppers	Terbutylazine	218	214	0	0				0.05	0
Peppers	Tetraconazole	218	214	0	0				0.1	0
Peppers	Thiabendazole (RD)	218	215	1	0.47	0.019	0.019	0.019	0.05	0
Peppers	Thiacloprid	218	214	1	0.47	0.011	0.011	0.011	1	0
Peppers	Thiametoxam (RD)	218	212	0	0				0.7	0
Peppers	Thiophanate-methyl	218	103	0	0				0.1	0
Peppers	Tolyfluanid (RD)	218	82	0	0				2	0
Peppers	Triadimefon (RD)	218	214	21	9.81	0.008	0.51	0.138	1	0
Peppers	Trifluralin	218	175	0	0				0.5	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Peppers	Valifenalate	218	21	0	0				0.01	0
Peppers	Vinclozolin (RD)	218	124	0	0				0.05	0
Peppers	Zoxamide	218	214	0	0				0.02	0
Potatoes	2,4-D (RD)	136	86	0	0				0.2	0
Potatoes	Aclonifen	136	70	0	0				0.1	0
Potatoes	Ametoctradin (RD)	136	136	0	0				0.05	0
Potatoes	Amisulbrom	136	134	0	0					0
Potatoes	Anthraquinone	136	70	0	0				0.01	0
Potatoes	Beflubutamid	136	5	0	0				0.05	0
Potatoes	Benalaxyl (RD)	136	33	0	0				0.05	0
Potatoes	Benfluralin	136	111	0	0				0.05	0
Potatoes	Benfuracarb	136	5	0	0				0.05	0
Potatoes	Benthiavalicarb (RD)	136	96	0	0				0.05	0
Potatoes	Bitertanol	136	136	0	0				0.05	0
Potatoes	Bixafen (RD)	136	136	0	0				0.01	0
Potatoes	Boscalid (RD)	136	136	0	0				2	0
Potatoes	Bromopropylate	136	136	0	0				0.05	0
Potatoes	Bromoxynil (RD)	136	73	0	0				0.05	0
Potatoes	Bromuconazole	136	70	0	0				0.05	0
Potatoes	Bupirimate	136	136	0	0				0.05	0
Potatoes	Buprofezin	136	136	0	0				0.05	0
Potatoes	Carbaryl	136	136	0	0				0.05	0
Potatoes	Carbetamide	136	14	0	0				0.05	0
Potatoes	Carbosulfan	136	19	0	0				0.05	0
Potatoes	Carboxin	136	111	0	0				0.05	0
Potatoes	Chlordane (RD)	136	56	0	0				0.01	0
Potatoes	Chlorpropham (RD)	136	47	16	34	0.01	4.3	1.1921	10	0
Potatoes	Clethodim (RD)	136	5	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Potatoes	Clodinafop (RD)	136	86	0	0				0.02	0
Potatoes	Clofentezine (RD)	136	136	0	0				0.02	0
Potatoes	Cycloxydim (RD)	136	5	0	0				2	0
Potatoes	Cyflufenamid	136	134	0	0				0.02	0
Potatoes	Cyflumetofen	136	136	0	0					0
Potatoes	Cyproconazole	136	136	0	0				0.05	0
Potatoes	Cyprodinil (RD)	136	136	0	0				0.05	0
Potatoes	Dazomet (RD)	136	5	0	0				0.02	0
Potatoes	Desmedipham	136	16	0	0				0.05	0
Potatoes	Dicloran	136	136	0	0				0.1	0
Potatoes	Dicofol (RD)	136	12	0	0				0.02	0
Potatoes	Diethofencarb	136	136	0	0				0.05	0
Potatoes	Dinocap (RD)	136	5	0	0				0.05	0
Potatoes	Dithiocarbamates (RD)	136	18	0	0				0.3	0
Potatoes	Etofenprox	136	136	0	0				0.5	0
Potatoes	Etridiazole	136	70	0	0				0.05	0
Potatoes	Fenamidone	136	136	0	0				0.02	0
Potatoes	Fenarimol	136	136	0	0				0.02	0
Potatoes	Fenbuconazole	136	136	0	0				0.05	0
Potatoes	Fenoxycarb	136	136	0	0				0.05	0
Potatoes	Fipronil (RD)	136	136	0	0				0.01	0
Potatoes	Flubendiamide	136	86	0	0				0.01	0
Potatoes	Flufenacet (RD)	136	19	0	0				0.15	0
Potatoes	Flumioxazine	136	5	0	0					0
Potatoes	Fluopicolide	136	136	4	2.94	0.011	0.031	0.0215	0.03	1
Potatoes	Fluopyram (RD)	136	136	0	0				0.1	0
Potatoes	Fluoxastrobin	136	19	0	0					0
Potatoes	Fluquinconazole	136	70	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Potatoes	Flutolanil	136	136	2	1.47	0.018	0.024	0.021	0.5	0
Potatoes	Fluxapyroxad	136	134	0	0				0.03	0
Potatoes	Folpet (RD)	136	20	0	0				0.1	0
Potatoes	Fuberidazole	136	70	0	0				0.05	0
Potatoes	Haloxypop-R (RD)	136	61	0	0				0.1	0
Potatoes	Hymexazol	136	134	0	0				0.05	0
Potatoes	Imidacloprid	136	136	2	1.47	0.017	0.019	0.018	0.5	0
Potatoes	Ioxynil (RD)	136	86	0	0				0.05	0
Potatoes	Isoxaflutole (RD)	136	19	0	0				0.05	0
Potatoes	Lenacil	136	70	0	0				0.1	0
Potatoes	Lufenuron	136	136	0	0				0.05	0
Potatoes	Mandipropamid	136	14	0	0				0.01	0
Potatoes	MCPA (RD)	136	47	0	0				0.05	0
Potatoes	Mepanipyrim (RD)	136	47	0	0				0.01	0
Potatoes	Meptyldinocap (RD)	136	5	0	0					0
Potatoes	Metribuzin	136	70	0	0				0.1	0
Potatoes	Myclobutanil (RD)	136	136	0	0				0.02	0
Potatoes	Oxadiazon	136	65	0	0				0.05	0
Potatoes	Oxyfluorfen	136	70	0	0				0.05	0
Potatoes	Pendimethalin	136	136	0	0				0.05	0
Potatoes	Pethoxamid	136	5	0	0				0.01	0
Potatoes	Phoxim	136	19	0	0				0.01	0
Potatoes	Picolinafen	136	136	0	0					0
Potatoes	Prochloraz (RD)	136	136	0	0				0.05	0
Potatoes	Propaquizafop	136	14	0	0				0.1	0
Potatoes	Propyzamide (RD)	136	136	0	0				0.02	0
Potatoes	Proquinazid	136	136	0	0				0.02	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Potatoes	Pymetrozine	136	136	0	0				0.02	0
Potatoes	Pyrethrins	136	19	0	0				1	0
Potatoes	Pyridalyl	136	5	0	0					0
Potatoes	Pyrimethanil	136	136	1	0.74	0.006	0.006	0.006	0.05	0
Potatoes	Quintozene (RD)	136	22	0	0				0.02	0
Potatoes	Resmethrin (RD)	136	60	0	0				0.1	0
Potatoes	Silthiofam	136	136	0	0				0.05	0
Potatoes	Spinetoram	136	136	0	0				0.05	0
Potatoes	Spinosad (RD)	136	128	0	0				0.02	0
Potatoes	Spirodiclofen	136	136	0	0				0.02	0
Potatoes	Spiromesifen	136	136	0	0				0.02	0
Potatoes	Tembotrione (RD)	136	134	0	0					0
Potatoes	Tepraloxydim	136	5	0	0					0
Potatoes	Terbuthylazine	136	136	0	0				0.1	0
Potatoes	Tetraconazole	136	136	0	0				0.02	0
Potatoes	Thiabendazole (RD)	136	136	0	0				15	0
Potatoes	Thiacloprid	136	136	0	0				0.02	0
Potatoes	Thiametoxam (RD)	136	132	0	0				0.3	0
Potatoes	Thiophanate-methyl	136	61	0	0				0.1	0
Potatoes	Tolyfluanid (RD)	136	47	0	0				0.05	0
Potatoes	Triadimefon (RD)	136	136	0	0				0.1	0
Potatoes	Trifluralin	136	111	0	0				0.1	0
Potatoes	Valifenalate	136	14	0	0				0.01	0
Potatoes	Vinclozolin (RD)	136	71	0	0				0.05	0
Potatoes	Zoxamide	136	136	0	0				0.02	0
Processed cereal-based baby fo	2,4-D (RD)	90	60	0	0					0
Processed cereal-based baby fo	Acclonifen	90	90	0	0					0
Processed cereal-based baby fo	Ametoctradin (RD)	90	44	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Processed cereal-based baby fd	Amisulbrom	90	44	0	0					0
Processed cereal-based baby fd	Anthraquinone	90	90	0	0					0
Processed cereal-based baby fd	Benalaxyl (RD)	90	44	0	0					0
Processed cereal-based baby fd	Benfluralin	90	90	0	0					0
Processed cereal-based baby fd	Benthiavalicarb (RD)	90	44	0	0					0
Processed cereal-based baby fd	Bitertanol	90	90	0	0					0
Processed cereal-based baby fd	Bixafen (RD)	90	90	0	0					0
Processed cereal-based baby fd	Boscalid (RD)	90	90	0	0					0
Processed cereal-based baby fd	Bromopropylate	90	90	0	0					0
Processed cereal-based baby fd	Bromoxynil (RD)	90	44	0	0					0
Processed cereal-based baby fd	Bromuconazole	90	90	0	0					0
Processed cereal-based baby fd	Bupirimate	90	90	0	0					0
Processed cereal-based baby fd	Buprofezin	90	90	0	0					0
Processed cereal-based baby fd	Carbaryl	90	90	0	0					0
Processed cereal-based baby fd	Carboxin	90	90	0	0					0
Processed cereal-based baby fd	Chlordane (RD)	90	16	0	0					0
Processed cereal-based baby fd	Chlorpropham (RD)	90	44	0	0					0
Processed cereal-based baby fd	Clodinafop (RD)	90	60	0	0					0
Processed cereal-based baby fd	Clofentezine (RD)	90	90	0	0					0
Processed cereal-based baby fd	Cyflufenamid	90	44	0	0					0
Processed cereal-based baby fd	Cyflumetofen	90	44	0	0					0
Processed cereal-based baby fd	Cyproconazole	90	90	0	0					0
Processed cereal-based baby fd	Cyprodinil (RD)	90	90	0	0					0
Processed cereal-based baby fd	Dicloran	90	90	0	0					0
Processed cereal-based baby fd	Dicofol (RD)	90	44	0	0					0
Processed cereal-based baby fd	Diethofencarb	90	90	0	0					0
Processed cereal-based baby fd	Etofenprox	90	90	0	0					0
Processed cereal-based baby fd	Etridiazole	90	90	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Processed cereal-based baby fd	Fenamidone	90	90	0	0					0
Processed cereal-based baby fd	Fenarimol	90	90	0	0					0
Processed cereal-based baby fd	Fenbuconazole	90	90	0	0					0
Processed cereal-based baby fd	Fenoxycarb	90	90	0	0					0
Processed cereal-based baby fd	Fipronil (RD)	90	90	0	0					0
Processed cereal-based baby fd	Flubendiamide	90	60	0	0					0
Processed cereal-based baby fd	Fluopicolide	90	90	0	0					0
Processed cereal-based baby fd	Fluopyram (RD)	90	90	0	0					0
Processed cereal-based baby fd	Fluquinconazole	90	90	0	0					0
Processed cereal-based baby fd	Flutolanil	90	90	0	0					0
Processed cereal-based baby fd	Fluxapyroxad	90	44	0	0					0
Processed cereal-based baby fd	Folpet (RD)	90	44	0	0					0
Processed cereal-based baby fd	Fuberidazole	90	90	0	0					0
Processed cereal-based baby fd	Haloxypop-R (RD)	90	44	0	0					0
Processed cereal-based baby fd	Hymexazol	90	44	0	0					0
Processed cereal-based baby fd	Imidacloprid	90	44	0	0					0
Processed cereal-based baby fd	Ioxynil (RD)	90	60	0	0					0
Processed cereal-based baby fd	Lenacil	90	90	0	0					0
Processed cereal-based baby fd	Lufenuron	90	60	0	0					0
Processed cereal-based baby fd	MCPA (RD)	90	44	0	0					0
Processed cereal-based baby fd	Mepanipyrim (RD)	90	44	0	0					0
Processed cereal-based baby fd	Metribuzin	90	90	0	0					0
Processed cereal-based baby fd	Myclobutanil (RD)	90	90	0	0					0
Processed cereal-based baby fd	Oxadiazon	90	90	0	0					0
Processed cereal-based baby fd	Oxyfluorfen	90	90	0	0					0
Processed cereal-based baby fd	Pendimethalin	90	90	0	0					0
Processed cereal-based baby fd	Picolinafen	90	44	0	0					0
Processed cereal-based baby fd	Prochloraz (RD)	90	44	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Processed cereal-based baby fd	Propyzamide (RD)	90	90	0	0					0
Processed cereal-based baby fd	Proquinazid	90	44	0	0					0
Processed cereal-based baby fd	Pymetrozine	90	44	0	0					0
Processed cereal-based baby fd	Pyrimethanil	90	90	0	0					0
Processed cereal-based baby fd	Quintozene (RD)	90	44	0	0					0
Processed cereal-based baby fd	Resmethrin (RD)	90	90	0	0					0
Processed cereal-based baby fd	Silthiofam	90	90	0	0					0
Processed cereal-based baby fd	Spinetoram	90	44	0	0					0
Processed cereal-based baby fd	Spinosad (RD)	90	44	0	0					0
Processed cereal-based baby fd	Spirodiclofen	90	90	0	0					0
Processed cereal-based baby fd	Spiromesifen	90	90	0	0					0
Processed cereal-based baby fd	Tembotrione (RD)	90	44	0	0					0
Processed cereal-based baby fd	Terbuthylazine	90	90	0	0					0
Processed cereal-based baby fd	Tetraconazole	90	90	0	0					0
Processed cereal-based baby fd	Thiabendazole (RD)	90	44	0	0					0
Processed cereal-based baby fd	Thiacloprid	90	44	0	0					0
Processed cereal-based baby fd	Thiametoxam (RD)	90	44	0	0					0
Processed cereal-based baby fd	Thiophanate-methyl	90	44	0	0					0
Processed cereal-based baby fd	Tolyfluanid (RD)	90	44	0	0					0
Processed cereal-based baby fd	Triadimefon (RD)	90	90	0	0					0
Processed cereal-based baby fd	Trifluralin	90	90	0	0					0
Processed cereal-based baby fd	Vinclozolin (RD)	90	74	0	0					0
Processed cereal-based baby fd	Zoxamide	90	90	0	0					0
Rice	2,4-D (RD)	56	16	0	0					0
Rice	Aclonifen	56	36	0	0				0.05	0
Rice	Ametoctradin (RD)	56	16	0	0					0
Rice	Amisulbrom	56	16	0	0					0
Rice	Anthraquinone	56	36	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Rice	Benalaxyl (RD)	56	16	0	0				0.05	0
Rice	Benfluralin	56	36	0	0				0.05	0
Rice	Benthiavalicarb (RD)	56	16	0	0				0.01	0
Rice	Bitertanol	56	36	0	0				0.05	0
Rice	Bixafen (RD)	56	36	0	0				0.01	0
Rice	Boscalid (RD)	56	36	0	0				0.5	0
Rice	Bromopropylate	56	36	0	0				0.05	0
Rice	Bromoxynil (RD)	56	16	0	0				0.05	0
Rice	Bromuconazole	56	36	0	0				0.2	0
Rice	Bupirimate	56	36	0	0				0.05	0
Rice	Buprofezin	56	36	5	13.9	0.006	0.034	0.022	0.5	0
Rice	Carbaryl	56	36	0	0				1	0
Rice	Carboxin	56	36	0	0				0.01	0
Rice	Chlordane (RD)	56	20	0	0					0
Rice	Chlorpropham (RD)	56	16	0	0				0.02	0
Rice	Clodinafop (RD)	56	16	0	0				0.1	0
Rice	Clofentezine (RD)	56	16	0	0				0.02	0
Rice	Cyflufenamid	56	16	0	0					0
Rice	Cyflumetofen	56	16	0	0					0
Rice	Cyproconazole	56	36	0	0				0.1	0
Rice	Cyprodinil (RD)	56	36	0	0				0.05	0
Rice	Dicloran	56	36	0	0				0.01	0
Rice	Dicofol (RD)	56	16	0	0				0.02	0
Rice	Diethofencarb	56	36	0	0				0.05	0
Rice	Etofenprox	56	36	0	0				0.5	0
Rice	Etridiazole	56	36	0	0				0.05	0
Rice	Fenamidone	56	36	0	0				0.02	0
Rice	Fenarimol	56	36	0	0				0.02	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Rice	Fenbuconazole	56	36	0	0				0.05	0
Rice	Fenoxycarb	56	36	0	0				0.05	0
Rice	Fipronil (RD)	56	36	0	0				0.005	0
Rice	Flubendiamide	56	16	0	0				0.01	0
Rice	Fluopicolide	56	36	0	0				0.01	0
Rice	Fluopyram (RD)	56	36	0	0				0.01	0
Rice	Fluquinconazole	56	36	0	0				0.05	0
Rice	Flutolanil	56	36	0	0				2	0
Rice	Fluxapyroxad	56	16	0	0					0
Rice	Folpet (RD)	56	16	0	0				0.02	0
Rice	Fuberidazole	56	36	0	0				0.2	0
Rice	Haloxypop-R (RD)	56	16	0	0				0.1	0
Rice	Hymexazol	56	16	0	0				0.05	0
Rice	Imidacloprid	56	18	6	33.3	0.004	0.012	0.008	1.5	0
Rice	Ioxynil (RD)	56	16	0	0				0.05	0
Rice	Lenacil	56	36	0	0				0.1	0
Rice	Lufenuron	56	16	0	0				0.02	0
Rice	MCPA (RD)	56	16	0	0				0.05	0
Rice	Mepanipyrim (RD)	56	16	0	0				0.01	0
Rice	Metribuzin	56	36	0	0				0.1	0
Rice	Myclobutanil (RD)	56	36	0	0				0.02	0
Rice	Oxadiazon	56	36	0	0				0.05	0
Rice	Oxyfluorfen	56	36	0	0				0.05	0
Rice	Pendimethalin	56	36	0	0				0.05	0
Rice	Picolinafen	56	16	0	0					0
Rice	Prochloraz (RD)	56	16	0	0				1	0
Rice	Propyzamide (RD)	56	36	0	0				0.02	0
Rice	Proquinazid	56	16	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Rice	Pymetrozine	56	16	0	0				0.02	0
Rice	Pyrimethanil	56	36	0	0				0.05	0
Rice	Quintozene (RD)	56	16	0	0				0.02	0
Rice	Resmethrin (RD)	56	36	0	0				0.05	0
Rice	Silthiofam	56	36	0	0				0.05	0
Rice	Spinetoram	56	16	0	0				0.05	0
Rice	Spinosad (RD)	56	16	0	0				1	0
Rice	Spirodiclofen	56	36	0	0				0.02	0
Rice	Spiromesifen	56	36	0	0				0.02	0
Rice	Tembotrione (RD)	56	16	0	0					0
Rice	Terbutylazine	56	36	0	0				0.05	0
Rice	Tetraconazole	56	36	0	0				0.05	0
Rice	Thiabendazole (RD)	56	16	0	0				0.05	0
Rice	Thiacloprid	56	16	0	0				0.05	0
Rice	Thiametoxam (RD)	56	18	4	22.2	0.004	0.011	0.0075	0.6	0
Rice	Thiophanate-methyl	56	16	0	0				0.01	0
Rice	Tolyfluanid (RD)	56	16	0	0				0.05	0
Rice	Triadimefon (RD)	56	36	0	0				0.1	0
Rice	Trifluralin	56	36	0	0				0.1	0
Rice	Vinclozolin (RD)	56	36	0	0				0.05	0
Rice	Zoxamide	56	36	0	0				0.02	0
Rye	2,4-D (RD)	14	2	0	0					0
Rye	Aclonifen	14	14	0	0				0.05	0
Rye	Ametoctradin (RD)	14	2	0	0					0
Rye	Amisulbrom	14	2	0	0					0
Rye	Anthraquinone	14	14	0	0				0.01	0
Rye	Benalaxyl (RD)	14	2	0	0				0.05	0
Rye	Benfluralin	14	14	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Rye	Benthiavalicarb (RD)	14	2	0	0				0.01	0
Rye	Bitertanol	14	14	0	0				0.05	0
Rye	Bixafen (RD)	14	14	1	7.14	0.016	0.016	0.016	0.05	0
Rye	Boscalid (RD)	14	14	0	0				0.5	0
Rye	Bromopropylate	14	14	0	0				0.05	0
Rye	Bromoxynil (RD)	14	2	0	0				0.05	0
Rye	Bromuconazole	14	14	0	0				0.2	0
Rye	Bupirimate	14	14	0	0				0.05	0
Rye	Buprofezin	14	14	0	0				0.05	0
Rye	Carbaryl	14	14	0	0				0.5	0
Rye	Carboxin	14	14	0	0				0.01	0
Rye	Chlordane (RD)	14	12	0	0					0
Rye	Chlorpropham (RD)	14	2	0	0				0.02	0
Rye	Clodinafop (RD)	14	2	0	0				0.1	0
Rye	Clofentezine (RD)	14	11	0	0				0.02	0
Rye	Cyflufenamid	14	2	0	0					0
Rye	Cyflumetofen	14	2	0	0					0
Rye	Cyproconazole	14	14	0	0				0.1	0
Rye	Cyprodinil (RD)	14	14	0	0				0.5	0
Rye	Dicloran	14	14	0	0				0.02	0
Rye	Dicofol (RD)	14	2	0	0				0.02	0
Rye	Diethofencarb	14	14	0	0				0.05	0
Rye	Dithiocarbamates (RD)	14	9	0	0				1	0
Rye	Etofenprox	14	14	0	0				0.5	0
Rye	Etridiazole	14	14	0	0				0.05	0
Rye	Fenamidone	14	14	0	0				0.02	0
Rye	Fenarimol	14	14	0	0				0.02	0
Rye	Fenbuconazole	14	14	0	0				0.1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Rye	Fenoxycarb	14	14	0	0				0.05	0
Rye	Fipronil (RD)	14	14	0	0				0.005	0
Rye	Flubendiamide	14	2	0	0				0.01	0
Rye	Fluopicolide	14	14	0	0				0.01	0
Rye	Fluopyram (RD)	14	14	0	0				0.8	0
Rye	Fluquinconazole	14	14	0	0				0.1	0
Rye	Flutolanil	14	14	0	0				0.05	0
Rye	Fluxapyroxad	14	2	0	0					0
Rye	Folpet (RD)	14	2	0	0				0.02	0
Rye	Fuberidazole	14	14	0	0				0.2	0
Rye	Haloxypop-R (RD)	14	2	0	0				0.1	0
Rye	Hymexazol	14	2	0	0				0.05	0
Rye	Imidacloprid	14	2	0	0				0.1	0
Rye	Ioxynil (RD)	14	2	0	0				0.05	0
Rye	Lenacil	14	14	0	0				0.1	0
Rye	Lufenuron	14	2	0	0				0.02	0
Rye	MCPA (RD)	14	2	0	0				0.05	0
Rye	Mepanipyrim (RD)	14	2	0	0				0.01	0
Rye	Metribuzin	14	14	0	0				0.1	0
Rye	Myclobutanil (RD)	14	14	0	0				0.02	0
Rye	Oxadiazon	14	14	0	0				0.05	0
Rye	Oxyfluorfen	14	14	0	0				0.05	0
Rye	Pendimethalin	14	14	0	0				0.05	0
Rye	Picolinafen	14	2	0	0					0
Rye	Prochloraz (RD)	14	2	0	0				0.5	0
Rye	Propyzamide (RD)	14	14	0	0				0.02	0
Rye	Proquinazid	14	2	0	0					0
Rye	Pymetrozine	14	2	0	0				0.02	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Rye	Pyrimethanil	14	14	0	0				0.05	0
Rye	Quintozene (RD)	14	2	0	0				0.02	0
Rye	Resmethrin (RD)	14	14	0	0				0.05	0
Rye	Silthiofam	14	14	0	0				0.05	0
Rye	Spinetoram	14	2	0	0				0.05	0
Rye	Spinosad (RD)	14	2	0	0				1	0
Rye	Spirodiclofen	14	14	0	0				0.02	0
Rye	Spiromesifen	14	14	0	0				0.02	0
Rye	Tembotrione (RD)	14	2	0	0					0
Rye	Terbutylazine	14	14	0	0				0.05	0
Rye	Tetraconazole	14	14	0	0				0.05	0
Rye	Thiabendazole (RD)	14	2	0	0				0.05	0
Rye	Thiacloprid	14	2	0	0				0.05	0
Rye	Thiametoxam (RD)	14	2	0	0				0.05	0
Rye	Thiophanate-methyl	14	2	0	0				0.05	0
Rye	Tolyfluanid (RD)	14	2	0	0				0.05	0
Rye	Triadimefon (RD)	14	14	0	0				0.2	0
Rye	Trifluralin	14	14	0	0				0.1	0
Rye	Vinclozolin (RD)	14	5	0	0				0.05	0
Rye	Zoxamide	14	14	0	0				0.02	0
Spinach	2,4-D (RD)	95	66	0	0				0.05	0
Spinach	Aclonifen	95	49	0	0				0.05	0
Spinach	Ametoctradin (RD)	95	95	0	0				60	0
Spinach	Amisulbrom	95	90	0	0					0
Spinach	Anthraquinone	95	49	0	0				0.01	0
Spinach	Beflubutamid	95	5	0	0				0.05	0
Spinach	Benalaxyl (RD)	95	22	0	0				0.05	0
Spinach	Benfluralin	95	75	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Spinach	Benfuracarb	95	5	0	0				0.05	0
Spinach	Benthiavalicarb (RD)	95	66	0	0				0.01	0
Spinach	Bitertanol	95	95	0	0				0.05	0
Spinach	Bixafen (RD)	95	95	0	0				0.01	0
Spinach	Boscalid (RD)	95	95	16	16.8	0.006	8.2	1.3588	50	0
Spinach	Bromopropylate	95	95	0	0				0.05	0
Spinach	Bromoxynil (RD)	95	59	0	0				0.05	0
Spinach	Bromuconazole	95	49	0	0				0.05	0
Spinach	Bupirimate	95	95	0	0				0.05	0
Spinach	Buprofezin	95	95	0	0				0.05	0
Spinach	Carbaryl	95	95	0	0				0.05	0
Spinach	Carbetamide	95	9	0	0				0.1	0
Spinach	Carbosulfan	95	15	0	0				0.05	0
Spinach	Carboxin	95	75	0	0				0.5	0
Spinach	Chlordane (RD)	95	41	0	0				0.01	0
Spinach	Chlorpropham (RD)	95	33	0	0				0.05	0
Spinach	Clethodim (RD)	95	5	0	0					0
Spinach	Clodinafop (RD)	95	66	0	0				0.02	0
Spinach	Clofentezine (RD)	95	95	0	0				0.02	0
Spinach	Cycloxydim (RD)	95	5	0	0				2	0
Spinach	Cyflufenamid	95	90	0	0				0.02	0
Spinach	Cyflumetofen	95	94	0	0					0
Spinach	Cyproconazole	95	95	0	0				0.05	0
Spinach	Cyprodinil (RD)	95	95	0	0				15	0
Spinach	Dazomet (RD)	95	5	0	0				0.02	0
Spinach	Desmedipham	95	14	0	0				0.05	0
Spinach	Dicloran	95	95	0	0				0.1	0
Spinach	Dicofol (RD)	95	6	0	0				0.02	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Spinach	Diethofencarb	95	95	0	0				0.05	0
Spinach	Dinocap (RD)	95	5	0	0				0.05	0
Spinach	Dithiocarbamates (RD)	95	10	1	10	0.19	0.19	0.19	0.05	1
Spinach	Etofenprox	95	95	1	1.05	0.015	0.015	0.015	3	0
Spinach	Etridiazole	95	49	0	0				0.05	0
Spinach	Fenamidone	95	95	0	0				60	0
Spinach	Fenarimol	95	95	0	0				0.02	0
Spinach	Fenbuconazole	95	95	0	0				0.05	0
Spinach	Fenoxycarb	95	95	0	0				0.05	0
Spinach	Fipronil (RD)	95	95	0	0				0.005	0
Spinach	Flubendiamide	95	66	0	0				10	0
Spinach	Flufenacet (RD)	95	15	0	0				0.05	0
Spinach	Flumioxazine	95	5	0	0					0
Spinach	Fluopicolide	95	95	13	13.7	0.016	1.4	0.4006	6	0
Spinach	Fluopyram (RD)	95	95	0	0				0.2	0
Spinach	Fluoxastrobin	95	14	0	0					0
Spinach	Fluquinconazole	95	49	0	0				0.05	0
Spinach	Flutolanil	95	95	0	0				0.05	0
Spinach	Fluxapyroxad	95	90	0	0				0.03	0
Spinach	Folpet (RD)	95	13	0	0				10	0
Spinach	Fuberidazole	95	49	0	0				0.05	0
Spinach	Haloxypop-R (RD)	95	42	0	0				0.3	0
Spinach	Hymexazol	95	90	0	0				0.05	0
Spinach	Imidacloprid	95	95	6	6.32	0.006	0.021	0.0116	0.05	0
Spinach	Ioxynil (RD)	95	66	0	0				0.05	0
Spinach	Isoxaflutole (RD)	95	15	0	0				0.05	0
Spinach	Lenacil	95	49	1	2.04	0.01	0.0095	0.0095	0.1	0
Spinach	Lufenuron	95	95	0	0				0.02	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Spinach	Mandipropamid	95	9	0	0				25	0
Spinach	MCPA (RD)	95	33	0	0				0.05	0
Spinach	Mepanipyrim (RD)	95	33	0	0				0.01	0
Spinach	Meptyldinocap (RD)	95	5	0	0					0
Spinach	Metribuzin	95	49	0	0				0.1	0
Spinach	Myclobutanil (RD)	95	95	0	0				0.02	0
Spinach	Oxadiazon	95	5	0	0				0.01	0
Spinach	Oxadiazon	95	44	0	0				0.05	0
Spinach	Oxyfluorfen	95	49	0	0				0.05	0
Spinach	Pendimethalin	95	95	0	0				0.05	0
Spinach	Pethoxamid	95	5	0	0				0.01	0
Spinach	Phoxim	95	15	0	0				0.01	0
Spinach	Picolinafen	95	94	0	0					0
Spinach	Prochloraz (RD)	95	95	0	0				0.05	0
Spinach	Propaquizafop	95	9	0	0				0.2	0
Spinach	Propyzamide (RD)	95	95	0	0				0.02	0
Spinach	Proquinazid	95	94	0	0				0.02	0
Spinach	Pymetrozine	95	95	0	0				0.6	0
Spinach	Pyrethrins	95	14	0	0				1	0
Spinach	Pyridalyl	95	5	0	0					0
Spinach	Pyrimethanil	95	95	0	0				0.05	0
Spinach	Quintozene (RD)	95	13	0	0				0.02	0
Spinach	Resmethrin (RD)	95	39	0	0				0.1	0
Spinach	Silthiofam	95	95	0	0				0.05	0
Spinach	Spinetoram	95	95	0	0				0.05	0
Spinach	Spinosad (RD)	95	90	6	6.67	0.017	1.4	0.3582	15	0
Spinach	Spirodiclofen	95	95	0	0				0.02	0
Spinach	Spiromesifen	95	95	0	0				0.02	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Spinach	Tembotrione (RD)	95	90	0	0					0
Spinach	Tepraloxydim	95	5	0	0					0
Spinach	Terbuthylazine	95	95	0	0				0.05	0
Spinach	Tetraconazole	95	95	0	0				0.02	0
Spinach	Thiabendazole (RD)	95	95	1	1.05	0.013	0.013	0.013	0.05	0
Spinach	Thiacloprid	95	95	0	0				0.15	0
Spinach	Thiametoxam (RD)	95	92	4	4.35	0.013	0.07	0.0272	3	0
Spinach	Thiophanate-methyl	95	42	0	0				0.1	0
Spinach	Tolyfluanid (RD)	95	33	0	0				0.05	0
Spinach	Triadimefon (RD)	95	95	1	1.05	0.012	0.0119	0.0119	0.1	0
Spinach	Trifluralin	95	75	0	0				0.5	0
Spinach	Valifenalate	95	9	0	0				0.01	0
Spinach	Vinclozolin (RD)	95	46	0	0				0.05	0
Spinach	Zoxamide	95	95	0	0				0.02	0
Strawberries	2,4-D (RD)	163	109	0	0				0.1	0
Strawberries	Aclonifen	163	89	0	0				0.05	0
Strawberries	Ametoctradin (RD)	163	163	0	0				0.01	0
Strawberries	Amisulbrom	163	160	0	0					0
Strawberries	Anthraquinone	163	89	0	0				0.01	0
Strawberries	Beflubutamid	163	6	0	0				0.05	0
Strawberries	Benalaxyl (RD)	163	51	0	0				0.05	0
Strawberries	Benfluralin	163	124	0	0				0.05	0
Strawberries	Benfuracarb	163	6	0	0				0.05	0
Strawberries	Benthiavalicarb (RD)	163	102	0	0				0.01	0
Strawberries	Bitertanol	163	163	0	0				0.05	0
Strawberries	Bixafen (RD)	163	163	0	0				0.01	0
Strawberries	Boscalid (RD)	163	163	91	55.8	0.005	2.6	0.3438	10	0
Strawberries	Bromopropylate	163	163	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Strawberries	Bromoxynil (RD)	163	95	0	0				0.05	0
Strawberries	Bromuconazole	163	89	0	0				0.05	0
Strawberries	Bupirimate	163	163	19	11.7	0.005	1.5	0.2087	2	0
Strawberries	Buprofezin	163	163	0	0				3	0
Strawberries	Carbaryl	163	163	0	0				0.05	0
Strawberries	Carbetamide	163	38	0	0				0.05	0
Strawberries	Carbosulfan	163	44	0	0				0.05	0
Strawberries	Carboxin	163	124	0	0				0.05	0
Strawberries	Chlordane (RD)	163	82	0	0				0.01	0
Strawberries	Chlorpropham (RD)	163	53	0	0				0.05	0
Strawberries	Clethodim (RD)	163	6	0	0					0
Strawberries	Clodinafop (RD)	163	109	0	0				0.02	0
Strawberries	Clofentezine (RD)	163	163	10	6.13	0.017	0.3	0.0984	2	0
Strawberries	Cycloxydim (RD)	163	6	0	0				2	0
Strawberries	Cyflufenamid	163	160	1	0.63	0.009	0.0093	0.0093	0.04	0
Strawberries	Cyflumetofen	163	163	0	0					0
Strawberries	Cyproconazole	163	163	1	0.61	0.007	0.007	0.007	0.05	0
Strawberries	Cyprodinil (RD)	163	163	75	46	0.005	3.5	0.2391	5	0
Strawberries	Dazomet (RD)	163	6	0	0				0.02	0
Strawberries	Desmedipham	163	41	0	0				0.05	0
Strawberries	Dicloran	163	163	0	0				0.3	0
Strawberries	Dicofol (RD)	163	13	0	0				0.02	0
Strawberries	Diethofencarb	163	163	0	0				0.5	0
Strawberries	Dinocap (RD)	163	6	0	0				0.05	0
Strawberries	Dithiocarbamates (RD)	163	18	1	5.56	0.077	0.077	0.077	10	0
Strawberries	Etofenprox	163	163	0	0				1	0
Strawberries	Etridiazole	163	89	0	0				0.1	0
Strawberries	Fenamidone	163	163	2	1.23	0.007	0.036	0.0213	0.04	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Strawberries	Fenarimol	163	163	0	0				0.3	0
Strawberries	Fenbuconazole	163	163	0	0				0.05	0
Strawberries	Fenoxycarb	163	163	0	0				0.05	0
Strawberries	Fipronil (RD)	163	163	0	0				0.005	0
Strawberries	Flubendiamide	163	109	0	0				0.2	0
Strawberries	Flufenacet (RD)	163	44	0	0				0.05	0
Strawberries	Flumioxazine	163	6	0	0					0
Strawberries	Fluopicolide	163	163	0	0				0.01	0
Strawberries	Fluopyram (RD)	163	163	69	42.3	0.006	1.4	0.1719	2	0
Strawberries	Fluoxastrobin	163	44	0	0					0
Strawberries	Fluquinconazole	163	89	0	0				0.05	0
Strawberries	Flutolanil	163	163	0	0				0.05	0
Strawberries	Fluxapyroxad	163	160	0	0				0.01	0
Strawberries	Folpet (RD)	163	19	0	0				3	0
Strawberries	Fuberidazole	163	89	0	0				0.05	0
Strawberries	Haloxypop-R (RD)	163	91	0	0				0.05	0
Strawberries	Hymexazol	163	160	0	0				0.05	0
Strawberries	Imidacloprid	163	163	0	0				0.5	0
Strawberries	Ioxynil (RD)	163	109	0	0				0.05	0
Strawberries	Isoxaflutole (RD)	163	44	0	0				0.05	0
Strawberries	Lenacil	163	89	0	0				0.1	0
Strawberries	Lufenuron	163	163	0	0				1	0
Strawberries	Mandipropamid	163	38	0	0				0.01	0
Strawberries	MCPA (RD)	163	52	0	0				0.05	0
Strawberries	Mepanipyrim (RD)	163	53	17	32.1	0.011	1.7	0.3452	2	0
Strawberries	Meptyldinocap (RD)	163	6	0	0					0
Strawberries	Metribuzin	163	89	0	0				0.1	0
Strawberries	Myclobutanil (RD)	163	163	6	3.68	0.016	0.7	0.1937	1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Strawberries	Oxadiargyl	163	6	0	0				0.01	0
Strawberries	Oxadiazon	163	83	0	0				0.05	0
Strawberries	Oxyfluorfen	163	89	0	0				0.05	0
Strawberries	Pendimethalin	163	163	0	0				0.05	0
Strawberries	Pethoxamid	163	6	0	0				0.01	0
Strawberries	Phoxim	163	44	0	0				0.01	0
Strawberries	Picolinafen	163	163	0	0					0
Strawberries	Prochloraz (RD)	163	163	1	0.61	0.014	0.014	0.014	0.05	0
Strawberries	Propaquizafop	163	38	0	0				0.05	0
Strawberries	Propyzamide (RD)	163	163	0	0				0.02	0
Strawberries	Proquinazid	163	163	0	0				1.5	0
Strawberries	Pymetrozine	163	163	0	0				0.5	0
Strawberries	Pyrethrins	163	44	0	0				1	0
Strawberries	Pyridalyl	163	6	0	0					0
Strawberries	Pyrimethanil	163	163	11	6.75	0.006	1.3	0.3103	5	0
Strawberries	Quintozene (RD)	163	14	0	0				0.02	0
Strawberries	Resmethrin (RD)	163	48	0	0				0.1	0
Strawberries	Silthiofam	163	163	0	0				0.05	0
Strawberries	Spinetoram	163	163	2	1.23	0.014	0.048	0.031	0.2	0
Strawberries	Spinosad (RD)	163	156	29	18.6	0.005	0.48	0.07	0.3	2
Strawberries	Spirodiclofen	163	163	3	1.84	0.005	0.11	0.0454	2	0
Strawberries	Spiromesifen	163	163	4	2.45	0.012	0.11	0.0428	1	0
Strawberries	Tembotrione (RD)	163	160	0	0					0
Strawberries	Tepraloxydim	163	6	0	0					0
Strawberries	Terbutylazine	163	163	0	0				0.05	0
Strawberries	Tetraconazole	163	163	1	0.61	0.01	0.01	0.01	0.2	0
Strawberries	Thiabendazole (RD)	163	163	1	0.61	0.046	0.046	0.046	0.05	0
Strawberries	Thiacloprid	163	163	38	23.3	0.006	0.47	0.1127	1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Strawberries	Thiametoxam (RD)	163	159	1	0.63	0.034	0.034	0.034	0.5	0
Strawberries	Thiophanate-methyl	163	92	1	1.09	0.066	0.066	0.066	0.1	0
Strawberries	Tolyfluanid (RD)	163	53	0	0				5	0
Strawberries	Triadimefon (RD)	163	163	0	0				0.5	0
Strawberries	Trifluralin	163	124	0	0				0.1	0
Strawberries	Valifenalate	163	38	0	0				0.01	0
Strawberries	Vinclozolin (RD)	163	63	0	0				0.05	0
Strawberries	Zoxamide	163	163	0	0				0.02	0
Table grapes	2,4-D (RD)	696	501	0	0				0.1	0
Table grapes	Aclonifen	696	325	0	0				0.05	0
Table grapes	Ametoctradin (RD)	696	638	44	6.9	0.006	0.41	0.0866	6	0
Table grapes	Amisulbrom	696	627	0	0					0
Table grapes	Anthraquinone	696	325	0	0				0.01	0
Table grapes	Beflubutamid	696	50	0	0				0.05	0
Table grapes	Benalaxyl (RD)	696	180	0	0				0.3	0
Table grapes	Benfluralin	696	479	0	0				0.05	0
Table grapes	Benfuracarb	696	50	0	0				0.05	0
Table grapes	Benthiavalicarb (RD)	696	439	0	0				0.3	0
Table grapes	Bitertanol	696	638	0	0				0.05	0
Table grapes	Bixafen (RD)	696	638	0	0				0.01	0
Table grapes	Boscalid (RD)	696	639	##	23.3	0.005	1.4	0.1535	5	0
Table grapes	Bromopropylate	696	638	1	0.16	0.02	0.02	0.02	2	0
Table grapes	Bromoxynil (RD)	696	400	0	0				0.05	0
Table grapes	Bromuconazole	696	325	0	0				0.5	0
Table grapes	Bupirimate	696	638	1	0.16	0.019	0.019	0.019	1.5	0
Table grapes	Buprofezin	696	638	75	11.8	0.005	0.54	0.0602	1	0
Table grapes	Carbaryl	696	638	0	0				0.05	0
Table grapes	Carbetamide	696	94	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Table grapes	Carbosulfan	696	145	0	0				0.05	0
Table grapes	Carboxin	696	479	0	0				0.05	0
Table grapes	Chlordane (RD)	696	289	0	0				0.01	0
Table grapes	Chlorpropham (RD)	696	264	0	0				0.05	0
Table grapes	Clethodim (RD)	696	50	0	0					0
Table grapes	Clodinafop (RD)	696	501	0	0				0.02	0
Table grapes	Clofentezine (RD)	696	638	0	0				0.02	0
Table grapes	Cycloxydim (RD)	696	50	0	0				0.5	0
Table grapes	Cyflufenamid	696	627	9	1.44	0.006	0.059	0.0239	0.15	0
Table grapes	Cyflumetofen	696	637	0	0					0
Table grapes	Cyproconazole	696	638	4	0.63	0.007	0.017	0.0113	0.2	0
Table grapes	Cyprodinil (RD)	696	639	87	13.6	0.006	1.7	0.1826	5	0
Table grapes	Dazomet (RD)	696	50	0	0				0.02	0
Table grapes	Desmedipham	696	105	0	0				0.05	0
Table grapes	Dicloran	696	638	0	0				0.1	0
Table grapes	Dicofol (RD)	696	53	0	0				2	0
Table grapes	Diethofencarb	696	638	0	0				1	0
Table grapes	Dinocap (RD)	696	50	0	0				0.05	0
Table grapes	Dithiocarbamates (RD)	696	39	8	20.5	0.023	0.082	0.0428	5	0
Table grapes	Etofenprox	696	638	2	0.31	0.051	0.055	0.053	5	0
Table grapes	Etridiazole	696	325	0	0				0.05	0
Table grapes	Fenamidone	696	638	6	0.94	0.006	0.09	0.0313	0.6	0
Table grapes	Fenarimol	696	638	0	0				0.3	0
Table grapes	Fenbuconazole	696	638	0	0				1	0
Table grapes	Fenoxycarb	696	638	1	0.16	0.006	0.0057	0.0057	1	0
Table grapes	Fipronil (RD)	696	639	0	0				0.005	0
Table grapes	Flubendiamide	696	501	0	0				2	0
Table grapes	Flufenacet (RD)	696	145	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Table grapes	Flumioxazine	696	50	0	0					0
Table grapes	Fluopicolide	696	638	28	4.39	0.01	0.59	0.0881	2	0
Table grapes	Fluopyram (RD)	696	638	##	17.7	0.006	1.1	0.194	1.5	0
Table grapes	Fluoxastrobin	696	144	0	0					0
Table grapes	Fluquinconazole	696	325	0	0				0.1	0
Table grapes	Flutolanil	696	638	0	0				0.05	0
Table grapes	Fluxapyroxad	696	627	0	0				0.01	0
Table grapes	Folpet (RD)	696	88	0	0				0.02	0
Table grapes	Fuberidazole	696	325	0	0				0.05	0
Table grapes	Haloxyfop-R (RD)	696	359	0	0				0.05	0
Table grapes	Hymexazol	696	627	0	0				0.05	0
Table grapes	Imidacloprid	696	638	##	18	0.005	0.41	0.0436	1	0
Table grapes	Ioxynil (RD)	696	501	0	0				0.05	0
Table grapes	Isoxaflutole (RD)	696	145	0	0				0.05	0
Table grapes	Lenacil	696	325	0	0				0.1	0
Table grapes	Lufenuron	696	639	1	0.16	0.034	0.034	0.034	1	0
Table grapes	Mandipropamid	696	94	25	26.6	0.007	0.21	0.0428	2	0
Table grapes	MCPA (RD)	696	265	0	0				0.05	0
Table grapes	Mepanipyrim (RD)	696	264	0	0				3	0
Table grapes	Meptyldinocap (RD)	696	50	0	0					0
Table grapes	Metribuzin	696	325	0	0				0.1	0
Table grapes	Myclobutanil (RD)	696	638	##	32	0.005	0.41	0.0416	1	0
Table grapes	Oxadiazon	696	275	0	0				0.05	0
Table grapes	Oxyfluorfen	696	325	0	0				0.1	0
Table grapes	Pendimethalin	696	638	0	0				0.05	0
Table grapes	Pethoxamid	696	50	0	0				0.01	0
Table grapes	Phoxim	696	145	0	0				0.01	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Table grapes	Picolinafen	696	637	0	0					0
Table grapes	Prochloraz (RD)	696	638	2	0.31	0.019	0.077	0.048	0.05	1
Table grapes	Propaquizafop	696	94	0	0				0.05	0
Table grapes	Propyzamide (RD)	696	638	0	0				0.02	0
Table grapes	Proquinazid	696	637	8	1.26	0.006	0.63	0.1042	0.5	1
Table grapes	Pymetrozine	696	638	0	0				0.02	0
Table grapes	Pyrethrins	696	144	0	0				1	0
Table grapes	Pyridalyl	696	50	0	0					0
Table grapes	Pyrimethanil	696	638	61	9.56	0.006	2.6	0.289	5	0
Table grapes	Quintozene (RD)	696	105	0	0				0.02	0
Table grapes	Resmethrin (RD)	696	240	0	0				0.1	0
Table grapes	Silthiofam	696	638	0	0				0.05	0
Table grapes	Spinetoram	696	638	4	0.63	0.006	0.04	0.0164	0.5	0
Table grapes	Spinosad (RD)	696	615	72	11.7	0.005	0.13	0.0335	0.5	0
Table grapes	Spirodiclofen	696	638	1	0.16	0.039	0.039	0.039	2	0
Table grapes	Spiromesifen	696	638	1	0.16	0.044	0.044	0.044	0.02	1
Table grapes	Tembotrione (RD)	696	627	0	0					0
Table grapes	Tepraloxydim	696	50	0	0					0
Table grapes	Terbutylazine	696	638	0	0				0.1	0
Table grapes	Tetraconazole	696	638	##	23.5	0.006	0.3	0.0355	0.5	0
Table grapes	Thiabendazole (RD)	696	638	11	1.72	0.005	0.019	0.0127	0.05	0
Table grapes	Thiacloprid	696	638	1	0.16	0.007	0.0071	0.0071	0.02	0
Table grapes	Thiametoxam (RD)	696	629	33	5.25	0.006	0.4	0.0456	0.9	0
Table grapes	Thiophanate-methyl	696	358	0	0				0.1	0
Table grapes	Tolyfluanid (RD)	696	264	0	0				5	0
Table grapes	Triadimefon (RD)	696	638	53	8.31	0.006	0.59	0.0435	2	0
Table grapes	Trifluralin	696	479	0	0				0.1	0
Table grapes	Valifenalate	696	94	0	0				0.2	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Table grapes	Vinclozolin (RD)	696	280	0	0				0.05	0
Table grapes	Zoxamide	696	638	23	3.61	0.006	0.47	0.0954	5	0
Tomatoes	2,4-D (RD)	224	176	0	0				0.05	0
Tomatoes	Aclonifen	224	140	0	0				0.05	0
Tomatoes	Ametoctradin (RD)	224	223	0	0				2	0
Tomatoes	Amisulbrom	224	213	0	0					0
Tomatoes	Anthraquinone	224	140	0	0				0.01	0
Tomatoes	Beflubutamid	224	16	0	0				0.05	0
Tomatoes	Benalaxyl (RD)	224	68	0	0				0.5	0
Tomatoes	Benfluralin	224	183	0	0				0.05	0
Tomatoes	Benfuracarb	224	16	0	0				0.05	0
Tomatoes	Benthiavalicarb (RD)	224	170	0	0				0.3	0
Tomatoes	Bitertanol	224	223	0	0				3	0
Tomatoes	Bixafen (RD)	224	223	0	0				0.01	0
Tomatoes	Boscalid (RD)	224	224	30	13.4	0.01	0.26	0.0434	3	0
Tomatoes	Bromide ion	224	19	14	73.7	0.273	1.46	0.6301	50	0
Tomatoes	Bromopropylate	224	223	0	0				1	0
Tomatoes	Bromoxynil (RD)	224	152	0	0				0.05	0
Tomatoes	Bromuconazole	224	140	0	0				0.05	0
Tomatoes	Bupirimate	224	223	3	1.35	0.016	0.27	0.101	2	0
Tomatoes	Buprofezin	224	223	8	3.59	0.007	0.04	0.0189	1	0
Tomatoes	Carbaryl	224	223	0	0				0.5	0
Tomatoes	Carbetamide	224	37	0	0				0.1	0
Tomatoes	Carbosulfan	224	53	0	0				0.05	0
Tomatoes	Carboxin	224	183	0	0				0.1	0
Tomatoes	Chlordane (RD)	224	125	0	0				0.01	0
Tomatoes	Chlorpropham (RD)	224	77	0	0				0.05	0
Tomatoes	Clethodim (RD)	224	16	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Tomatoes	Clodinafop (RD)	224	176	0	0				0.02	0
Tomatoes	Clofentezine (RD)	224	223	1	0.45	0.008	0.008	0.008	0.3	0
Tomatoes	Cycloxydim (RD)	224	16	0	0				0.2	0
Tomatoes	Cyflufenamid	224	213	0	0				0.02	0
Tomatoes	Cyflumetofen	224	223	0	0					0
Tomatoes	Cyproconazole	224	223	0	0				0.05	0
Tomatoes	Cyprodinil (RD)	224	223	21	9.42	0.007	0.12	0.0373	1.5	0
Tomatoes	Dazomet (RD)	224	16	0	0				0.02	0
Tomatoes	Desmedipham	224	47	0	0				0.05	0
Tomatoes	Dicloran	224	223	0	0				0.3	0
Tomatoes	Dicofol (RD)	224	19	1	5.26	0.084	0.084	0.084	1	0
Tomatoes	Diethofencarb	224	223	2	0.9	0.022	0.041	0.0315	1	0
Tomatoes	Dinocap (RD)	224	16	0	0				0.05	0
Tomatoes	Dithiocarbamates (RD)	224	28	7	25	0.03	0.21	0.0869	3	0
Tomatoes	Etofenprox	224	223	0	0				1	0
Tomatoes	Etridiazole	224	140	0	0				0.05	0
Tomatoes	Fenamidone	224	223	2	0.9	0.01	0.022	0.016	1	0
Tomatoes	Fenarimol	224	223	0	0				0.02	0
Tomatoes	Fenbuconazole	224	223	0	0				0.5	0
Tomatoes	Fenoxycarb	224	223	0	0				0.05	0
Tomatoes	Fipronil (RD)	224	224	0	0				0.005	0
Tomatoes	Flubendiamide	224	176	4	2.27	0.012	0.058	0.025	0.2	0
Tomatoes	Flufenacet (RD)	224	53	0	0				0.05	0
Tomatoes	Flumioxazine	224	16	0	0					0
Tomatoes	Fluopicolide	224	223	0	0				1	0
Tomatoes	Fluopyram (RD)	224	223	52	23.3	0.006	0.14	0.0412	0.9	0
Tomatoes	Fluoxastrobin	224	53	0	0					0
Tomatoes	Fluquinconazole	224	140	0	0				0.05	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Tomatoes	Flutolanil	224	223	0	0				0.05	0
Tomatoes	Fluxapyroxad	224	213	0	0				0.6	0
Tomatoes	Folpet (RD)	224	32	0	0				2	0
Tomatoes	Fuberidazole	224	140	0	0				0.05	0
Tomatoes	Haloxyp-R (RD)	224	115	0	0				0.05	0
Tomatoes	Hymexazol	224	213	0	0				1	0
Tomatoes	Imidacloprid	224	223	8	3.59	0.006	0.063	0.0311	0.5	0
Tomatoes	Ioxynil (RD)	224	176	0	0				0.05	0
Tomatoes	Isoxaflutole (RD)	224	53	0	0				0.05	0
Tomatoes	Lenacil	224	140	0	0				0.1	0
Tomatoes	Lufenuron	224	224	0	0				0.5	0
Tomatoes	Mandipropamid	224	37	0	0				3	0
Tomatoes	MCPA (RD)	224	78	0	0				0.05	0
Tomatoes	Mepanipyrim (RD)	224	77	1	1.3	0.037	0.037	0.037	1	0
Tomatoes	Meptyldinocap (RD)	224	16	0	0					0
Tomatoes	Metribuzin	224	140	0	0				0.1	0
Tomatoes	Myclobutanil (RD)	224	223	2	0.9	0.008	0.01	0.009	0.3	0
Tomatoes	Oxadiargyl	224	16	0	0				0.01	0
Tomatoes	Oxadiazon	224	124	0	0				0.05	0
Tomatoes	Oxyfluorfen	224	140	0	0				0.05	0
Tomatoes	Pendimethalin	224	223	0	0				0.05	0
Tomatoes	Pethoxamid	224	16	0	0				0.01	0
Tomatoes	Phoxim	224	53	0	0				0.01	0
Tomatoes	Picolinafen	224	223	0	0					0
Tomatoes	Prochloraz (RD)	224	223	0	0				0.05	0
Tomatoes	Propaquizafop	224	37	0	0				0.05	0
Tomatoes	Propyzamide (RD)	224	223	0	0				0.02	0
Tomatoes	Proquinazid	224	223	0	0				0.15	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Tomatoes	Pymetrozine	224	223	5	2.24	0.008	0.087	0.0261	0.5	0
Tomatoes	Pyrethrins	224	53	0	0				1	0
Tomatoes	Pyridalyl	224	16	1	6.25	0.091	0.091	0.091	1	0
Tomatoes	Pyrimethanil	224	223	6	2.69	0.007	0.24	0.0722	1	0
Tomatoes	Quintozene (RD)	224	37	0	0				0.02	0
Tomatoes	Resmethrin (RD)	224	74	0	0				0.1	0
Tomatoes	Silthiofam	224	223	0	0				0.05	0
Tomatoes	Spinetoram	224	223	0	0				0.5	0
Tomatoes	Spinosad (RD)	224	211	7	3.32	0.005	0.06	0.0242	1	0
Tomatoes	Spirodiclofen	224	223	0	0				0.5	0
Tomatoes	Spiromesifen	224	224	47	21	0.005	0.37	0.0393	1	0
Tomatoes	Tembotrione (RD)	224	213	0	0					0
Tomatoes	Tepraloxydim	224	16	0	0					0
Tomatoes	Terbuthylazine	224	223	0	0				0.05	0
Tomatoes	Tetraconazole	224	223	0	0				0.1	0
Tomatoes	Thiabendazole (RD)	224	223	1	0.45	0.015	0.015	0.015	0.05	0
Tomatoes	Thiacloprid	224	223	9	4.04	0.01	0.04	0.0246	0.5	0
Tomatoes	Thiametoxam (RD)	224	221	2	0.9	0.012	0.015	0.0135	0.2	0
Tomatoes	Thiophanate-methyl	224	115	1	0.87	0.015	0.015	0.015	2	0
Tomatoes	Tolyfluanid (RD)	224	77	0	0				3	0
Tomatoes	Triadimefon (RD)	224	223	10	4.48	0.019	0.0874	0.0381	1	0
Tomatoes	Trifluralin	224	183	0	0				0.5	0
Tomatoes	Valifenalate	224	37	0	0				0.1	0
Tomatoes	Vinclozolin (RD)	224	130	0	0				0.05	0
Tomatoes	Zoxamide	224	224	3	1.34	0.012	0.022	0.0173	0.5	0
Wheat	2,4-D (RD)	42	26	0	0					0
Wheat	Aclonifen	42	42	0	0				0.05	0
Wheat	Ametoctradin (RD)	42	26	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Wheat	Amisulbrom	42	26	0	0					0
Wheat	Anthraquinone	42	42	0	0				0.01	0
Wheat	Benalaxyl (RD)	42	26	0	0				0.05	0
Wheat	Benfluralin	42	42	0	0				0.05	0
Wheat	Benthiavalicarb (RD)	42	26	0	0				0.01	0
Wheat	Bitertanol	42	42	0	0				0.05	0
Wheat	Bixafen (RD)	42	42	1	2.38	0.005	0.005	0.005	0.05	0
Wheat	Boscalid (RD)	42	42	0	0				0.5	0
Wheat	Bromopropylate	42	42	0	0				0.05	0
Wheat	Bromoxynil (RD)	42	26	0	0				0.05	0
Wheat	Bromuconazole	42	42	0	0				0.2	0
Wheat	Bupirimate	42	42	0	0				0.05	0
Wheat	Buprofezin	42	42	0	0				0.05	0
Wheat	Carbaryl	42	42	0	0				0.5	0
Wheat	Carboxin	42	42	0	0				0.01	0
Wheat	Chlordane (RD)	42	16	0	0					0
Wheat	Chlorpropham (RD)	42	26	0	0				0.02	0
Wheat	Clodinafop (RD)	42	26	0	0				0.1	0
Wheat	Clofentezine (RD)	42	27	0	0				0.02	0
Wheat	Cyflufenamid	42	26	0	0					0
Wheat	Cyflumetofen	42	26	0	0					0
Wheat	Cyproconazole	42	42	0	0				0.1	0
Wheat	Cyprodinil (RD)	42	42	0	0				0.5	0
Wheat	Dicloran	42	42	0	0				0.02	0
Wheat	Dicofol (RD)	42	27	0	0				0.02	0
Wheat	Diethofencarb	42	42	0	0				0.05	0
Wheat	Dithiocarbamates (RD)	42	1	0	0				1	0
Wheat	Etofenprox	42	42	0	0				0.5	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Wheat	Etridiazole	42	42	0	0				0.05	0
Wheat	Fenamidone	42	42	0	0				0.02	0
Wheat	Fenarimol	42	42	0	0				0.02	0
Wheat	Fenbuconazole	42	42	0	0				0.1	0
Wheat	Fenoxycarb	42	42	0	0				0.05	0
Wheat	Fipronil (RD)	42	42	0	0				0.005	0
Wheat	Flubendiamide	42	26	0	0				0.01	0
Wheat	Fluopicolide	42	42	0	0				0.01	0
Wheat	Fluopyram (RD)	42	42	0	0				0.8	0
Wheat	Fluquinconazole	42	42	0	0				0.1	0
Wheat	Flutolanil	42	42	0	0				0.05	0
Wheat	Fluxapyroxad	42	26	1	3.85	0.009	0.009	0.009	0.4	0
Wheat	Folpet (RD)	42	27	0	0				2	0
Wheat	Fuberidazole	42	42	0	0				0.2	0
Wheat	Haloxypop-R (RD)	42	26	0	0				0.1	0
Wheat	Hymexazol	42	26	0	0				0.05	0
Wheat	Imidacloprid	42	26	0	0				0.1	0
Wheat	Ioxynil (RD)	42	26	0	0				0.05	0
Wheat	Lenacil	42	42	0	0				0.1	0
Wheat	Lufenuron	42	26	0	0				0.02	0
Wheat	MCPA (RD)	42	26	1	3.85	0.041	0.041	0.041	0.2	0
Wheat	Mepanipyrim (RD)	42	26	0	0				0.01	0
Wheat	Metribuzin	42	42	0	0				0.1	0
Wheat	Myclobutanil (RD)	42	42	0	0				0.02	0
Wheat	Oxadiazon	42	42	0	0				0.05	0
Wheat	Oxyfluorfen	42	42	0	0				0.05	0
Wheat	Pendimethalin	42	42	0	0				0.05	0
Wheat	Picolinafen	42	26	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Wheat	Prochloraz (RD)	42	26	0	0				0.5	0
Wheat	Propyzamide (RD)	42	42	0	0				0.02	0
Wheat	Proquinazid	42	26	0	0					0
Wheat	Pymetrozine	42	26	0	0				0.02	0
Wheat	Pyrimethanil	42	42	0	0				0.05	0
Wheat	Quintozene (RD)	42	26	0	0				0.02	0
Wheat	Resmethrin (RD)	42	42	0	0				0.05	0
Wheat	Silthiofam	42	42	0	0				0.05	0
Wheat	Spinetoram	42	26	0	0				0.05	0
Wheat	Spinosad (RD)	42	26	0	0				1	0
Wheat	Spirodiclofen	42	42	0	0				0.02	0
Wheat	Spiromesifen	42	42	0	0				0.02	0
Wheat	Tembotrione (RD)	42	26	0	0					0
Wheat	Terbuthylazine	42	42	0	0				0.05	0
Wheat	Tetraconazole	42	42	0	0				0.1	0
Wheat	Thiabendazole (RD)	42	26	0	0				0.05	0
Wheat	Thiacloprid	42	26	0	0				0.1	0
Wheat	Thiametoxam (RD)	42	26	0	0				0.05	0
Wheat	Thiophanate-methyl	42	26	0	0				0.05	0
Wheat	Tolyfluanid (RD)	42	26	0	0				0.05	0
Wheat	Triadimefon (RD)	42	42	0	0				0.2	0
Wheat	Trifluralin	42	42	0	0				0.1	0
Wheat	Vinclozolin (RD)	42	41	0	0				0.05	0
Wheat	Zoxamide	42	42	0	0				0.02	0
Wine grapes	2,4-D (RD)	112	51	0	0					0
Wine grapes	Acclonifen	112	112	0	0				0.05	0
Wine grapes	Ametoctradin (RD)	112	112	0	0				6	0
Wine grapes	Amisulbrom	112	112	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Wine grapes	Anthraquinone	112	112	0	0					0
Wine grapes	Benalaxyl (RD)	112	107	0	0				0.3	0
Wine grapes	Benfluralin	112	112	0	0				0.05	0
Wine grapes	Benthiavalicarb (RD)	112	67	0	0				0.3	0
Wine grapes	Bitertanol	112	112	0	0				0.01	0
Wine grapes	Bixafen (RD)	112	112	0	0				0.01	0
Wine grapes	Boscalid (RD)	112	112	24	21.4	0.006	0.075	0.0205	5	0
Wine grapes	Bromopropylate	112	112	0	0				0.01	0
Wine grapes	Bromoxynil (RD)	112	51	0	0					0
Wine grapes	Bromuconazole	112	112	0	0				0.5	0
Wine grapes	Bupirimate	112	112	0	0				1	0
Wine grapes	Buprofezin	112	112	0	0				1	0
Wine grapes	Carbaryl	112	112	0	0				0.01	0
Wine grapes	Carbetamide	112	56	0	0				0.05	0
Wine grapes	Carbosulfan	112	56	0	0				0.01	0
Wine grapes	Carboxin	112	112	0	0				0.05	0
Wine grapes	Chlordane (RD)	112	61	0	0				0.01	0
Wine grapes	Chlorpropham (RD)	112	51	0	0					0
Wine grapes	Clodinafop (RD)	112	51	0	0					0
Wine grapes	Clofentezine (RD)	112	112	0	0				1	0
Wine grapes	Cyflufenamid	112	112	0	0				0.15	0
Wine grapes	Cyflumetofen	112	112	0	0					0
Wine grapes	Cyproconazole	112	112	1	0.89	0.01	0.01	0.01	0.2	0
Wine grapes	Cyprodinil (RD)	112	112	7	6.25	0.006	0.13	0.0402	5	0
Wine grapes	Desmedipham	112	56	0	0				0.05	0
Wine grapes	Dicloran	112	112	0	0				0.1	0
Wine grapes	Dicofol (RD)	112	6	0	0				0.02	0
Wine grapes	Diethofencarb	112	112	0	0				1	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Wine grapes	Dithiocarbamates (RD)	112	18	0	0				5	0
Wine grapes	Etofenprox	112	112	0	0				5	0
Wine grapes	Etridiazole	112	112	0	0				0.05	0
Wine grapes	Fenamidone	112	112	0	0				0.5	0
Wine grapes	Fenarimol	112	112	0	0				0.3	0
Wine grapes	Fenbuconazole	112	112	0	0				1	0
Wine grapes	Fenoxycarb	112	112	0	0				1	0
Wine grapes	Fipronil (RD)	112	112	0	0				0.005	0
Wine grapes	Flubendiamide	112	51	0	0					0
Wine grapes	Flufenacet (RD)	112	56	0	0				0.05	0
Wine grapes	Fluopicolide	112	112	0	0				2	0
Wine grapes	Fluopyram (RD)	112	112	16	14.3	0.005	0.067	0.0275	1.5	0
Wine grapes	Fluoxastrobin	112	56	0	0					0
Wine grapes	Fluquinconazole	112	112	0	0				0.5	0
Wine grapes	Flutolanil	112	112	0	0				0.05	0
Wine grapes	Fluxapyroxad	112	112	0	0				0.01	0
Wine grapes	Folpet (RD)	112	57	0	0				10	0
Wine grapes	Fuberidazole	112	112	0	0				0.05	0
Wine grapes	Haloxypop-R (RD)	112	107	0	0				0.05	0
Wine grapes	Hymexazol	112	112	0	0				0.05	0
Wine grapes	Imidacloprid	112	112	1	0.89	0.011	0.011	0.011	1	0
Wine grapes	Ioxynil (RD)	112	51	0	0					0
Wine grapes	Isoxaflutole (RD)	112	56	0	0				0.02	0
Wine grapes	Lenacil	112	112	0	0				0.1	0
Wine grapes	Lufenuron	112	112	0	0				1	0
Wine grapes	Mandipropamid	112	56	0	0				2	0
Wine grapes	MCPA (RD)	112	51	0	0					0
Wine grapes	Mepanipyrim (RD)	112	51	0	0					0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Wine grapes	Metribuzin	112	112	0	0				0.1	0
Wine grapes	Myclobutanil (RD)	112	112	1	0.89	0.01	0.01	0.01	1	0
Wine grapes	Oxadiazon	112	112	0	0				0.05	0
Wine grapes	Oxyfluorfen	112	112	0	0				0.1	0
Wine grapes	Pendimethalin	112	112	0	0				0.05	0
Wine grapes	Phoxim	112	56	0	0				0.01	0
Wine grapes	Picolinafen	112	112	0	0					0
Wine grapes	Prochloraz (RD)	112	112	0	0				0.05	0
Wine grapes	Propaquizafop	112	56	0	0				0.05	0
Wine grapes	Propyzamide (RD)	112	112	0	0				0.02	0
Wine grapes	Proquinazid	112	112	0	0				0.5	0
Wine grapes	Pymetrozine	112	112	0	0				0.02	0
Wine grapes	Pyrethrins	112	56	0	0				1	0
Wine grapes	Pyrimethanil	112	112	4	3.57	0.01	0.15	0.071	5	0
Wine grapes	Quintozene (RD)	112	51	0	0					0
Wine grapes	Resmethrin (RD)	112	51	0	0					0
Wine grapes	Silthiofam	112	112	0	0					0
Wine grapes	Spinetoram	112	112	0	0				0.5	0
Wine grapes	Spinosad (RD)	112	101	0	0				0.5	0
Wine grapes	Spirodiclofen	112	112	0	0				0.2	0
Wine grapes	Spiromesifen	112	112	0	0				0.02	0
Wine grapes	Tembotrione (RD)	112	112	0	0					0
Wine grapes	Terbutylazine	112	112	0	0				0.1	0
Wine grapes	Tetraconazole	112	112	0	0				0.5	0
Wine grapes	Thiabendazole (RD)	112	112	0	0				0.05	0
Wine grapes	Thiacloprid	112	112	0	0				0.02	0
Wine grapes	Thiametoxam (RD)	112	112	0	0				0.9	0
Wine grapes	Thiophanate-methyl	112	107	1	0.93	0.006	0.006	0.006	3	0

Appendix J. Overview residue data for the substances of CAG-thyroid hormone

CAG: cumulative assessment group; LOQ: limit of quantification; MRL: maximum residue limit; Nr: number; RAC: raw agricultural commodity;
RD: residue definition

RAC	Active substance	Nr of samples		> LOQ		Concentration (mg/kg)			MRL (mg/kg)	Nr > MRL
		Total analysed	Analysed per substance	Nr	%	Min	Max	Mean		
Wine grapes	Tolyfluanid (RD)	112	51	0	0					0
Wine grapes	Triadimefon (RD)	112	112	0	0				2	0
Wine grapes	Trifluralin	112	112	0	0				0.01	0
Wine grapes	Valifenalate	112	56	0	0				0.2	0
Wine grapes	Vinclozolin (RD)	112	67	0	0				0.05	0
Wine grapes	Zoxamide	112	112	0	0				5	0