

Appendix O. Use frequency data of substances of the CAG-calcitonin as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Apples	162	7	Dodine	0.0432
Aubergines (egg plants)	79	1	Carbofuran (RD)	0.0127
Aubergines (egg plants)	111	22	Imidacloprid	0.1982
Aubergines (egg plants)	111	2	Profenofos	0.0180
Bananas	87	11	Buprofezin	0.1264
Bananas	87	3	Imidacloprid	0.0345
Beans (with pods)	199	1	Buprofezin	0.0050
Beans (with pods)	199	1	Hexythiazox	0.0050
Beans (with pods)	199	4	Imidacloprid	0.0201
Broccoli	133	15	Imidacloprid	0.1128
Courgettes	149	40	Imidacloprid	0.2685
Cucumbers	143	1	Hexythiazox	0.0070
Cucumbers	144	5	Imidacloprid	0.0347
Head cabbage	111	1	Imidacloprid	0.0090
Lettuce	180	6	Fenamidone	0.0333
Lettuce	180	50	Imidacloprid	0.2778
Mandarins	133	1	Dichlorprop (RD)	0.0075
Mandarins	133	1	Dichlorprop (RD); Imidacloprid	0.0075
Mandarins	190	3	Buprofezin	0.0158
Mandarins	190	7	Hexythiazox	0.0368
Mandarins	190	15	Imidacloprid	0.0789
Mandarins	190	1	Profenofos	0.0053
Mandarins	190	1	Buprofezin; Hexythiazox	0.0053
Mandarins	190	2	Buprofezin; Imidacloprid	0.0105
Melons	195	1	Buprofezin	0.0051
Melons	195	2	Hexythiazox	0.0103
Melons	195	61	Imidacloprid	0.3128
Melons	195	1	Buprofezin; Imidacloprid	0.0051

Appendix O. Use frequency data of substances of the CAG-calcitonin as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Melons	195	2	Hexythiazox; Imidacloprid	0.0103
Oats	44	1	Bixafen (RD)	0.0227
Oranges	207	1	Dichlorprop (RD); Hexythiazox	0.0048
Oranges	315	4	Buprofezin	0.0127
Oranges	315	4	Hexythiazox	0.0127
Oranges	315	40	Imidacloprid	0.1270
Oranges	315	1	Profenofos	0.0032
Oranges	315	4	Buprofezin; Imidacloprid	0.0127
Oranges	315	1	Hexythiazox; Profenofos	0.0032
Peaches	143	1	Dodine	0.0070
Peaches	143	23	Fenbuconazole	0.1608
Peaches	143	1	Hexythiazox	0.0070
Peaches	143	7	Imidacloprid	0.0490
Peaches	143	6	Fenbuconazole; Imidacloprid	0.0420
Pears	51	1	Folpet (RD)	0.0196
Pears	160	4	Dodine	0.0250
Pears	160	4	Imidacloprid	0.0250
Peppers	214	1	Buprofezin	0.0047
Peppers	214	3	Hexythiazox	0.0140
Peppers	214	16	Imidacloprid	0.0748
Potatoes	136	2	Imidacloprid	0.0147
Rice	18	4	Imidacloprid	0.2222
Rice	18	2	Buprofezin; Imidacloprid	0.1111
Rice	36	3	Buprofezin	0.0833
Rye	14	1	Bixafen (RD)	0.0714
Spinach	95	6	Imidacloprid	0.0632
Strawberries	163	2	Fenamidone	0.0123
Strawberries	163	15	Hexythiazox	0.0920

Appendix O. Use frequency data of substances of the CAG-calcitonin as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Table grapes	638	48	Buprofezin	0.0752
Table grapes	638	1	Dodine	0.0016
Table grapes	638	5	Fenamidone	0.0078
Table grapes	638	2	Hexythiazox	0.0031
Table grapes	638	88	Imidacloprid	0.1379
Table grapes	638	1	Buprofezin; Fenamidone	0.0016
Table grapes	638	26	Buprofezin; Imidacloprid	0.0408
Table grapes	638	1	Hexythiazox; Imidacloprid	0.0016
Tomatoes	223	6	Buprofezin	0.0269
Tomatoes	223	2	Fenamidone	0.0090
Tomatoes	223	5	Hexythiazox	0.0224
Tomatoes	223	6	Imidacloprid	0.0269
Tomatoes	223	2	Buprofezin; Imidacloprid	0.0090
Wheat	42	1	Bixafen (RD)	0.0238
Wine grapes	112	1	Imidacloprid	0.0089