

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Apples	19	1	Dithiocarbamates (RD)	0.0526
Apples	162	45	Boscalid (RD)	0.2778
Apples	162	14	Cyprodinil (RD)	0.0864
Apples	162	1	Etofenprox	0.0062
Apples	162	1	Fenoxycarb	0.0062
Apples	162	2	Fluopyram (RD)	0.0123
Apples	162	3	Pyrimethanil	0.0185
Apples	162	1	Spirodiclofen	0.0062
Apples	162	2	Thiabendazole (RD)	0.0123
Apples	162	2	Thiacloprid	0.0123
Apples	162	2	Boscalid (RD); Bupirimate	0.0123
Apples	162	8	Boscalid (RD); Cyprodinil (RD)	0.0494
Apples	162	1	Boscalid (RD); Thiabendazole (RD)	0.0062
Apples	162	1	Cyprodinil (RD); Spirodiclofen	0.0062
Apples	162	1	Cyprodinil (RD); Thiacloprid	0.0062
Apples	162	2	Pyrimethanil; Spirodiclofen	0.0123
Apples	162	2	Pyrimethanil; Thiacloprid	0.0123
Apples	162	1	Boscalid (RD); Bupirimate; Spirodiclofen	0.0062
Apples	162	1	Boscalid (RD); Cyprodinil (RD); Thiabendazole (RD)	0.0062
Apples	162	1	Boscalid (RD); Fluopyram (RD); Spirodiclofen	0.0062
Apples	162	1	Fluopyram (RD); Pyrimethanil; Spirodiclofen	0.0062
Apples	162	2	Pyrimethanil; Spirodiclofen; Thiacloprid	0.0123
Aubergines (egg plants)	20	1	Pyridalyl	0.0500
Aubergines (egg plants)	28	1	Dicofol (RD)	0.0357
Aubergines (egg plants)	28	7	Dithiocarbamates (RD)	0.2500
Aubergines (egg plants)	46	2	Cyprodinil (RD); Mepanipyrim (RD)	0.0435
Aubergines (egg plants)	111	2	Boscalid (RD)	0.0180
Aubergines (egg plants)	111	1	Bupirimate	0.0090
Aubergines (egg plants)	111	2	Cyprodinil (RD)	0.0180
Aubergines (egg plants)	111	1	Fluopyram (RD)	0.0090
Aubergines (egg plants)	111	20	Imidacloprid	0.1802
Aubergines (egg plants)	111	1	Lufenuron	0.0090
Aubergines (egg plants)	111	2	Spiromesifen	0.0180
Aubergines (egg plants)	111	1	Thiacloprid	0.0090
Aubergines (egg plants)	111	1	Cyprodinil (RD); Diethofencarb	0.0090
Aubergines (egg plants)	111	1	Cyprodinil (RD); Pymetrozine	0.0090
Aubergines (egg plants)	111	3	Cyprodinil (RD); Spiromesifen	0.0270
Aubergines (egg plants)	111	1	Fluopyram (RD); Imidacloprid	0.0090
Aubergines (egg plants)	111	1	Fluopyram (RD); Pyrimethanil	0.0090
Aubergines (egg plants)	111	1	Boscalid (RD); Fluopyram (RD); Imidacloprid	0.0090
Bananas	87	2	Buprofezin	0.0230
Bananas	87	8	Myclobutanil (RD)	0.0920
Bananas	87	2	Buprofezin; Myclobutanil (RD)	0.0230
Bananas	87	1	Buprofezin; Prochloraz (RD)	0.0115
Bananas	87	6	Buprofezin; Thiabendazole (RD)	0.0690

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Bananas	87	3	Imidacloprid; Thiabendazole (RD)	0.0345
Bananas	87	1	Myclobutanil (RD); Thiabendazole (RD)	0.0115
Bananas	89	21	Thiabendazole (RD)	0.2360
Beans (with pods)	126	1	Flubendiamide	0.0079
Beans (with pods)	126	1	Flubendiamide; Imidacloprid	0.0079
Beans (with pods)	188	7	Spinosad (RD)	0.0372
Beans (with pods)	188	1	Imidacloprid; Spinosad (RD)	0.0053
Beans (with pods)	193	1	Thiametoxam (RD)	0.0052
Beans (with pods)	199	1	Buprofezin	0.0050
Beans (with pods)	199	5	Cyprodinil (RD)	0.0251
Beans (with pods)	199	24	Fluopyram (RD)	0.1206
Beans (with pods)	199	2	Imidacloprid	0.0101
Beans (with pods)	199	2	Myclobutanil (RD)	0.0101
Beans (with pods)	199	1	Prochloraz (RD)	0.0050
Beans (with pods)	199	2	Pyrimethanil	0.0101
Beans (with pods)	199	2	Thiacloprid	0.0101
Beans (with pods)	199	1	Boscalid (RD); Cyprodinil (RD)	0.0050
Beans (with pods)	199	2	Cyprodinil (RD); Fluopyram (RD)	0.0101
Beans (with pods)	199	1	Fluopyram (RD); Thiabendazole (RD); Thiacloprid	0.0050
Beans (with pods)	200	3	Spiromesifen	0.0150
Broccoli	3	1	Dithiocarbamates (RD)	0.3333
Broccoli	3	1	Boscalid (RD); Dithiocarbamates (RD)	0.3333
Broccoli	3	1	Dithiocarbamates (RD); Imidacloprid; Thiabendazole (RD)	0.3333
Broccoli	42	1	Chlorpropham (RD)	0.0238
Broccoli	126	2	Thiametoxam (RD)	0.0159
Broccoli	133	4	Boscalid (RD)	0.0301
Broccoli	133	1	Fluopicolide	0.0075
Broccoli	133	13	Imidacloprid	0.0977
Broccoli	133	1	Prochloraz (RD)	0.0075
Broccoli	133	1	Etofenprox; Imidacloprid	0.0075
Carrots	54	1	Chlorpropham (RD)	0.0185
Carrots	54	1	Boscalid (RD); Chlorpropham (RD); Pendimethalin	0.0185
Carrots	128	36	Boscalid (RD)	0.2813
Carrots	128	1	Fluopicolide	0.0078
Carrots	128	2	Fluopyram (RD)	0.0156
Carrots	128	1	Flutolanil	0.0078
Carrots	128	2	Pendimethalin	0.0156
Carrots	128	1	Boscalid (RD); Cyprodinil (RD)	0.0078
Carrots	128	4	Boscalid (RD); Fluopyram (RD)	0.0313
Carrots	128	1	Boscalid (RD); Myclobutanil (RD)	0.0078
Carrots	128	1	Boscalid (RD); Pendimethalin	0.0078
Cauliflower	4	3	Dithiocarbamates (RD)	0.7500
Cauliflower	4	1	Boscalid (RD); Dithiocarbamates (RD)	0.2500
Cauliflower	82	1	Spinosad (RD)	0.0122
Courgettes	1	1	Dithiocarbamates (RD); Imidacloprid	1.0000
Courgettes	85	1	Bromoconazole; Imidacloprid	0.0118

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Courgettes	139	1	Imidacloprid; Spinosad (RD)	0.0072
Courgettes	145	1	Cyflufenamid	0.0069
Courgettes	145	1	Cyflufenamid; Imidacloprid	0.0069
Courgettes	146	3	Thiametoxam (RD)	0.0205
Courgettes	147	1	Imidacloprid; Proquinazid	0.0068
Courgettes	149	2	Boscalid (RD)	0.0134
Courgettes	149	2	Fluopyram (RD)	0.0134
Courgettes	149	31	Imidacloprid	0.2081
Courgettes	149	1	Myclobutanil (RD)	0.0067
Courgettes	149	1	Bupirimate; Thiacloprid	0.0067
Courgettes	149	1	Fluopyram (RD); Pymetrozine	0.0067
Courgettes	149	1	Imidacloprid; Lufenuron	0.0067
Courgettes	149	1	Imidacloprid; Myclobutanil (RD)	0.0067
Courgettes	149	1	Imidacloprid; Spiromesifen	0.0067
Courgettes	149	1	Imidacloprid; Thiacloprid	0.0067
Cucumbers	14	1	Dithiocarbamates (RD); Fluopicolide	0.0714
Cucumbers	55	1	Chlorpropham (RD)	0.0182
Cucumbers	81	1	Etridiazole	0.0123
Cucumbers	81	1	Etridiazole; Imidacloprid	0.0123
Cucumbers	128	1	Cyprodinil (RD); Spinosad (RD)	0.0078
Cucumbers	128	1	Myclobutanil (RD); Spinosad (RD)	0.0078
Cucumbers	128	1	Cyprodinil (RD); Imidacloprid; Spinosad (RD)	0.0078
Cucumbers	128	1	Fluopyram (RD); Spinosad (RD); Thiacloprid	0.0078
Cucumbers	142	2	Thiametoxam (RD)	0.0141
Cucumbers	142	1	Pymetrozine; Thiametoxam (RD)	0.0070
Cucumbers	143	2	Boscalid (RD)	0.0140
Cucumbers	143	8	Fluopyram (RD)	0.0559
Cucumbers	143	3	Pymetrozine	0.0210
Cucumbers	143	1	Spiromesifen	0.0070
Cucumbers	143	2	Thiabendazole (RD)	0.0140
Cucumbers	143	1	Thiacloprid	0.0070
Cucumbers	143	1	Ametoctradin (RD); Cyprodinil (RD)	0.0070
Cucumbers	143	1	Bupirimate; Fluopicolide	0.0070
Cucumbers	143	2	Cyprodinil (RD); Fluopyram (RD)	0.0140
Cucumbers	143	1	Cyprodinil (RD); Pymetrozine	0.0070
Cucumbers	143	2	Fluopicolide; Pymetrozine	0.0140
Cucumbers	143	1	Fluopyram (RD); Imidacloprid	0.0070
Cucumbers	143	2	Fluopyram (RD); Pymetrozine	0.0140
Cucumbers	143	1	Fluopyram (RD); Pyrimethanil	0.0070
Cucumbers	143	1	Fluopyram (RD); Thiacloprid	0.0070
Cucumbers	143	1	Imidacloprid; Myclobutanil (RD)	0.0070
Cucumbers	143	1	Myclobutanil (RD); Pyrimethanil	0.0070
Cucumbers	143	1	Pymetrozine; Pyrimethanil	0.0070
Cucumbers	143	1	Pymetrozine; Thiacloprid	0.0070
Cucumbers	143	1	Boscalid (RD); Cyprodinil (RD); Thiabendazole (RD)	0.0070

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Cucumbers	143	1	Fluopicolide; Fluopyram (RD); Pymetrozine	0.0070
Cucumbers	143	1	Fluopyram (RD); Pymetrozine; Pyrimethanil	0.0070
Cucumbers	143	1	Boscalid (RD); Fluopyram (RD); Pymetrozine; Pyrimethanil	0.0070
Cucumbers	144	11	Cyprodinil (RD)	0.0764
Cucumbers	144	1	Fluopicolide	0.0069
Cucumbers	144	1	Cyprodinil (RD); Fluopicolide	0.0069
Cucumbers	144	1	Cyprodinil (RD); Fluopicolide; Imidacloprid; Pyrimethanil	0.0069
Head cabbage	9	6	Dithiocarbamates (RD)	0.6667
Head cabbage	9	1	Dithiocarbamates (RD); Etofenprox	0.1111
Head cabbage	9	1	Dithiocarbamates (RD); Thiabendazole (RD)	0.1111
Head cabbage	108	3	Thiametoxam (RD)	0.0278
Head cabbage	108	1	Carbaryl; Thiametoxam (RD)	0.0093
Head cabbage	111	3	Boscalid (RD)	0.0270
Head cabbage	111	1	Fluopicolide	0.0090
Head cabbage	111	1	Fluopyram (RD)	0.0090
Head cabbage	111	1	Imidacloprid	0.0090
Head cabbage	111	2	Thiabendazole (RD)	0.0180
Leek	8	4	Dithiocarbamates (RD)	0.5000
Leek	73	1	Boscalid (RD); Spinosad (RD)	0.0137
Leek	82	11	Ametoctradin (RD)	0.1341
Leek	82	4	Boscalid (RD)	0.0488
Leek	82	2	Thiabendazole (RD)	0.0244
Leek	82	1	Ametoctradin (RD); Boscalid (RD)	0.0122
Leek	82	3	Ametoctradin (RD); Fluopyram (RD)	0.0366
Lettuce	14	1	Boscalid (RD); Dithiocarbamates (RD)	0.0714
Lettuce	14	1	Boscalid (RD); Dithiocarbamates (RD); Imidacloprid	0.0714
Lettuce	14	1	Cyprodinil (RD); Dithiocarbamates (RD); Imidacloprid	0.0714
Lettuce	15	2	Bromide ion	0.1333
Lettuce	15	1	Bromide ion; Cyprodinil (RD)	0.0667
Lettuce	15	4	Bromide ion; Imidacloprid	0.2667
Lettuce	15	2	Boscalid (RD); Bromide ion; Imidacloprid	0.1333
Lettuce	15	1	Bromide ion; Mandipropamid; Thiametoxam (RD)	0.0667
Lettuce	15	1	Boscalid (RD); Bromide ion; Fluopyram (RD); Imidacloprid	0.0667
Lettuce	15	1	Boscalid (RD); Bromide ion; Fluopyram (RD); Thiametoxam (RD)	0.0667
Lettuce	36	1	Imidacloprid; Mandipropamid	0.0278
Lettuce	36	1	Fluopyram (RD); Mandipropamid; Thiametoxam (RD)	0.0278
Lettuce	117	1	Aclonifen; Cyprodinil (RD); Fluopyram (RD); Imidacloprid; Propyzamide (RD)	0.0085
Lettuce	172	1	Spinosad (RD)	0.0058
Lettuce	172	1	Boscalid (RD); Cyprodinil (RD); Spinosad (RD)	0.0058
Lettuce	172	1	Boscalid (RD); Pymetrozine; Spinosad (RD)	0.0058
Lettuce	172	3	Boscalid (RD); Spinosad (RD); Thiametoxam (RD)	0.0174
Lettuce	172	2	Fluopyram (RD); Pymetrozine; Spinosad (RD)	0.0116
Lettuce	172	1	Boscalid (RD); Fenamidone; Spinosad (RD); Thiametoxam (RD)	0.0058
Lettuce	173	7	Thiametoxam (RD)	0.0405
Lettuce	173	1	Cyprodinil (RD); Thiametoxam (RD)	0.0058

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Lettuce	173	1	Fenamidone; Thiametoxam (RD)	0.0058
Lettuce	173	1	Fluopyram (RD); Thiametoxam (RD)	0.0058
Lettuce	173	1	Boscalid (RD); Fenamidone; Thiametoxam (RD)	0.0058
Lettuce	173	1	Fluopyram (RD); Propyzamide (RD); Thiametoxam (RD)	0.0058
Lettuce	180	1	Fenamidone	0.0056
Lettuce	180	1	Fluopicolide	0.0056
Lettuce	180	8	Fluopyram (RD)	0.0444
Lettuce	180	24	Imidacloprid	0.1333
Lettuce	180	1	Prochloraz (RD)	0.0056
Lettuce	180	1	Boscalid (RD); Cyprodinil (RD)	0.0056
Lettuce	180	1	Boscalid (RD); Fenamidone	0.0056
Lettuce	180	3	Boscalid (RD); Fluopyram (RD)	0.0167
Lettuce	180	8	Boscalid (RD); Imidacloprid	0.0444
Lettuce	180	1	Cyprodinil (RD); Fluopicolide	0.0056
Lettuce	180	2	Cyprodinil (RD); Imidacloprid	0.0111
Lettuce	180	1	Fenamidone; Propyzamide (RD)	0.0056
Lettuce	180	1	Fluopicolide; Imidacloprid	0.0056
Lettuce	180	3	Fluopyram (RD); Imidacloprid	0.0167
Lettuce	180	1	Boscalid (RD); Fluopicolide; Propyzamide (RD)	0.0056
Lettuce	180	1	Boscalid (RD); Fluopyram (RD); Pymetrozine	0.0056
Lettuce	180	2	Cyprodinil (RD); Fluopyram (RD); Pymetrozine	0.0111
Lettuce	180	1	Ametoctradin (RD); Boscalid (RD); Fluopyram (RD); Pymetrozine	0.0056
Lettuce	180	1	Boscalid (RD); Cyprodinil (RD); Fluopicolide; Imidacloprid; Pendimethalin	0.0056
Lettuce	181	11	Boscalid (RD)	0.0608
Lettuce	181	1	Propyzamide (RD)	0.0055
Lettuce	181	4	Boscalid (RD); Propyzamide (RD)	0.0221
Mandarins	20	1	Dithiocarbamates (RD)	0.0500
Mandarins	20	1	2,4-D (RD); Dithiocarbamates (RD); Imidacloprid; Pyrimethanil; Thiabendazole (RD)	0.0500
Mandarins	99	1	Boscalid (RD); Pyrimethanil; Thiabendazole (RD); Thiophanate-methyl	0.0101
Mandarins	133	1	2,4-D (RD)	0.0075
Mandarins	133	7	2,4-D (RD); Pyrimethanil	0.0526
Mandarins	133	12	2,4-D (RD); Thiabendazole (RD)	0.0902
Mandarins	133	13	2,4-D (RD); Pyrimethanil; Thiabendazole (RD)	0.0977
Mandarins	133	1	2,4-D (RD); Buprofezin; Pyrimethanil; Thiabendazole (RD)	0.0075
Mandarins	133	1	2,4-D (RD); Etofenprox; Pyrimethanil; Thiabendazole (RD)	0.0075
Mandarins	133	3	2,4-D (RD); Imidacloprid; Pyrimethanil; Thiabendazole (RD)	0.0226
Mandarins	133	3	2,4-D (RD); Prochloraz (RD); Pyrimethanil; Thiabendazole (RD)	0.0226
Mandarins	190	3	Etofenprox	0.0158
Mandarins	190	1	Imidacloprid	0.0053
Mandarins	190	19	Pyrimethanil	0.1000
Mandarins	190	1	Spirodiclofen	0.0053
Mandarins	190	31	Thiabendazole (RD)	0.1632
Mandarins	190	1	Buprofezin; Thiabendazole (RD)	0.0053
Mandarins	190	1	Carbaryl; Thiabendazole (RD)	0.0053
Mandarins	190	1	Clofentezine (RD); Thiabendazole (RD)	0.0053

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Mandarins	190	2	Etofenprox; Pyrimethanil	0.0105
Mandarins	190	1	Etofenprox; Thiabendazole (RD)	0.0053
Mandarins	190	2	Imidacloprid; Pyrimethanil	0.0105
Mandarins	190	1	Prochloraz (RD); Pyrimethanil	0.0053
Mandarins	190	5	Prochloraz (RD); Thiabendazole (RD)	0.0263
Mandarins	190	20	Pyrimethanil; Thiabendazole (RD)	0.1053
Mandarins	190	1	Buprofezin; Prochloraz (RD); Thiabendazole (RD)	0.0053
Mandarins	190	1	Buprofezin; Pyrimethanil; Thiabendazole (RD)	0.0053
Mandarins	190	2	Etofenprox; Pyrimethanil; Thiabendazole (RD)	0.0105
Mandarins	190	1	Imidacloprid; Prochloraz (RD); Thiabendazole (RD)	0.0053
Mandarins	190	7	Imidacloprid; Pyrimethanil; Thiabendazole (RD)	0.0368
Mandarins	190	1	Imidacloprid; Spirodiclofen; Thiabendazole (RD)	0.0053
Mandarins	190	1	Prochloraz (RD); Pyrimethanil; Thiabendazole (RD)	0.0053
Mandarins	190	1	Buprofezin; Imidacloprid; Pyrimethanil; Thiabendazole (RD)	0.0053
Mandarins	190	1	Buprofezin; Imidacloprid; Pyrimethanil; Terbutylazine; Thiabendazole (RD)	0.0053
Melons	183	1	Pymetrozine; Pyrimethanil; Spinosad (RD); Thiacloprid	0.0055
Melons	191	7	Thiametoxam (RD)	0.0366
Melons	191	1	Buprofezin; Thiametoxam (RD)	0.0052
Melons	191	3	Etofenprox; Thiametoxam (RD)	0.0157
Melons	191	3	Imidacloprid; Thiametoxam (RD)	0.0157
Melons	191	1	Spiromesifen; Thiametoxam (RD)	0.0052
Melons	191	1	Boscalid (RD); Imidacloprid; Thiametoxam (RD)	0.0052
Melons	191	2	Etofenprox; Imidacloprid; Thiametoxam (RD)	0.0105
Melons	192	1	Cyflufenamid; Fluopyram (RD)	0.0052
Melons	195	6	Boscalid (RD)	0.0308
Melons	195	3	Etofenprox	0.0154
Melons	195	2	Fluopyram (RD)	0.0103
Melons	195	38	Imidacloprid	0.1949
Melons	195	1	Myclobutanil (RD)	0.0051
Melons	195	1	Tetraconazole	0.0051
Melons	195	1	Thiabendazole (RD)	0.0051
Melons	195	1	Thiacloprid	0.0051
Melons	195	5	Boscalid (RD); Imidacloprid	0.0256
Melons	195	1	Boscalid (RD); Spiromesifen	0.0051
Melons	195	1	Boscalid (RD); Thiacloprid	0.0051
Melons	195	1	Buprofezin; Imidacloprid	0.0051
Melons	195	1	Cyprodinil (RD); Imidacloprid	0.0051
Melons	195	7	Etofenprox; Imidacloprid	0.0359
Melons	195	1	Fluopicolide; Fluopyram (RD)	0.0051
Melons	195	1	Fluopyram (RD); Myclobutanil (RD)	0.0051
Melons	195	1	Imidacloprid; Spiromesifen	0.0051
Melons	195	2	Imidacloprid; Tetraconazole	0.0103
Melons	195	1	Imidacloprid; Thiabendazole (RD)	0.0051
Melons	195	1	Pymetrozine; Thiacloprid	0.0051
Melons	195	1	Spiromesifen; Thiacloprid	0.0051

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Melons	195	1	Imidacloprid; Prochloraz (RD); Thiabendazole (RD)	0.0051
Melons	195	1	Boscalid (RD); Fluopicolide; Imidacloprid; Spiromesifen	0.0051
Oats	2	1	Boscalid (RD)	0.5000
Oats	44	1	Bixafen (RD)	0.0227
Olives for oil production	20	2	Oxyfluorfen	0.1000
Oranges	34	1	Dithiocarbamates (RD)	0.0294
Oranges	34	1	2,4-D (RD); Dithiocarbamates (RD)	0.0294
Oranges	34	1	Dithiocarbamates (RD); Pyrimethanil	0.0294
Oranges	34	1	Dithiocarbamates (RD); Thiabendazole (RD)	0.0294
Oranges	34	3	2,4-D (RD); Dithiocarbamates (RD); Pyrimethanil	0.0882
Oranges	34	3	2,4-D (RD); Dithiocarbamates (RD); Thiabendazole (RD)	0.0882
Oranges	34	1	Dithiocarbamates (RD); Imidacloprid; Thiabendazole (RD)	0.0294
Oranges	34	1	2,4-D (RD); Dithiocarbamates (RD); Pyrimethanil; Thiabendazole (RD)	0.0294
Oranges	34	1	Dithiocarbamates (RD); Imidacloprid; Prochloraz (RD); Pyrimethanil	0.0294
Oranges	207	2	2,4-D (RD)	0.0097
Oranges	207	1	2,4-D (RD); Prochloraz (RD)	0.0048
Oranges	207	10	2,4-D (RD); Pyrimethanil	0.0483
Oranges	207	6	2,4-D (RD); Thiabendazole (RD)	0.0290
Oranges	207	1	Flubendiamide; Imidacloprid	0.0048
Oranges	207	1	2,4-D (RD); Buprofezin; Thiabendazole (RD)	0.0048
Oranges	207	1	2,4-D (RD); Etofenprox; Pyrimethanil	0.0048
Oranges	207	2	2,4-D (RD); Imidacloprid; Pyrimethanil	0.0097
Oranges	207	2	2,4-D (RD); Imidacloprid; Thiabendazole (RD)	0.0097
Oranges	207	3	2,4-D (RD); Prochloraz (RD); Pyrimethanil	0.0145
Oranges	207	1	2,4-D (RD); Prochloraz (RD); Thiabendazole (RD)	0.0048
Oranges	207	4	2,4-D (RD); Pyrimethanil; Thiabendazole (RD)	0.0193
Oranges	207	7	2,4-D (RD); Imidacloprid; Pyrimethanil; Thiabendazole (RD)	0.0338
Oranges	207	2	2,4-D (RD); Buprofezin; Imidacloprid; Pyrimethanil; Thiabendazole (RD)	0.0097
Oranges	315	3	Etofenprox	0.0095
Oranges	315	2	Imidacloprid	0.0063
Oranges	315	29	Pyrimethanil	0.0921
Oranges	315	84	Thiabendazole (RD)	0.2667
Oranges	315	1	Buprofezin; Pyrimethanil	0.0032
Oranges	315	2	Buprofezin; Thiabendazole (RD)	0.0063
Oranges	315	1	Clofentezine (RD); Pyrimethanil	0.0032
Oranges	315	1	Etofenprox; Pyrimethanil	0.0032
Oranges	315	3	Etofenprox; Thiabendazole (RD)	0.0095
Oranges	315	1	Imidacloprid; Pyrimethanil	0.0032
Oranges	315	14	Imidacloprid; Thiabendazole (RD)	0.0444
Oranges	315	1	Myclobutanil (RD); Thiabendazole (RD)	0.0032
Oranges	315	2	Prochloraz (RD); Pyrimethanil	0.0063
Oranges	315	1	Prochloraz (RD); Thiabendazole (RD)	0.0032
Oranges	315	32	Pyrimethanil; Thiabendazole (RD)	0.1016
Oranges	315	1	Thiabendazole (RD); Thiacloprid	0.0032
Oranges	315	1	Buprofezin; Imidacloprid; Thiabendazole (RD)	0.0032

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Oranges	315	1	Etofenprox; Pyrimethanil; Thiabendazole (RD)	0.0032
Oranges	315	8	Imidacloprid; Pyrimethanil; Thiabendazole (RD)	0.0254
Oranges	315	1	Buprofezin; Imidacloprid; Pyrimethanil; Thiabendazole (RD)	0.0032
Oranges	315	1	Imidacloprid; Prochloraz (RD); Pyrimethanil; Thiabendazole (RD)	0.0032
Peaches	135	9	Spinosad (RD)	0.0667
Peaches	135	8	Cyprodinil (RD); Spinosad (RD)	0.0593
Peaches	135	1	Etofenprox; Spinosad (RD)	0.0074
Peaches	135	3	Fenbuconazole; Spinosad (RD)	0.0222
Peaches	135	2	Fluopyram (RD); Spinosad (RD)	0.0148
Peaches	135	1	Myclobutanil (RD); Spinosad (RD)	0.0074
Peaches	135	3	Pyrimethanil; Spinosad (RD)	0.0222
Peaches	135	1	Spinosad (RD); Spirodiclofen	0.0074
Peaches	135	2	Spinosad (RD); Tetraconazole	0.0148
Peaches	135	2	Boscalid (RD); Cyproconazole; Spinosad (RD)	0.0148
Peaches	135	2	Boscalid (RD); Cyprodinil (RD); Spinosad (RD)	0.0148
Peaches	135	1	Boscalid (RD); Spinosad (RD); Tetraconazole	0.0074
Peaches	135	2	Cyproconazole; Fenbuconazole; Spinosad (RD)	0.0148
Peaches	135	1	Cyprodinil (RD); Fluopyram (RD); Spinosad (RD)	0.0074
Peaches	135	1	Fenbuconazole; Spinosad (RD); Thiabendazole (RD)	0.0074
Peaches	135	1	Myclobutanil (RD); Spinosad (RD); Thiacloprid	0.0074
Peaches	135	2	Pyrimethanil; Spinosad (RD); Spirodiclofen	0.0148
Peaches	135	1	Pyrimethanil; Spinosad (RD); Spiromesifen	0.0074
Peaches	135	1	Boscalid (RD); Cyprodinil (RD); Fenbuconazole; Spinosad (RD)	0.0074
Peaches	135	1	Boscalid (RD); Fenbuconazole; Imidacloprid; Spinosad (RD)	0.0074
Peaches	135	1	Boscalid (RD); Fluopyram (RD); Spinosad (RD); Thiacloprid	0.0074
Peaches	135	1	Boscalid (RD); Cyprodinil (RD); Fenoxycarb; Spinosad (RD); Thiacloprid	0.0074
Peaches	142	1	Thiametoxam (RD)	0.0070
Peaches	143	4	Boscalid (RD)	0.0280
Peaches	143	2	Bupirimate	0.0140
Peaches	143	2	Cyproconazole	0.0140
Peaches	143	3	Cyprodinil (RD)	0.0210
Peaches	143	14	Fenbuconazole	0.0979
Peaches	143	5	Fluopyram (RD)	0.0350
Peaches	143	2	Imidacloprid	0.0140
Peaches	143	1	Myclobutanil (RD)	0.0070
Peaches	143	2	Pyrimethanil	0.0140
Peaches	143	1	Spinetoram	0.0070
Peaches	143	1	Spirodiclofen	0.0070
Peaches	143	1	Thiabendazole (RD)	0.0070
Peaches	143	1	Thiacloprid	0.0070
Peaches	143	2	Boscalid (RD); Cyprodinil (RD)	0.0140
Peaches	143	1	Boscalid (RD); Fluopyram (RD)	0.0070
Peaches	143	1	Boscalid (RD); Imidacloprid	0.0070
Peaches	143	1	Cyproconazole; Imidacloprid	0.0070
Peaches	143	1	Cyprodinil (RD); Fenbuconazole	0.0070



Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Peaches	143	1	Cyprodinil (RD); Spinetoram	0.0070
Peaches	143	1	Etofenprox; Imidacloprid	0.0070
Peaches	143	2	Fenbuconazole; Imidacloprid	0.0140
Peaches	143	1	Myclobutanil (RD); Pyrimethanil	0.0070
Peaches	143	1	Pyrimethanil; Spinetoram	0.0070
Peaches	143	1	Pyrimethanil; Thiacloprid	0.0070
Peaches	143	1	Boscalid (RD); Bupirimate; Imidacloprid	0.0070
Peaches	143	1	Boscalid (RD); Cyprodinil (RD); Thiacloprid	0.0070
Peaches	143	1	Boscalid (RD); Fenbuconazole; Imidacloprid	0.0070
Peaches	143	1	Cyproconazole; Cyprodinil (RD); Fenbuconazole	0.0070
Peaches	143	1	Cyproconazole; Fluopyram (RD); Thiacloprid	0.0070
Peaches	143	1	Fenbuconazole; Imidacloprid; Myclobutanil (RD)	0.0070
Peaches	143	1	Imidacloprid; Myclobutanil (RD); Thiabendazole (RD)	0.0070
Peaches	143	2	Pyrimethanil; Spinetoram; Spirodiclofen	0.0140
Peaches	143	1	Boscalid (RD); Fenbuconazole; Imidacloprid; Tetraconazole	0.0070
Peaches	143	1	Boscalid (RD); Pyrimethanil; Spinetoram; Spirodiclofen	0.0070
Pears	26	1	Dithiocarbamates (RD)	0.0385
Pears	26	1	Cyprodinil (RD); Dithiocarbamates (RD)	0.0385
Pears	26	2	Dithiocarbamates (RD); Thiacloprid	0.0769
Pears	26	2	Dithiocarbamates (RD); Pyrimethanil; Thiacloprid	0.0769
Pears	51	1	Boscalid (RD); Cyprodinil (RD); Folpet (RD)	0.0196
Pears	160	36	Boscalid (RD)	0.2250
Pears	160	30	Cyprodinil (RD)	0.1875
Pears	160	1	Fenoxycarb	0.0063
Pears	160	3	Imidacloprid	0.0188
Pears	160	2	Pyrimethanil	0.0125
Pears	160	1	Spirodiclofen	0.0063
Pears	160	2	Thiabendazole (RD)	0.0125
Pears	160	6	Thiacloprid	0.0375
Pears	160	10	Boscalid (RD); Cyprodinil (RD)	0.0625
Pears	160	2	Boscalid (RD); Pyrimethanil	0.0125
Pears	160	1	Boscalid (RD); Spirodiclofen	0.0063
Pears	160	1	Cyprodinil (RD); Spirodiclofen	0.0063
Pears	160	1	Imidacloprid; Thiacloprid	0.0063
Pears	160	1	Pyrimethanil; Thiacloprid	0.0063
Pears	160	1	Spinetoram; Thiacloprid	0.0063
Pears	160	1	Boscalid (RD); Cyprodinil (RD); Fluopyram (RD)	0.0063
Pears	160	1	Boscalid (RD); Cyprodinil (RD); Pyrimethanil	0.0063
Pears	160	1	Boscalid (RD); Cyprodinil (RD); Spirodiclofen	0.0063
Pears	160	1	Pyrimethanil; Thiabendazole (RD); Thiacloprid	0.0063
Pears	160	1	Spinetoram; Thiabendazole (RD); Thiacloprid	0.0063
Peas (without pods)	15	1	Cyprodinil (RD); Thiophanate-methyl	0.0667
Peas (without pods)	33	5	Boscalid (RD)	0.1515
Peas (without pods)	33	4	Pyrimethanil	0.1212
Peas (without pods)	33	4	Boscalid (RD); Pyrimethanil	0.1212

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Peppers	172	3	Flubendiamide	0.0174
Peppers	172	1	Flubendiamide; Imidacloprid	0.0058
Peppers	172	1	Cyprodinil (RD); Flubendiamide; Spiromesifen	0.0058
Peppers	210	3	Spinosad (RD)	0.0143
Peppers	214	8	Boscalid (RD)	0.0374
Peppers	214	1	Cyproconazole	0.0047
Peppers	214	2	Fluopyram (RD)	0.0093
Peppers	214	13	Imidacloprid	0.0607
Peppers	214	4	Pymetrozine	0.0187
Peppers	214	7	Spiromesifen	0.0327
Peppers	214	1	Thiacloprid	0.0047
Peppers	214	1	Boscalid (RD); Buprofezin	0.0047
Peppers	214	1	Boscalid (RD); Imidacloprid	0.0047
Peppers	214	1	Boscalid (RD); Myclobutanil (RD)	0.0047
Peppers	214	1	Boscalid (RD); Pymetrozine	0.0047
Peppers	214	1	Boscalid (RD); Pyrimethanil	0.0047
Peppers	214	1	Cyproconazole; Spiromesifen	0.0047
Peppers	214	1	Cyprodinil (RD); Fluopyram (RD)	0.0047
Peppers	214	1	Fluopyram (RD); Myclobutanil (RD)	0.0047
Peppers	214	1	Fluopyram (RD); Spiromesifen	0.0047
Peppers	214	1	Myclobutanil (RD); Pymetrozine	0.0047
Peppers	214	1	Pymetrozine; Spiromesifen	0.0047
Peppers	214	2	Pyrimethanil; Spiromesifen	0.0093
Peppers	214	1	Boscalid (RD); Fluopyram (RD); Pymetrozine	0.0047
Peppers	214	1	Boscalid (RD); Fluopyram (RD); Pyrimethanil	0.0047
Peppers	214	1	Boscalid (RD); Imidacloprid; Spiromesifen	0.0047
Peppers	214	1	Bupirimate; Cyprodinil (RD); Spiromesifen	0.0047
Peppers	214	1	Fluopyram (RD); Myclobutanil (RD); Pyrimethanil	0.0047
Peppers	214	1	Boscalid (RD); Fluopyram (RD); Pyrimethanil; Spinetoram; Spiromesifen	0.0047
Peppers	215	4	Cyprodinil (RD)	0.0186
Peppers	215	7	Pyrimethanil	0.0326
Peppers	215	1	Thiabendazole (RD)	0.0047
Peppers	215	2	Cyprodinil (RD); Pyrimethanil	0.0093
Peppers	215	1	Myclobutanil (RD); Pyrimethanil	0.0047
Peppers	215	1	Bupirimate; Cyprodinil (RD); Myclobutanil (RD)	0.0047
Peppers	216	1	Bupirimate	0.0046
Peppers	216	3	Myclobutanil (RD)	0.0139
Potatoes	47	16	Chlorpropham (RD)	0.3404
Potatoes	136	4	Fluopicolide	0.0294
Potatoes	136	2	Flutolanil	0.0147
Potatoes	136	2	Imidacloprid	0.0147
Potatoes	136	1	Pyrimethanil	0.0074
Rice	18	3	Imidacloprid	0.1667
Rice	18	1	Buprofezin; Imidacloprid	0.0556
Rice	18	2	Buprofezin; Thiametoxam (RD)	0.1111

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Rice	18	1	Imidacloprid; Thiametoxam (RD)	0.0556
Rice	18	1	Buprofezin; Imidacloprid; Thiametoxam (RD)	0.0556
Rice	36	1	Buprofezin	0.0278
Rye	14	1	Bixafen (RD)	0.0714
Rye	28	1	Fluxapyroxad	0.0357
Spinach	49	1	Lenacil	0.0204
Spinach	90	4	Spinosad (RD)	0.0444
Spinach	90	1	Boscalid (RD); Spinosad (RD)	0.0111
Spinach	90	1	Fluopicolide; Spinosad (RD)	0.0111
Spinach	92	3	Thiametoxam (RD)	0.0326
Spinach	92	1	Boscalid (RD); Thiametoxam (RD)	0.0109
Spinach	95	9	Boscalid (RD)	0.0947
Spinach	95	7	Fluopicolide	0.0737
Spinach	95	2	Imidacloprid	0.0211
Spinach	95	1	Boscalid (RD); Etofenprox	0.0105
Spinach	95	2	Boscalid (RD); Fluopicolide	0.0211
Spinach	95	2	Boscalid (RD); Imidacloprid	0.0211
Spinach	95	2	Fluopicolide; Imidacloprid	0.0211
Spinach	95	1	Fluopicolide; Thiabendazole (RD)	0.0105
Strawberries	18	1	Boscalid (RD); Bupirimate; Dithiocarbamates (RD); Spinosad (RD)	0.0556
Strawberries	53	1	Boscalid (RD); Mepanipyrim (RD)	0.0189
Strawberries	53	1	Mepanipyrim (RD); Thiacloprid	0.0189
Strawberries	53	2	Boscalid (RD); Cyprodinil (RD); Mepanipyrim (RD)	0.0377
Strawberries	53	1	Boscalid (RD); Fluopyram (RD); Mepanipyrim (RD)	0.0189
Strawberries	53	1	Boscalid (RD); Mepanipyrim (RD); Myclobutanil (RD)	0.0189
Strawberries	53	1	Boscalid (RD); Mepanipyrim (RD); Thiacloprid	0.0189
Strawberries	53	1	Bupirimate; Cyprodinil (RD); Mepanipyrim (RD)	0.0189
Strawberries	53	1	Cyprodinil (RD); Fluopyram (RD); Mepanipyrim (RD)	0.0189
Strawberries	53	2	Boscalid (RD); Cyprodinil (RD); Fluopyram (RD); Mepanipyrim (RD)	0.0377
Strawberries	53	1	Boscalid (RD); Mepanipyrim (RD); Spinosad (RD); Thiacloprid	0.0189
Strawberries	53	1	Cyprodinil (RD); Fluopyram (RD); Mepanipyrim (RD); Thiacloprid	0.0189
Strawberries	53	1	Boscalid (RD); Clofentezine (RD); Cyprodinil (RD); Mepanipyrim (RD); Myclobutanil (RD)	0.0189
Strawberries	53	1	Boscalid (RD); Cyprodinil (RD); Fluopyram (RD); Mepanipyrim (RD); Spinosad (RD)	0.0189
Strawberries	53	1	Boscalid (RD); Cyprodinil (RD); Fluopyram (RD); Mepanipyrim (RD); Pyrimethanil; Spinosad (RD)	0.0189
Strawberries	53	1	Boscalid (RD); Cyprodinil (RD); Fluopyram (RD); Mepanipyrim (RD); Spinosad (RD); Thiacloprid	0.0189
Strawberries	92	1	Thiophanate-methyl	0.0109
Strawberries	156	1	Spinosad (RD)	0.0064
Strawberries	156	1	Boscalid (RD); Spinosad (RD)	0.0064
Strawberries	156	1	Cyprodinil (RD); Spinosad (RD)	0.0064
Strawberries	156	1	Fluopyram (RD); Spinosad (RD)	0.0064
Strawberries	156	1	Spinosad (RD); Thiacloprid	0.0064
Strawberries	156	1	Boscalid (RD); Clofentezine (RD); Spinosad (RD)	0.0064
Strawberries	156	1	Bupirimate; Clofentezine (RD); Spinosad (RD)	0.0064
Strawberries	156	2	Fluopyram (RD); Spinosad (RD); Thiacloprid	0.0128
Strawberries	156	1	Boscalid (RD); Bupirimate; Spinetoram; Spinosad (RD)	0.0064

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Strawberries	156	2	Boscalid (RD); Cyprodinil (RD); Fluopyram (RD); Spinosad (RD)	0.0128
Strawberries	156	1	Boscalid (RD); Cyprodinil (RD); Prochloraz (RD); Spinosad (RD)	0.0064
Strawberries	156	1	Cyprodinil (RD); Fluopyram (RD); Spinosad (RD); Thiacloprid	0.0064
Strawberries	156	1	Boscalid (RD); Bupirimate; Cyprodinil (RD); Fluopyram (RD); Spinosad (RD)	0.0064
Strawberries	156	1	Boscalid (RD); Bupirimate; Cyprodinil (RD); Spinosad (RD); Thiacloprid	0.0064
Strawberries	156	1	Boscalid (RD); Clofentezine (RD); Cyprodinil (RD); Fluopyram (RD); Spinosad (RD)	0.0064
Strawberries	156	1	Boscalid (RD); Cyprodinil (RD); Fluopyram (RD); Spinetoram; Spinosad (RD)	0.0064
Strawberries	156	1	Boscalid (RD); Cyprodinil (RD); Pyrimethanil; Spinosad (RD); Thiacloprid	0.0064
Strawberries	156	1	Bupirimate; Clofentezine (RD); Cyprodinil (RD); Fluopyram (RD); Spinosad (RD)	0.0064
Strawberries	156	1	Boscalid (RD); Bupirimate; Cyprodinil (RD); Fluopyram (RD); Spinosad (RD); Spirodiclofen	0.0064
Strawberries	156	3	Boscalid (RD); Bupirimate; Cyprodinil (RD); Fluopyram (RD); Spinosad (RD); Thiacloprid	0.0192
Strawberries	159	1	Cyprodinil (RD); Thiametoxam (RD)	0.0063
Strawberries	160	1	Clofentezine (RD); Cyflufenamid; Cyprodinil (RD)	0.0063
Strawberries	163	8	Boscalid (RD)	0.0491
Strawberries	163	1	Bupirimate	0.0061
Strawberries	163	4	Cyprodinil (RD)	0.0245
Strawberries	163	5	Fluopyram (RD)	0.0307
Strawberries	163	1	Myclobutanil (RD)	0.0061
Strawberries	163	1	Pyrimethanil	0.0061
Strawberries	163	2	Thiacloprid	0.0123
Strawberries	163	7	Boscalid (RD); Cyprodinil (RD)	0.0429
Strawberries	163	7	Boscalid (RD); Fluopyram (RD)	0.0429
Strawberries	163	1	Boscalid (RD); Myclobutanil (RD)	0.0061
Strawberries	163	1	Boscalid (RD); Spirodiclofen	0.0061
Strawberries	163	1	Boscalid (RD); Spiromesifen	0.0061
Strawberries	163	4	Boscalid (RD); Thiacloprid	0.0245
Strawberries	163	1	Bupirimate; Thiacloprid	0.0061
Strawberries	163	1	Cyproconazole; Fluopyram (RD)	0.0061
Strawberries	163	1	Cyprodinil (RD); Fenamidone	0.0061
Strawberries	163	1	Cyprodinil (RD); Pyrimethanil	0.0061
Strawberries	163	1	Cyprodinil (RD); Tetraconazole	0.0061
Strawberries	163	1	Fluopyram (RD); Thiabendazole (RD)	0.0061
Strawberries	163	3	Fluopyram (RD); Thiacloprid	0.0184
Strawberries	163	2	Boscalid (RD); Clofentezine (RD); Fluopyram (RD)	0.0123
Strawberries	163	10	Boscalid (RD); Cyprodinil (RD); Fluopyram (RD)	0.0613
Strawberries	163	4	Boscalid (RD); Cyprodinil (RD); Pyrimethanil	0.0245
Strawberries	163	1	Boscalid (RD); Cyprodinil (RD); Spiromesifen	0.0061
Strawberries	163	1	Boscalid (RD); Cyprodinil (RD); Thiacloprid	0.0061
Strawberries	163	1	Boscalid (RD); Fluopyram (RD); Thiacloprid	0.0061
Strawberries	163	1	Bupirimate; Clofentezine (RD); Cyprodinil (RD)	0.0061
Strawberries	163	1	Bupirimate; Cyprodinil (RD); Fluopyram (RD)	0.0061
Strawberries	163	1	Bupirimate; Cyprodinil (RD); Thiacloprid	0.0061
Strawberries	163	1	Cyprodinil (RD); Fluopyram (RD); Myclobutanil (RD)	0.0061
Strawberries	163	1	Cyprodinil (RD); Myclobutanil (RD); Thiacloprid	0.0061
Strawberries	163	1	Fluopyram (RD); Spiromesifen; Thiacloprid	0.0061

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Strawberries	163	1	Boscalid (RD); Bupirimate; Cyprodinil (RD); Fluopyram (RD)	0.0061
Strawberries	163	1	Boscalid (RD); Clofentezine (RD); Fluopyram (RD); Thiachloprid	0.0061
Strawberries	163	3	Boscalid (RD); Cyprodinil (RD); Fluopyram (RD); Pyrimethanil	0.0184
Strawberries	163	1	Boscalid (RD); Cyprodinil (RD); Fluopyram (RD); Spirodiclofen	0.0061
Strawberries	163	4	Boscalid (RD); Cyprodinil (RD); Fluopyram (RD); Thiachloprid	0.0245
Strawberries	163	1	Boscalid (RD); Fluopyram (RD); Spiromesifen; Thiachloprid	0.0061
Strawberries	163	2	Boscalid (RD); Bupirimate; Cyprodinil (RD); Fluopyram (RD); Thiachloprid	0.0123
Strawberries	163	1	Boscalid (RD); Cyprodinil (RD); Fenamidone; Fluopyram (RD); Thiachloprid	0.0061
Table grapes	39	1	Buprofezin; Dithiocarbamates (RD)	0.0256
Table grapes	39	1	Dithiocarbamates (RD); Myclobutanil (RD)	0.0256
Table grapes	39	1	Dithiocarbamates (RD); Etofenprox; Myclobutanil (RD)	0.0256
Table grapes	39	1	Dithiocarbamates (RD); Imidacloprid; Myclobutanil (RD)	0.0256
Table grapes	39	1	Dithiocarbamates (RD); Imidacloprid; Tetraconazole	0.0256
Table grapes	39	1	Dithiocarbamates (RD); Myclobutanil (RD); Spinosad (RD)	0.0256
Table grapes	94	1	Buprofezin; Mandipropamid; Tetraconazole	0.0106
Table grapes	94	1	Mandipropamid; Myclobutanil (RD); Tetraconazole	0.0106
Table grapes	94	1	Ametoctradin (RD); Imidacloprid; Mandipropamid; Myclobutanil (RD)	0.0106
Table grapes	94	4	Buprofezin; Mandipropamid; Myclobutanil (RD); Tetraconazole	0.0426
Table grapes	94	1	Imidacloprid; Mandipropamid; Myclobutanil (RD); Tetraconazole	0.0106
Table grapes	94	1	Ametoctradin (RD); Buprofezin; Mandipropamid; Myclobutanil (RD); Tetraconazole	0.0106
Table grapes	94	1	Ametoctradin (RD); Mandipropamid; Myclobutanil (RD); Spinosad (RD); Tetraconazole	0.0106
Table grapes	94	1	Buprofezin; Imidacloprid; Mandipropamid; Myclobutanil (RD); Tetraconazole	0.0106
Table grapes	94	1	Buprofezin; Imidacloprid; Mandipropamid; Myclobutanil (RD); Thiametoxam (RD)	0.0106
Table grapes	94	1	Buprofezin; Mandipropamid; Myclobutanil (RD); Spinosad (RD); Tetraconazole	0.0106
Table grapes	94	1	Buprofezin; Mandipropamid; Myclobutanil (RD); Tetraconazole; Thiametoxam (RD)	0.0106
Table grapes	94	1	Fluopicolide; Mandipropamid; Myclobutanil (RD); Spinosad (RD); Tetraconazole	0.0106
Table grapes	94	2	Ametoctradin (RD); Buprofezin; Imidacloprid; Mandipropamid; Myclobutanil (RD); Tetraconazole	0.0213
Table grapes	94	1	Ametoctradin (RD); Buprofezin; Mandipropamid; Myclobutanil (RD); Tetraconazole; Thiametoxam (RD)	0.0106
Table grapes	94	1	Ametoctradin (RD); Mandipropamid; Myclobutanil (RD); Spinosad (RD); Tetraconazole; Thiametoxam (RD)	0.0106
Table grapes	94	2	Ametoctradin (RD); Buprofezin; Imidacloprid; Mandipropamid; Myclobutanil (RD); Spinosad (RD); Tetraconazole	0.0213
Table grapes	94	1	Ametoctradin (RD); Buprofezin; Imidacloprid; Mandipropamid; Myclobutanil (RD); Tetraconazole; Thiametoxam (RD)	0.0106
Table grapes	94	1	Buprofezin; Imidacloprid; Mandipropamid; Myclobutanil (RD); Spinosad (RD); Tetraconazole; Thiametoxam (RD)	0.0106
Table grapes	94	2	Ametoctradin (RD); Buprofezin; Imidacloprid; Mandipropamid; Myclobutanil (RD); Spinosad (RD); Tetraconazole; Thiametoxam (RD)	0.0213
Table grapes	615	6	Spinosad (RD)	0.0098
Table grapes	615	1	Boscalid (RD); Spinosad (RD)	0.0016
Table grapes	615	1	Buprofezin; Spinosad (RD)	0.0016
Table grapes	615	1	Cyprodinil (RD); Spinosad (RD)	0.0016
Table grapes	615	1	Fenamidone; Spinosad (RD)	0.0016
Table grapes	615	1	Myclobutanil (RD); Spinosad (RD)	0.0016
Table grapes	615	3	Spinosad (RD); Tetraconazole	0.0049
Table grapes	615	1	Ametoctradin (RD); Myclobutanil (RD); Spinosad (RD)	0.0016
Table grapes	615	2	Boscalid (RD); Cyprodinil (RD); Spinosad (RD)	0.0033
Table grapes	615	2	Boscalid (RD); Imidacloprid; Spinosad (RD)	0.0033
Table grapes	615	1	Buprofezin; Myclobutanil (RD); Spinosad (RD)	0.0016
Table grapes	615	1	Cyprodinil (RD); Imidacloprid; Spinosad (RD)	0.0016

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Table grapes	615	1	Fluopyram (RD); Imidacloprid; Spinosad (RD)	0.0016
Table grapes	615	1	Imidacloprid; Myclobutanil (RD); Spinosad (RD)	0.0016
Table grapes	615	4	Imidacloprid; Spinosad (RD); Tetraconazole	0.0065
Table grapes	615	6	Myclobutanil (RD); Spinosad (RD); Tetraconazole	0.0098
Table grapes	615	1	Ametoctradin (RD); Myclobutanil (RD); Spinosad (RD); Tetraconazole	0.0016
Table grapes	615	1	Boscalid (RD); Cyflufenamid; Etofenprox; Spinosad (RD)	0.0016
Table grapes	615	2	Boscalid (RD); Cyprodinil (RD); Pyrimethanil; Spinosad (RD)	0.0033
Table grapes	615	1	Buprofezin; Imidacloprid; Myclobutanil (RD); Spinosad (RD)	0.0016
Table grapes	615	3	Buprofezin; Myclobutanil (RD); Spinosad (RD); Tetraconazole	0.0049
Table grapes	615	1	Cyflufenamid; Fenamidone; Fluopicolide; Spinosad (RD)	0.0016
Table grapes	615	1	Cyprodinil (RD); Fenoxycarb; Myclobutanil (RD); Spinosad (RD)	0.0016
Table grapes	615	1	Cyprodinil (RD); Fluopyram (RD); Spinetoram; Spinosad (RD)	0.0016
Table grapes	615	2	Fluopyram (RD); Myclobutanil (RD); Spinosad (RD); Tetraconazole	0.0033
Table grapes	615	5	Imidacloprid; Myclobutanil (RD); Spinosad (RD); Tetraconazole	0.0081
Table grapes	615	1	Ametoctradin (RD); Buprofezin; Myclobutanil (RD); Spinosad (RD); Tetraconazole	0.0016
Table grapes	615	1	Ametoctradin (RD); Imidacloprid; Myclobutanil (RD); Spinosad (RD); Tetraconazole	0.0016
Table grapes	615	1	Ametoctradin (RD); Myclobutanil (RD); Spinosad (RD); Tetraconazole; Thiametoxam (RD)	0.0016
Table grapes	615	1	Buprofezin; Fluopyram (RD); Myclobutanil (RD); Spinosad (RD); Tetraconazole	0.0016
Table grapes	615	1	Buprofezin; Imidacloprid; Myclobutanil (RD); Spinosad (RD); Thiametoxam (RD)	0.0016
Table grapes	615	2	Ametoctradin (RD); Buprofezin; Imidacloprid; Myclobutanil (RD); Spinosad (RD); Tetraconazole	0.0033
Table grapes	615	1	Ametoctradin (RD); Fenamidone; Myclobutanil (RD); Spinosad (RD); Tetraconazole; Thiametoxam (RD)	0.0016
Table grapes	615	1	Imidacloprid; Myclobutanil (RD); Spinosad (RD); Tetraconazole; Thiametoxam (RD)	0.0016
Table grapes	615	1	Boscalid (RD); Bromopropylate; Fluopyram (RD); Pyrimethanil; Spinetoram; Spinosad (RD)	0.0016
Table grapes	627	1	Ametoctradin (RD); Boscalid (RD); Cyflufenamid; Cyprodinil (RD)	0.0016
Table grapes	627	1	Boscalid (RD); Cyflufenamid; Cyprodinil (RD); Imidacloprid	0.0016
Table grapes	627	1	Boscalid (RD); Cyflufenamid; Imidacloprid; Pyrimethanil	0.0016
Table grapes	627	1	Boscalid (RD); Bupirimate; Cyflufenamid; Cyprodinil (RD); Thiabendazole (RD)	0.0016
Table grapes	627	1	Boscalid (RD); Cyflufenamid; Cyprodinil (RD); Lufenuron; Pyrimethanil	0.0016
Table grapes	627	1	Boscalid (RD); Cyflufenamid; Cyprodinil (RD); Myclobutanil (RD); Pyrimethanil; Tetraconazole	0.0016
Table grapes	627	1	Boscalid (RD); Cyflufenamid; Fluopyram (RD); Myclobutanil (RD); Proquinazid; Pyrimethanil	0.0016
Table grapes	629	3	Thiametoxam (RD)	0.0048
Table grapes	629	1	Ametoctradin (RD); Thiametoxam (RD)	0.0016
Table grapes	629	2	Boscalid (RD); Thiametoxam (RD)	0.0032
Table grapes	629	3	Myclobutanil (RD); Thiametoxam (RD)	0.0048
Table grapes	629	1	Cyprodinil (RD); Pyrimethanil; Thiametoxam (RD)	0.0016
Table grapes	629	1	Imidacloprid; Spiromesifen; Thiametoxam (RD)	0.0016
Table grapes	629	1	Imidacloprid; Tetraconazole; Thiametoxam (RD)	0.0016
Table grapes	629	1	Ametoctradin (RD); Buprofezin; Myclobutanil (RD); Thiametoxam (RD)	0.0016
Table grapes	629	1	Ametoctradin (RD); Myclobutanil (RD); Tetraconazole; Thiametoxam (RD)	0.0016
Table grapes	629	1	Buprofezin; Myclobutanil (RD); Tetraconazole; Thiametoxam (RD)	0.0016
Table grapes	629	2	Imidacloprid; Myclobutanil (RD); Tetraconazole; Thiametoxam (RD)	0.0032
Table grapes	629	1	Ametoctradin (RD); Buprofezin; Myclobutanil (RD); Tetraconazole; Thiametoxam (RD)	0.0016
Table grapes	629	2	Buprofezin; Imidacloprid; Myclobutanil (RD); Tetraconazole; Thiametoxam (RD)	0.0032
Table grapes	637	1	Boscalid (RD); Proquinazid	0.0016
Table grapes	637	1	Fluopyram (RD); Proquinazid	0.0016

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Table grapes	637	1	Proquinazid; Tetraconazole	0.0016
Table grapes	637	1	Boscalid (RD); Myclobutanil (RD); Proquinazid	0.0016
Table grapes	637	1	Boscalid (RD); Cyprodinil (RD); Fluopyram (RD); Proquinazid	0.0016
Table grapes	637	1	Boscalid (RD); Fluopicolide; Fluopyram (RD); Proquinazid	0.0016
Table grapes	637	1	Boscalid (RD); Cyprodinil (RD); Proquinazid; Pyrimethanil; Tetraconazole	0.0016
Table grapes	638	1	Buprofezin	0.0016
Table grapes	638	1	Fluopicolide	0.0016
Table grapes	638	51	Fluopyram (RD)	0.0799
Table grapes	638	12	Imidacloprid	0.0188
Table grapes	638	17	Myclobutanil (RD)	0.0266
Table grapes	638	4	Pyrimethanil	0.0063
Table grapes	638	1	Spirodiclofen	0.0016
Table grapes	638	9	Tetraconazole	0.0141
Table grapes	638	1	Thiabendazole (RD)	0.0016
Table grapes	638	7	Zoxamide	0.0110
Table grapes	638	1	Ametoctradin (RD); Fluopyram (RD)	0.0016
Table grapes	638	2	Ametoctradin (RD); Myclobutanil (RD)	0.0031
Table grapes	638	2	Boscalid (RD); Cyproconazole	0.0031
Table grapes	638	12	Boscalid (RD); Cyprodinil (RD)	0.0188
Table grapes	638	1	Boscalid (RD); Fluopicolide	0.0016
Table grapes	638	9	Boscalid (RD); Fluopyram (RD)	0.0141
Table grapes	638	4	Boscalid (RD); Imidacloprid	0.0063
Table grapes	638	10	Boscalid (RD); Myclobutanil (RD)	0.0157
Table grapes	638	13	Boscalid (RD); Pyrimethanil	0.0204
Table grapes	638	2	Boscalid (RD); Zoxamide	0.0031
Table grapes	638	1	Buprofezin; Myclobutanil (RD)	0.0016
Table grapes	638	4	Buprofezin; Tetraconazole	0.0063
Table grapes	638	1	Cyproconazole; Imidacloprid	0.0016
Table grapes	638	3	Cyprodinil (RD); Fluopicolide	0.0047
Table grapes	638	1	Cyprodinil (RD); Fluopyram (RD)	0.0016
Table grapes	638	4	Cyprodinil (RD); Imidacloprid	0.0063
Table grapes	638	11	Cyprodinil (RD); Myclobutanil (RD)	0.0172
Table grapes	638	3	Cyprodinil (RD); Pyrimethanil	0.0047
Table grapes	638	1	Cyprodinil (RD); Zoxamide	0.0016
Table grapes	638	1	Fenamidone; Myclobutanil (RD)	0.0016
Table grapes	638	1	Fenamidone; Zoxamide	0.0016
Table grapes	638	9	Fluopicolide; Fluopyram (RD)	0.0141
Table grapes	638	1	Fluopyram (RD); Myclobutanil (RD)	0.0016
Table grapes	638	8	Fluopyram (RD); Pyrimethanil	0.0125
Table grapes	638	4	Fluopyram (RD); Tetraconazole	0.0063
Table grapes	638	2	Fluopyram (RD); Zoxamide	0.0031
Table grapes	638	5	Imidacloprid; Myclobutanil (RD)	0.0078
Table grapes	638	2	Imidacloprid; Pyrimethanil	0.0031
Table grapes	638	1	Imidacloprid; Spinetoram	0.0016
Table grapes	638	2	Imidacloprid; Tetraconazole	0.0031

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Table grapes	638	1	Imidacloprid; Thiabendazole (RD)	0.0016
Table grapes	638	18	Myclobutanil (RD); Tetraconazole	0.0282
Table grapes	638	1	Tetraconazole; Thiabendazole (RD)	0.0016
Table grapes	638	1	Tetraconazole; Zoxamide	0.0016
Table grapes	638	1	Ametoctradin (RD); Boscalid (RD); Fluopyram (RD)	0.0016
Table grapes	638	1	Ametoctradin (RD); Imidacloprid; Myclobutanil (RD)	0.0016
Table grapes	638	3	Ametoctradin (RD); Myclobutanil (RD); Tetraconazole	0.0047
Table grapes	638	1	Ametoctradin (RD); Pyrimethanil; Thiabendazole (RD)	0.0016
Table grapes	638	1	Boscalid (RD); Cyprodinil (RD); Fluopyram (RD)	0.0016
Table grapes	638	2	Boscalid (RD); Cyprodinil (RD); Myclobutanil (RD)	0.0031
Table grapes	638	6	Boscalid (RD); Cyprodinil (RD); Pyrimethanil	0.0094
Table grapes	638	2	Boscalid (RD); Fluopicolide; Fluopyram (RD)	0.0031
Table grapes	638	1	Boscalid (RD); Fluopyram (RD); Myclobutanil (RD)	0.0016
Table grapes	638	2	Boscalid (RD); Fluopyram (RD); Pyrimethanil	0.0031
Table grapes	638	7	Boscalid (RD); Imidacloprid; Myclobutanil (RD)	0.0110
Table grapes	638	2	Boscalid (RD); Imidacloprid; Pyrimethanil	0.0031
Table grapes	638	1	Boscalid (RD); Imidacloprid; Tetraconazole	0.0016
Table grapes	638	1	Boscalid (RD); Imidacloprid; Zoxamide	0.0016
Table grapes	638	2	Boscalid (RD); Myclobutanil (RD); Prochloraz (RD)	0.0031
Table grapes	638	1	Boscalid (RD); Myclobutanil (RD); Thiabendazole (RD)	0.0016
Table grapes	638	1	Buprofezin; Cyprodinil (RD); Myclobutanil (RD)	0.0016
Table grapes	638	3	Buprofezin; Imidacloprid; Myclobutanil (RD)	0.0047
Table grapes	638	1	Buprofezin; Imidacloprid; Tetraconazole	0.0016
Table grapes	638	15	Buprofezin; Myclobutanil (RD); Tetraconazole	0.0235
Table grapes	638	1	Cyproconazole; Imidacloprid; Tetraconazole	0.0016
Table grapes	638	1	Cyprodinil (RD); Fluopicolide; Fluopyram (RD)	0.0016
Table grapes	638	3	Cyprodinil (RD); Imidacloprid; Myclobutanil (RD)	0.0047
Table grapes	638	1	Cyprodinil (RD); Myclobutanil (RD); Pyrimethanil	0.0016
Table grapes	638	1	Cyprodinil (RD); Pyrimethanil; Spinetoram	0.0016
Table grapes	638	2	Fluopicolide; Fluopyram (RD); Pyrimethanil	0.0031
Table grapes	638	3	Fluopicolide; Fluopyram (RD); Zoxamide	0.0047
Table grapes	638	1	Fluopicolide; Pyrimethanil; Zoxamide	0.0016
Table grapes	638	1	Fluopyram (RD); Imidacloprid; Pyrimethanil	0.0016
Table grapes	638	1	Fluopyram (RD); Imidacloprid; Zoxamide	0.0016
Table grapes	638	1	Fluopyram (RD); Myclobutanil (RD); Tetraconazole	0.0016
Table grapes	638	1	Fluopyram (RD); Myclobutanil (RD); Zoxamide	0.0016
Table grapes	638	6	Imidacloprid; Myclobutanil (RD); Tetraconazole	0.0094
Table grapes	638	1	Imidacloprid; Tetraconazole; Zoxamide	0.0016
Table grapes	638	1	Imidacloprid; Thiabendazole (RD); Zoxamide	0.0016
Table grapes	638	1	Ametoctradin (RD); Buprofezin; Imidacloprid; Myclobutanil (RD)	0.0016
Table grapes	638	5	Ametoctradin (RD); Buprofezin; Myclobutanil (RD); Tetraconazole	0.0078
Table grapes	638	1	Ametoctradin (RD); Fluopicolide; Imidacloprid; Tetraconazole	0.0016
Table grapes	638	1	Boscalid (RD); Buprofezin; Myclobutanil (RD); Pyrimethanil	0.0016
Table grapes	638	1	Boscalid (RD); Cyprodinil (RD); Imidacloprid; Myclobutanil (RD)	0.0016
Table grapes	638	2	Boscalid (RD); Cyprodinil (RD); Imidacloprid; Pyrimethanil	0.0031



Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Table grapes	638	1	Boscalid (RD); Cyprodinil (RD); Pyrimethanil; Thiabendazole (RD)	0.0016
Table grapes	638	3	Buprofezin; Imidacloprid; Myclobutanil (RD); Tetraconazole	0.0047
Table grapes	638	1	Buprofezin; Imidacloprid; Myclobutanil (RD); Thiabendazole (RD)	0.0016
Table grapes	638	1	Cyprodinil (RD); Myclobutanil (RD); Pyrimethanil; Thiabendazole (RD)	0.0016
Table grapes	638	1	Ametoctradin (RD); Buprofezin; Fenamidone; Tetraconazole; Thiabendazole (RD)	0.0016
Table grapes	638	1	Ametoctradin (RD); Imidacloprid; Myclobutanil (RD); Tetraconazole; Thiachloprid	0.0016
Table grapes	638	1	Buprofezin; Fluopicolide; Imidacloprid; Myclobutanil (RD); Tetraconazole	0.0016
Table grapes	639	39	Boscalid (RD)	0.0610
Table grapes	639	15	Cyprodinil (RD)	0.0235
Table grapes	639	12	Boscalid (RD); Cyprodinil (RD)	0.0188
Tomatoes	16	1	Pyridalyl; Spiromesifen	0.0625
Tomatoes	19	6	Bromide ion	0.3158
Tomatoes	19	1	Dicofol (RD)	0.0526
Tomatoes	19	2	Bromide ion; Fluopyram (RD)	0.1053
Tomatoes	19	1	Boscalid (RD); Bromide ion; Fluopyram (RD)	0.0526
Tomatoes	19	1	Bromide ion; Bupirimate; Thiabendazole (RD)	0.0526
Tomatoes	19	1	Bromide ion; Fluopyram (RD); Imidacloprid	0.0526
Tomatoes	19	1	Boscalid (RD); Bromide ion; Pymetrozine; Spinosad (RD)	0.0526
Tomatoes	19	1	Bromide ion; Cyprodinil (RD); Fluopyram (RD); Pyrimethanil	0.0526
Tomatoes	19	1	Boscalid (RD); Bromide ion; Buprofezin; Fluopyram (RD); Imidacloprid	0.0526
Tomatoes	28	2	Dithiocarbamates (RD)	0.0714
Tomatoes	28	1	Boscalid (RD); Dithiocarbamates (RD)	0.0357
Tomatoes	28	1	Diethofencarb; Dithiocarbamates (RD)	0.0357
Tomatoes	28	1	Dithiocarbamates (RD); Myclobutanil (RD)	0.0357
Tomatoes	28	1	Dithiocarbamates (RD); Fluopyram (RD); Spiromesifen	0.0357
Tomatoes	28	1	Boscalid (RD); Dithiocarbamates (RD); Fluopyram (RD); Thiachloprid	0.0357
Tomatoes	77	1	Bupirimate; Cyprodinil (RD); Diethofencarb; Mepanipyrim (RD); Pymetrozine	0.0130
Tomatoes	115	1	Spiromesifen; Thiophanate-methyl	0.0087
Tomatoes	176	1	Cyprodinil (RD); Flubendiamide	0.0057
Tomatoes	176	1	Flubendiamide; Spiromesifen	0.0057
Tomatoes	176	1	Flubendiamide; Thiachloprid	0.0057
Tomatoes	176	1	Cyprodinil (RD); Flubendiamide; Spiromesifen	0.0057
Tomatoes	211	4	Spinosad (RD)	0.0190
Tomatoes	211	1	Cyprodinil (RD); Spinosad (RD)	0.0047
Tomatoes	211	1	Spinosad (RD); Spiromesifen	0.0047
Tomatoes	221	1	Imidacloprid; Thiametoxam (RD)	0.0045
Tomatoes	221	1	Boscalid (RD); Buprofezin; Fluopyram (RD); Imidacloprid; Thiametoxam (RD)	0.0045
Tomatoes	223	1	Buprofezin	0.0045
Tomatoes	223	4	Cyprodinil (RD)	0.0179
Tomatoes	223	25	Fluopyram (RD)	0.1121
Tomatoes	223	1	Imidacloprid	0.0045
Tomatoes	223	2	Pyrimethanil	0.0090
Tomatoes	223	1	Thiachloprid	0.0045
Tomatoes	223	5	Boscalid (RD); Cyprodinil (RD)	0.0224
Tomatoes	223	4	Boscalid (RD); Fluopyram (RD)	0.0179

Appendix P. Use frequency data of substances of the CAG-thyroid hormone as retrieved from the residue database

CAG: cumulative assessment group; LOQ: limit of quantification of quantification; Nr: number; RAC: raw agricultural commodity; RD: residue definition

RAC	Nr of samples		Active substance(s)	Use frequency
	Total analysed	> LOQ		
Tomatoes	223	1	Boscalid (RD); Imidacloprid	0.0045
Tomatoes	223	1	Bupirimate; Thiacloprid	0.0045
Tomatoes	223	1	Buprofezin; Pymetrozine	0.0045
Tomatoes	223	1	Cyprodinil (RD); Fenamidone	0.0045
Tomatoes	223	2	Cyprodinil (RD); Fluopyram (RD)	0.0090
Tomatoes	223	1	Cyprodinil (RD); Pyrimethanil	0.0045
Tomatoes	223	1	Fenamidone; Spiromesifen	0.0045
Tomatoes	223	8	Fluopyram (RD); Spiromesifen	0.0359
Tomatoes	223	1	Fluopyram (RD); Thiacloprid	0.0045
Tomatoes	223	1	Myclobutanil (RD); Spiromesifen	0.0045
Tomatoes	223	1	Pymetrozine; Spiromesifen	0.0045
Tomatoes	223	1	Pyrimethanil; Spiromesifen	0.0045
Tomatoes	223	1	Pyrimethanil; Thiacloprid	0.0045
Tomatoes	223	2	Boscalid (RD); Buprofezin; Spiromesifen	0.0090
Tomatoes	223	1	Boscalid (RD); Cyprodinil (RD); Imidacloprid	0.0045
Tomatoes	223	1	Boscalid (RD); Fluopyram (RD); Imidacloprid	0.0045
Tomatoes	223	1	Boscalid (RD); Fluopyram (RD); Spiromesifen	0.0045
Tomatoes	223	1	Clofentezine (RD); Cyprodinil (RD); Fluopyram (RD)	0.0045
Tomatoes	223	1	Boscalid (RD); Buprofezin; Cyprodinil (RD); Thiacloprid	0.0045
Tomatoes	223	1	Boscalid (RD); Buprofezin; Spiromesifen; Thiacloprid	0.0045
Tomatoes	223	1	Boscalid (RD); Pymetrozine; Spiromesifen; Thiacloprid; Zoxamide	0.0045
Tomatoes	224	4	Boscalid (RD)	0.0179
Tomatoes	224	22	Spiromesifen	0.0982
Tomatoes	224	1	Zoxamide	0.0045
Tomatoes	224	1	Boscalid (RD); Spiromesifen	0.0045
Tomatoes	224	1	Boscalid (RD); Spiromesifen; Zoxamide	0.0045
Wheat	26	1	Fluxapyroxad	0.0385
Wheat	42	1	Bixafen (RD)	0.0238
Wine grapes	107	1	Thiophanate-methyl	0.0093
Wine grapes	112	11	Boscalid (RD)	0.0982
Wine grapes	112	3	Cyprodinil (RD)	0.0268
Wine grapes	112	3	Fluopyram (RD)	0.0268
Wine grapes	112	1	Imidacloprid	0.0089
Wine grapes	112	2	Pyrimethanil	0.0179
Wine grapes	112	1	Boscalid (RD); Cyprodinil (RD)	0.0089
Wine grapes	112	9	Boscalid (RD); Fluopyram (RD)	0.0804
Wine grapes	112	1	Boscalid (RD); Pyrimethanil	0.0089
Wine grapes	112	1	Cyproconazole; Myclobutanil (RD)	0.0089
Wine grapes	112	2	Cyprodinil (RD); Fluopyram (RD)	0.0179
Wine grapes	112	1	Boscalid (RD); Cyprodinil (RD); Fluopyram (RD)	0.0089
Wine grapes	112	1	Boscalid (RD); Fluopyram (RD); Pyrimethanil	0.0089